



R10892 A




R10395A


B1, B4



B2



B3




B5



B6



B8



13,5—46 m
46—160 m
160—585 m
708—2000 m


452 kc/s

9632—05
9694—05

Z = 9 Ω

110, 125, 145, 200, 220, 240 V

62 W




R12768

1945/46

160—585 m	13,5—46 m	708—2000 m
C3 C4 C5 min. 452 kc/s-33000 pF-g1B2 S24—82 pF S25/S31—82 pF S23 max. S26/S27 max. S24 S25/S31 S23—82 pF S26/S27—82 pF S24 max. S25/S31 max. S23 S26/S27	20,5 Mc/s— C3, C4, C5 min. C3,C4,C5 20,5 Mc/s C8, C15 max. 46—160 m C3, C4, C5 + 15° 6,1 Mc/s— C25, C16, C9 max. 160—585 m C3, C4, C5 + 15° 1650 kc/s— C26, C17, C10 max. — 25 pF — a B2 C5 545 kc/s— C3,C4,C5 545 kc/s C5 C30 max	C3, C4, C5 + 15° 400 kc/s— C63, C62, C61 max. —25 pF — a B2 C5 160 kc/s— C3, C4, C5 160 kc/s C5 C64 max


15° = 09 992 44.0



R10347

	B1	B2	B3	B4	B5	B6	B8
	EF9	ECH 4	EBF 2	EF 9	EL3	AZ1	EM 4
Va	150	220 130	220	110	250		60 40
Vg2(+4)	85	80	80	30	220		230
Vk	0,5	1,5	11	1,3	5		1,3
Ia	6	1,5 5	3,2	0,5	25		0,1 0,1
Ig2(+4)	2	3,8	1	0,4	3		0,12

R1	1800 Ω	48 495 10/1K8	C1	50 μF	48 312 09/50
R2	0,82 MΩ	48 425 10/820K	C2	50 μF	48 317 09/5050
R3	68 Ω	48 551 10/68E	C30	50 μF	
R4	10000 Ω	48 427 10/10K	C3	11-490 pF	49 000 09.0
R7	150 Ω	48 551 10/150E	C4	11-490 pF	
R8	47000/2 Ω	48 427 10/47K	C5	11-490 pF	
R9	220 Ω	48 425 10/220E	C6	10000 pF	48 750 10/10K
R10	39000 Ω	48 425 10/39K	C8	24-20 pF	49 005 05.2
R11	2 × 10000 Ω	48 426 10/10K	C9	24-20 pF	49 005 05.2
R14	0,1 MΩ	48 552 10/100K	C10	24-20 pF	49 005 05.2
R16	0,15 MΩ	48 551 10/150K	C11	100 pF	48 601 10/100E
R17	0,275 MΩ	49 501 02.0	C14	10000 pF	48 751 20/10K
R17a	0,075 MΩ		C15	24-20 pF	49 005 05.2
R18	2,2 MΩ	48 427 10/2M2	C16	24-20 pF	49 005 05.2
R19	4,7 MΩ	48 427 10/4M7	C17	24-20 pF	49 005 05.2
R20	1,5 MΩ	48 426 10/1M5	C19	10000 pF	48 750 10/10K
R21	0,1 MΩ	48 427 10/100K	C20	56000 pF	48 751 10/56K
R22	1000 Ω	48 551 10/1K	C21	68 pF	48 601 10/68E
R23	0,5 MΩ	49 472 19.0	C22	100 pF	48 601 10/100E
R24	180 Ω	48 426 10/180E	C23	220 pF	48 601 10/220E
R27	56000 Ω	48 425 10/56K	C24	20 pF	49 005 18.0
R28	560 Ω	48 425 10/560E	C25	24-20 pF	49 005 05.2
R29	15000 Ω	48 425 10/15K	C26	24-20 pF	49 005 05.2
R31	0,82 MΩ	48 426 10/820K	C27	6400 pF	48 429 02/6K4
R32	1 MΩ	48 426 10/1M	C28	1600 pF	48 429 02/1K6
R33	1000 Ω	48 551 10/1K	C29	400 pF	48 429 02/400E
R35	0,1 MΩ	48 551 10/100K	C30	15-175 pF	49 005 52.2
R37	2,2 MΩ	48 427 10/2M2	C31	94 pF	
R38	1,5 MΩ	48 426 10/1M5	C32	100 pF	
R40	1,5 MΩ	48 426 10/1M5	C33	47000 pF	48 750 20/47K
R43	5600 Ω	48 427 10/5K6	C35	56000 pF	48 751 10/56K
R44	2,2 MΩ	48 427 10/2M2	C37	103 pF	
R45	0,39 MΩ	48 425 10/390K	C38	113 pF	
R46	2200 Ω	48 425 10/2K2	C39	100 pF	48 601 10/100E
R47	12000 Ω	48 425 10/12K	C40	32 pF	49 020 41.0
R48	47000 Ω	48 426 10/47K	C41	22000 pF	48 750 10/22K
R58	0,1 MΩ	48 551 10/100K	C43	22000 pF	48 751 20/22K
R60	39/2 Ω	48 427 10/39E	C44	2200 pF	48 757 20/2K2
R61	47000 Ω	48 551 10/47K	C46	22000 pF	48 750 10/22K
			C47	0,1 μF	48 751 20/100K
			C48	0,33 μF	48 750 10/330K
			C49	56 pF	48 601 10/56E
			C50	14 μF	C 2
			C51	50 μF	48 313 02/50
			C52	680 pF	48 605 20/680E
			C54	10000 pF	48 750 10/10K
			C56	5,6 pF	48 601 20/5E6
			C57	47000 pF	48 750 10/47K
			C58	22 pF	48 601 10/22E
			C61	24-20 pF	49 005 05.2
			C62	24-20 pF	49 005 05.2
			C63	24-20 pF	49 005 05.2
			C65	56 pF	48 601 10/56E
			C66	1,5 pF	49 055 60.0
			C67	82 pF	48 601 10/82E
			C68	330 pF	48 601 10/330E
			C69	39 pF	48 601 10/39E
			C70	47000 pF	48 750 20/47K
			C71	22000 pF	48 758 20/22K
			C72	32 μF	49 020 41.0



R11389

A + B	RC 60-H16
S1, S2, S3, S4, Z1	A1 056 48.0
S5, S6, S1, S8	A1 035 61.1
S9, S10, S40, S41	A1 036 62.1
S12, S13, S14	A1 035 62.2
S15, S16, S42, S43	A1 036 63.1
S17, S18, S19, S20	A1 035 63.5
S21, S22, S44, S45	A1 036 64.0
S23, S24, S32	
S35, C31, C32	
S25, S26, S27	
S31, C37, C38	
S28, S29, S30, S34	
S33	
A1 036 08.3	
A1 036 09.3	
A1 103.33.0	
28 220 61.0*	

93 952 88.1.