











925 X



R10254 A




B2-B3



B4-B5



B6



B7

PHILIPS-SERVICE


925 X

13.8—51 m
175—585 m
708—2000 m


9640—55. Z=7Ω
110 V, 125 V, 145 V
200 V, 225 V, 245 V
74 Watt

708—2000 m A	175—585 m B	708—2000 m B
<p>①</p> <p>C6, C7, C8 min.</p> <p>128 kc/s—33000 pF—g1B2</p> <p>C 62, 61, 52, 51 max.</p>	<p>①</p> <p>C6, C7, C8 + 15°</p> <p>1600 kc/s—Y</p> <p>C38, C28, C18 max.</p> <p>25 pF—AB2</p> <p>546 kc/s—Y</p> <p>C6, C7, C8 546 kc/s</p>	<p>①</p> <p>25 pF—AB2</p> <p>160 kc/s—Y</p> <p>C6, C7, C8 160 kc/s</p> <p>C50 max.</p>
708—2000m C		
<p>①</p> <p>C6, C7, C8 min.</p> <p>128 kc/s—Y</p> <p>C91 min.</p>	<p>①</p> <p>C48 max.</p> <p>C6, C7, C8 15°</p> <p>1600 kc/s—Y</p> <p>C38, C28, C18 max.</p>	
175—585m D		
<p>①</p> <p>1154 kc/s—Y</p> <p>C6, C7, C8 1154 kc/s</p> <p>260m</p>		

15° = 09 992 44.0



	B2	B3	B4	B5	B6	B7
	ECH 21	ECH 21	EBL 21	EBL 21	AZ 1	EM 4
Va	aT 125 aH 275	aT 90 aH 275	250	260		30 30
Vg2 (+4)	80	100	275	275		275
Vk	185	1,6	0	0		0
Ia	aT 2,6 aH 2,7	aT 1,5 aH 5	20,5	22		0,25 0,25
Ig2 (+4)	6,3	2,9	2,7	3		1



C1	45 pF	49 025 22.0	R1	120 Ω	49 363 16.0
C2	45 pF	40 025 22.0	R11	0.5 MΩ	49 472 26.0
C6	11-490 pF		R21	0.65 MΩ	49 479 36.0
C7	11-490 pF	49 000 65.0	R22	0.2 MΩ	49 470 45.0
C8	11-490 pF		R23	50000 Ω	49 375 48.0
C14	3.3 pF	40 055 10.0	R31	0.1 MΩ	49 377 48.0
C18	20 pF	49 005 05.2	R32	0.1 MΩ	49 377 47.0
C28	20 pF	49 005 05.2	R33	82000 Ω	49 375 06.0
C38	20 pF	49 005 05.2	R35	39000 Ω	49 376 61.0
C40	39 pF	49 057 16.0	R36	33 Ω	49 377 49.0
C47	1360 pF	49 057 44.0	R37	1.2 MΩ	49 376 60.0
C48	200 pF	28 212 08.1	R38	0.12 MΩ	49 375 58.0
C49	390 pF	49 055 35.0	R41	1 MΩ	49 375 45.0
C50	200 pF	28 212 08.1	R42	0.68 MΩ	49 375 52.0
C51	70-100 pF		R43	56000 Ω	49 375 38.0
C52	70-100 pF		R44	0.22 MΩ	49 375 49.0
C61	70-100 pF	49 005 01.1	R50	15000 Ω	49 375 29.0
C62	70-100 pF		R51	0.12 MΩ	49 375 58.0
C72	47000 pF	49 127 61.0	R52	2700 Ω	49 375 53.0
C73	100 μF	28 185 68.1	R53	0.68 MΩ	49 375 59.0
C81	18 pF	49 055 19.0	R55	0.27 MΩ	49 376 62.0
C82	120 pF	49 055 29.0	R56	0.82 MΩ	49 375 45.0
C83	10000 pF	49 128 57.0	R57	1.5 MΩ	49 375 37.0
C91	70-100 pF	49 005 06.0	R59	56000 Ω	49 375 48.0
C92	12000 pF	49 127 15.0	R60	12000 Ω	49 376 20.0
C93	39000 pF	49 127 21.0	R62	0.1 MΩ	49 376 21.0
C100	33 pF	49 057 05.0	R63	470 Ω	49 375 58.0
C101	10 pF	49 055 16.0	R64	560 Ω	49 377 68.0
C102	47000 pF	49 127 61.0	R65	0.68 MΩ	49 375 55.0
C103	68 pF	49 055 26.0	R66	2 × 4.7 MΩ	49 375 59.0
C104	470 pF	49 055 36.0	R72	9.4 MΩ	49 375 14.0
C105	47000 pF	49 128 61.0	R73	0.39 MΩ	49 375 15.0
C106	6.8 pF	49 055 14.0	R81	0.82 MΩ	49 375 44.0
C107	6800 pF	49 127 56.0	R82	150 Ω	49 375 49.0
C108	0.1 μF	49 127 63.0	R83	180 Ω	49 375 46.0
C112	5600 pF	49 127 11.0	R84	47000 Ω	49 375 52.0
C114	150 pF	49 055 30.0	R85	0.12 MΩ	49 375 41.0
C116	18000 pF	49 127 17.0	R86	0.12 MΩ	49 376 60.0
C117	0.39 μF	49 127 33.0	R91	68000 Ω	49 376 60.0
C118	0.1 μF	49 127 63.0	R92	0.12 MΩ	49 377 45.0
C119	2200 pF	49 126 51.0	R93	0.22 MΩ	49 376 62.0
C120	2200 pF	49 126 51.0	R94	27000 Ω	
C121	12000 pF	49 128 15.0		1 MΩ	
C122	47000 pF	49 127 61.0		1 MΩ	
C123	47000 pF	49 128 61.0		56000 Ω	
C124	6.8 pF	49 055 14.0		1.5 MΩ	
C125	0.1 μF	49 127 63.0			
C126	82000 pF	49 127 25.0			
C131	22000 pF	49 129 90.0			

S1, S2, S3, S4 S13, S14, S28, S30 S17, S18, S19, S20 S33, S34 S37, S38, S39, S40 S51, C51 S53, S54, S55, S56, C52 S61, S62, S63, C62 S71 S81, S82, S83, S84, S85, S86 S91 S92, S93,	A1 056 98.0 A1 037 29.0 A1 037 28.0 A1 037 67.0 A1 037 68.0 A1 037 31.2 A1 038 34.2 A1 037 44.2 A1 108 21.0 A1 082 10.0 28 587 85.0 28 587 71.0	925 X-03 A R72	A2 075 53.0 49 375 16.0
--	--	--------------------------	----------------------------