




B1




B2




B3




B4




B5




B6




A




B




C




D




E



F



G




H

P10380A

13,5—46 m  
46—160 m  
160—585 m  
720—2000 m  
452 kc/s


9682-05 Z = 5 Ω  
A-10 9636-05 Z = 5 Ω  
110 V, 125 V, 145 V, 200 V, 220 V,  
245 V  
67 W



VOL.

160—585 m	13,5—46 m	720—2000 m
VOL. max. C3, C4, C5 min. 11.7 452 kc/s—33000 pF-g1B2 S25—82 pF S26, S27 max. S25 S24—82 pF S25 max. S24 S23—82 pF S24 max. S23 S24—82 pF S23 max. S24	VOL. max. 20,5 Mc/s—Y 12.2 C3, C4, C5 max. C15, C8 max. 46—160 m VOL. max. C3 C4, C5 + 15° 6,1 Mc/s—Y 4.1 C25, C16, C9 max. 160—585 m VOL. max. C3, C4, C5 + 15° 1700 kc/s—Y 1/6 C26, C17, C10 max. 11 25 pF—gB2 C5 545 kc/s—Y 5.5 C3, C4, C5 max. C5 C30 max.	VOL. max. C3, C4, C5 + 15° 400 kc/s—Y 1/2 C63, C62, C61 max. 11 25 pF—gB2 C5 160 kc/s—Y 1/2 C3, C4, C5 max. C5 C64 max. 160—585 m 857 kc/s—Y C3, C4, C5 max. 350 m

15° 09 992 44.0



R10344A

R1 1800 Ω	48 467 10/1K8	C1 48 μF	49 032 01.0
R2 0.82 MΩ	48 425 10/820K	C2 48 μF	49 032 01.0
R3 68 Ω	48 425 10/68E	C3 11-490 pF	49 000 09.0
R4 10000 Ω	48 427 10/10K	C4 11-490 pF	48 750 10/10K
R5 0.15 MΩ	48 425 10/150K	C5 11-490 pF	49 005 05.2
R6 3.3 MΩ	48 427 10/3M3	C6 10000 pF	49 005 05.2
R7 150 Ω	48 425 10/150E	C8 20 pF	49 005 05.2
R8 0.1MΩ/2 Ω	48 427 10/100K	C9 20 pF	48 406 20/100E
R9 220 Ω	48 425 10/220E	C10 20 pF	48 751 20/10K
R10 33000 Ω	48 425 10/33K	C11 100 pF	49 005 05.2
R11 2 × 10000 Ω	48 426 10/10K	C14 10000 pF	48 751 20/10K
R12 5.6 MΩ	48 427 10/5M6	C15 20 pF	49 005 05.2
R13 47000 Ω	48 425 10/47K	C16 20 pF	49 005 05.2
R14 47000 Ω	48 425 10/47K	C17 20 pF	49 005 05.2
R15 22000 Ω	48 425 10/22K	C19 10000 pF	48 751 20/10K
R16 68000 Ω	48 425 10/68K	C20 0.1 μF	48 751 20/100E
R17 0.65 MΩ	49 500 19.0	C21 100 pF	48 406 10/100E
R17a 0.2 MΩ		C22 150 pF	48 406 10/150E
R18 1000 Ω	48 425 10/1K	C23 220 pF	48 406 10/220E
R19 1 MΩ	48 426 10/1M	C24 20 pF	49 005 18.0
R20 180 Ω	48 426 10/180E	C25 20 pF	49 005 05.2
R21 47000 Ω	48 425 10/47K	C26 20 pF	49 005 05.2
R22 1.5 MΩ	48 426 10/1M5	C27 6400 pF	48 429 02/6K4
R23 82000 Ω	48 425 10/82K	C28 1600 pF	48 429 02/1K6
R24 1800 Ω	48 425 10/1K8	C29 430 pF	48 406 10/430E
R25 0.35 MΩ	49 470 31.0	C30 125 pF	28 212 07.2
R28 5.6 MΩ	48 427 10/5M6	C31 100 pF	—
R29 12000 Ω	48 425 10/12K	C32 106 pF	—
R30 12000 Ω	48 425 10/12K	C33 47000 pF	48 750 20/47K
R32 47000 Ω	48 425 10/47K	C34 10000 pF	48 750 10/10K
R33 39000 Ω	48 425 10/39K	C35 10000 pF	48 751 20/10K
R40 2.7 MΩ	48 427 10/2M7	C36 100 pF	48 406 10/100E
R41 2.2 MΩ	48 427 10/2M2	C37 106 pF	—
R42 1 MΩ	48 426 10/1M	C38 113 pF	—
R43 1.5 MΩ	48 426 10/1M5	C39 100 pF	48 406 10/100E
R44 0.82 MΩ	48 425 10/820K	C40 27000 pF	48 750 10/27K
		C41 3300 pF	48 751 10/3K3
		C42 25 μF	49 020 00.0
		C43 330 pF	49 055 05.3
		C44 4700 pF	48 758 20/4K7
		C47 1000 pF	48 758 20/1K
		C51 22000 pF	48 756 20/22K
		C52 0.22 μF	48 751 20/220K
		C53 1000 pF	48 751 20/1K
		C56 5.6 pF	48 406 99/5E6
		C58 47000 pF	48 750 20/47K
		C61 20 pF	49 005 05.2
		C62 20 pF	49 005 05.2
		C63 20 pF	49 005 05.2
		C64 200 pF	28 212 08.2
		C65 56 pF	48 406 10/56E
		C66 1.5 pF	49 055 60.0
		C68 100 pF	48 406 10/100E
		C69 39 pF	48 406 10/39E
		C72 47000 pF	48 750 20/47K

	B1	B2	B3	B4	B5	B7	
	EF 8	ECH 3	EBF 2	EL 3	AZ 1	EM 1	
Va	150	115 aH 220	225	225		20	V
Vg2	170	80	85	225		225	V
Vk	0.3	1.2	0	6.2			V
Ia	7.3	4.1 aH 1.9	4.6	32		0.2	mA
Ig2	0.2	2.3	1.5	3.1		0.6	mA