


S:	24	25	26	12	4		5.6	7.8		3		9.10	11.12	13	14	15		16		17	18																					
C	17		13	18	4	25		19	20		510	35	11	1	2	12	14		15	33	34	6	21	22	36	23	24	27	16	7	37	26	28		29	8	30	3		31	9	32
P		16				8					7	23	22	20	6	9				2	19						21	10	34			18	11	13	17	12	7		14	15	5	




CK1

CF1


CL2

CY1


CL



B1



B2




B3




B4




B5




519AU-529AU



A




B




C

199—552 m
760—1900 m
475 kc/s

4281 $Z = 9 \Omega$
HU 110—250 V AU 125 V
48 W



760—1900 m I	199—552 m III	760—1900 m III
<p>C11, C12 max.</p> <p>VOL. max.</p> <p>g4B1—0,1 MΩ—</p> <p>475 kc/s—33000 pF—g4B1</p> <p>C23, C24 max.</p>	<p>R9</p> <p>25 pF—aB1</p> <p>1333 kc/s—Y</p> <p>C11, C12 225 m</p> <p>C35 max.</p> <p>R9</p> <p>600 kc/s—Y</p> <p>C11, C12 500 m</p> <p>VOL. max.</p> <p>C34 max.</p> <p>1333 kc/s—Y</p> <p>C14 max.</p>	<p>VOL. max.</p> <p>333 kc/s—Y</p> <p>C11, C12 900 m</p> <p>C15 max.</p> <p>150 kc/s—Y</p> <p>C11, C12 1900 m</p> <p>C33 max.</p>
<p>760—1900 m II</p> <p>VOL. max.</p> <p>C11, C12 225 m</p> <p>C11, C12 max.</p> <p>475 kc/s—Y</p> <p>C13 min.</p>		<p>R12 0,68 MΩ 48 426 10/680K</p>



R11313

220 V ~

	B1	B2	B3	B4	B5	
	CK 1	CF 1	CL 2	CY 1	C 1	
Va	189	68	160			V
Vg2	66	24	78			V
Vg3(5)	66	—	—			V
-Vg	1,5	0,4*	13			V
Ia	1,8	0,5	40			mA
Ig2	1,5	0,13	5,2			mA
Ig3(5)	3,3	—	—			mA

VC1 = 206 V
VC2 = 190 V



L6 = 8070

Copyright
N.V. Philips Gloeilampenfabrieken,
Eindhoven
Imprimé en Hollande

R1*	320 Ω	28 799 44.0*	C1	25 μ F	48 312 09/25
R2	47000 Ω /2	48 427 10/47K	C2	25 μ F	48 312 09/25
R3	1 M Ω	48 426 10/1M	C3*	25 μ F	28 180 02.0
R4	22000 Ω	48 426 10/22K	C4	0,1 μ F	48 752 10/100K
R5	39000/2 Ω	48 427 10/39K	C5*	0,1 μ F	28 199 90.0
R6	220 Ω	48 426 10/220E	C6	0,47 μ F	48 751 10/470K
R7	330 Ω	48 426 10/330E	C7	0,47 μ F	48 751 10/470K
R8	20000 Ω	28 810 88.0	C8	0,47 μ F	48 751 10/470K
R9	47000 Ω	48 426 10/47K	C9	0,47 μ F	48 751 10/470K
R10	2,2 M Ω	48 427 10/2M2	C10	0,1 μ F	48 751 10/100K
R11	0,33 M Ω	48 426 10/330K	C11	20-275 pF	48 751 10/275K
R14	100 Ω	48 426 10/100E	C13	20-275 pF	49 005 53.0
R15	50000 Ω	28 808 29.0	C14	15-175 pF	49 005 52.0
R16	0,22 M Ω	48 426 10/220K	C15	15-175 pF	49 005 52.0
R17*	1000 Ω	28 495 54.0	C16	50-250 pF	28 210 88.0*
R18	0,39 M Ω	48 426 10/390K	C17	0,1 μ F	48 752 10/100K
R19	4700 Ω	48 426 10/47K	C18	1000 pF	48 752 10/1K
R20	47 Ω	48 426 10/47E	C19	100 pF	48 429 10/100E
R21	0,22 M Ω	48 426 10/220K	C20	10 pF	48 429 99/10E
R22	2700 Ω	48 426 10/27K	C21	160 pF	48 429 02/160E
R23	100 Ω	48 426 10/100E	C22	320 pF	48 429 10/320E
			C23	15-175 pF	49 005 520
			C24	15-175 pF	49 005 520
			C25	20-275 pF	49 005 530
			C26	47000 pF	48 751 10/47K
			C27	80 pF	48 429 10/80E
			C28	2200 pF	48 751 10/22K2
			C29	125 pF	48 429 10/125E
			C30	27000 pF	48 751 10/27K
			C31	47000 pF	48 752 10/47K
			C32	4000 pF	28 199 71.0
			C33	40-145 pF	28 210 55.0*
			C34	15-175 pF	49 005 520
			C35	68 pF	48 406 10/68E
			C36	68 pF	48 406 10/68E
			C37	68 pF	48 406 10/68E

S1, S2	28 562 90.0*	S16	28 561 27.1*
S3	28 550 76.1*	S17, S18	28 524 94.0
S4	28 562 76.1*	S19	25 152 44.1*
S5, S6, S7, S8	28 564 62.0*	S24, S25, S26	28 564 90.0*
S9, S10, S11, S12	28 564 61.2*	S20, S21	28 524 81.0*)
S13, S14, S15	28 562 92.2*		

*) 529 AU

93 951 54.1