




B2, B3




B5




B6




B7




A




B




C




D



E



F



G

768 A


13,7—51 m
48—175 m
175—585 m
708—2000 m

468 kc/s
A-07,-19,-32 452 kc/s


A-04,-06,-07 9636-05 Z = 5 Ω
9636-55 (B7) Z = 5 Ω

110-245 V

48 W
A-04,-06,-07 58 W



175—585 m	708—2000 m	175—585 m
VOL. max. max. C6, C7 + 15° 1650 kc/s—Y C18 25 pF—AB2 C7 600 kc/s—Y C6, C7 500 m C7 C38 max.	VOL. max. max. 25 pF—AB2 C7 160 kc/s—Y C6, C7 160 kc/s C7 C49 max.	115,4 kc/s—Y C6, C7 max. 260 m



	B2	B3	B5	B6	B7	
	ECH 21	ECH 21	EBL 21	AZ 1	EM 4 ¹⁾	
V _a	aT 60 aH 240	aT 60 aH 240	250			V
V _{g2}	100	95	240			V
I _a	aT 2,75 aH 2,70	aT 1,75 aH 4,9	31			mA
I _{g2}	5,9	2,9	3,5			mA

V_{e1} = 285 V
V_{e2} = 250 V

¹⁾ 768 A-19, A-07

R1	1200 Ω	48 467 10/1K2	C1	45 μF	49 032 01.0
R2	82 Ω	48 426 10/82E	C2	32 μF	28 182 40.0
R3	39 Ω	48 425 10/39E	C1	50 μF	49 031 10.2
R11	0,5 MΩ	49 470 30.0	C2	30 μF	49 020 01.0
R21	50000 Ω	49 470 49.0	C3	50 μF	28 212 52.0
R31	0,47 MΩ	48 425 10/470K	C6	11-490 pF	48 406 99/5E6
R32	39000 Ω	48 427 10/39K	C7	11-490 pF	28 212 06.2
R33	39000 Ω	48 427 10/39K	C14	5,6 pF	48 406 10/33E
R34	68000 Ω	48 426 10/68K	C18	32 pF	48 406 10/18E
R35	39 Ω	48 425 10/39E	C19	33 pF	28 212 06.2
R41	47000 Ω	48 427 10/47K	C20	18 pF	48 406 99/39E
R42	0,1 MΩ	48 427 10/100K	C38	32 pF	48 406 02/637E
R43	47000 Ω	48 425 10/47K	C40	39 pF	48 406 02/663E
R45	0,68 MΩ	48 425 10/680K	C45	637 pF	48 406 01/450E
R46	1,5 MΩ	48 426 10/1M5	C47	450 pF	28 212 08.1
R47	0,82 MΩ	48 425 10/820K	C49	200 pF	—
R48	0,82 MΩ	48 425 10/820K	C51	103 pF	—
R50	1,5 MΩ	48 426 10/1M5	C52	103 pF	—
R51 ¹⁾	22000 Ω	48 425 10/22K	C61	103 pF	—
R60	100 Ω	48 425 10/100E	C62	103 pF	—
R61	8200/2 Ω	48 468 10/8K2	C81	22 pF	48 406 10/22E
R61 ¹⁾	4700 Ω	48 469 10/4K7	C82	82 pF	48 406 10/32E
R62 ¹⁾	5600 Ω	48 469 10/5K6	C83	22000 pF	48 750 20/22K
R81	47000 Ω	48 425 10/47K	C85	4700 pF	48 751 20/47K
R85 ¹⁾	2700 Ω	48 467 10/2K7	C100	100 pF	48 406 10/100E
			C101	47000 pF	48 751 20/47K
			C102	470 pF	48 406 20/470E
			C103	82 pF	48 406 10/82E
			C104	47 pF	48 406 10/47E
			C120	47000 pF	48 751 20/47K
			C121	47000 pF	48 750 20/47K
			C122	10000 pF	48 751 20/10K
			C126	2200 pF	48 751 20/2K2
			C127	47000 pF	48 750 20/47K
			C128 ¹⁾	0,1 μF	48 751 20/100K
			C130	47000 pF	48 757 20/47K
			C131	22000 pF	48 756 20/22K

S1, S2, S3, S4	A1 070 04.4 A1 037 12.0 ¹⁾ A1 037 14.0 A1 037 16.1 A1 037 32.0 A1 037 17.2 A1 037 33.1	S53, S54, S55, C52 S61, S62, S63, S64 C61, C62 S76 S77 ¹⁾ S81, S82	A1 037 34.1 A1 037 61.1 28 220 51.1 A1 001 62.1 A1 081 84.1
----------------	---	--	---