



S: 13, 15, 17, 19, 14, 16, 18, 20	33, 35, 37, 39, 34, 36, 38, 40	51, 52, 53, 54, 55	61, 62, 63, 64	81, 83, 82	76, 71, 72, 73	74, 75
C: 106, 15, 104, 107, 14, 16, 18, 20, 6, 100, 101, 103, 102, 7	45, 47, 49, 38, 40, 51	120, 121, 52	127, 128, 122, 126, 61, 83, 62	81, 82	3, 2, 1, 85	123
R: 82	31, 32	81, 33	35	41	48, 51, 42, 50	43, 11, 45, 47, 46
					1	60, 21, 61, 63, 62, 64




UCH 21

UBL 21

UY 1N




B2, 3




B5




B6




A




B




C




D




E



F



G



R11044

# PHILIPS SERVICE

# 768 U

13,7—51 m  
48—175 m  
175—585 m  
708—2000 m  
468 kc/s  
U-19 452 kc/s



9636-05 Z = 5 Ω

110 V, 125 V, 200 V, 220 V.

42 W

175—585 m	708—2000 m	175—585 m
VOL. max.	25 pF—nB2	1154 kc/s—Y
max.	C7	C6, C7 max.
C6, C7 + 15°	160 kc/s—Y	260 m
1650 kc/s—Y	C6, C7 160 kc/s	
C18	C7	
25 pF—nB2	VOL. max.	
C7	max.	
600 kc/s—Y	C49 max.	
C6, C7 500 m		
C7		
C38 max.		

15° 09 992 44.0



R1	1200 Ω	49 362 74.0	C1	50 pF	49 031 01.0
R11	0.5 MΩ	49 470 30.0	C2	50 pF	
R21	50000 Ω	49 470 49.0	C3	100 pF	28 185 68.1
R31	0.47 MΩ	48 425 10/470K	C6	11-490 pF	28 212 52.0
R32	15000 Ω	48 426 10/15K	C7	11-490 pF	
R33	15000 Ω	48 426 10/15K	C14	3.9 pF	48 406 99/3E9
R35	39 Ω	48 425 10/39E	C16	2 pF	28 205 88.0
R41	22000 Ω	48 425 10/22K	C18	32 pF	28 212 06.2
R42	0.1 MΩ	48 425 10/100K	C19	22 pF	48 406 10/22E
R43	47000 Ω	48 425 10/47K	C20	18 pF	48 406 10/18E
R45	0.68 MΩ	48 425 10/680K	C38	32 pF	28 212 06.2
R46	1.5 MΩ	48 426 10/1M5	C40	39 pF	48 406 99/39E
R47	0.82 MΩ	48 425 10/820K	C45	637 pF	48 406 02/637E
R48	0.82 MΩ	48 425 10/820K	C49	663 pF	48 406 02/663E
R50	1.5 MΩ	48 426 10/1M5	C47	450 pF	48 406 01/450E
R51	56000 Ω	48 425 10/56K	C52	200 pF	28 212 08.2
R61	330 Ω	48 467 10/330E	C51	103 pF	
R60	100 Ω	48 425 10/100E	C52	103 pF	
R62	180 Ω		C61	103 pF	
R63	125 Ω	49 362 47.3	C62	103 pF	
R64	39 Ω		C81	3.3 pF	48 406 99/3E3
R81	47000 Ω	48 425 10/47K	C82	82 pF	48 466 10/82E
R82	0.1 MΩ	48 425 10/100K	C83	22000 pF	48 750 20/22K
			C85	4700 pF	48 757 20/4K7
			C100	100 pF	48 406 10/100E
			C101	47000 pF	48 751 20/47K
			C102	470 pF	48 406 20/470E
			C103	150 pF	48 406 10/150E
			C104	47 pF	48 406 10/47E
			C106	1000 pF	48 757 20/1K
			C107	4700 pF	48 757 20/4K7
			C117	220 pF	48 406 10/220E
			C120	4700 pF	48 751 20/4K7
			C121	47000 pF	48 750 20/47K
			C122	10000 pF	48 751 20/10K
			C123	4700 pF	48 757 20/4K7
			C126	2200 pF	48 751 20/2K2
			C127	47000 pF	48 750 20/47K
			C130	0.1 pF	48 757 20/100K
			C131	22000 pF	48 756 20/22K
			C132	4700 pF	48 752 20/4K7

	B2	B3	B5	B6	
	UCH 21	UCH 21	UBL 21	UY1 N	
Va	aT 107 aH 158	aT 56 aH 156	163		V
Vg2(4)	103	100	145		V
Ia	aT 2,95 aH 2,2	aT 0,96 aH 4,1	48		mA
Ig2(4)	3,8	2,51	7,7		mA