


200—600 m
900—2000 m



2160
110 V. 150 V. 220 V
22 W 27 W



R.1259

VOL
22 W 27 W

200—600 m III	200—600 m V	900—2000 m III
VOL max 1333 kc/s — 200 pF — Y C19, C22 225 m C21, C20 max 545 kc/s — 200 pF — Y C19, C22 550 m C21, C20 max	VOL max 1333 kc/s — 200 pF — Y C19, C22 225 m C21, C20 max	VOL max C19, C22 1000 m 300 kc/s — 200 pF — Y C21, C32 max



R.12078

110 V

	B1	B2	B3	B4	B5	B7	
	B2046	B2046	B2099	B2043	B2043	1926	
V _a	93	93	65	80	80	—	V
V _{g2}	40	52	—	90	90	—	V
—V _g	1,3	1,3	0,9	7	7	—	V
I _a	0,45	1,2	0,085	8	8	—	mA
I _{g2}	0,21	0,5	—	3,2	3,2	—	mA

220 V

	B1	B2	B3	B4	B5	B7	
	B2046	B2046	B2099	B2043	B2043	1928	
V _a	190	190	135	160	160	—	V
V _{g2}	75	105	—	175	175	—	V
—V _g	2,2	2,3	1,55	15	15	—	V
I _a	0,8	2	0,17	18	18	—	mA
I _{g2}	0,35	0,9	—	8	8	—	mA

150 V B2 — 1022

R1	47000 Ω	48 427 10/47K	C1	0,1 μF	48 752 20/100K
R2	6900 Ω	25 840 21.1*	C2	2 μF	25 115 64.2*
R3	15000 Ω	48 427 10/15K	C6	2 μF	—
R4	15000 Ω	48 427 10/15K	C3	0,1 F	48 751 20/100K
R5	15000 Ω	48 427 10/15K	C4, C24, C29, C30	0,1 F	25 115 65.2*
R6	33000 Ω	48 427 10/33K	C4	0,22 μF	48 751 20/220K
R7	1000 Ω	48 426 10/1K	C5	0,1 μF	48 751 20/100K
R8	2200 Ω	48 426 10/2K2	C7	0,1 μF	48 751 20/100K
R9	820 Ω	48 552 10/820E	C8	4700 pF	48 757 20/4K7
R10	10000 Ω	48 427 10/10K	C9	0,1 μF	48 750 20/100K
R11	0,33 MΩ	48 425 10/330K	C10	22000 pF	48 751 20/22K
R12	0,33 MΩ	48 427 10/330K	C11	22000 pF	48 751 20/22K
R13	0,68 MΩ	48 425 10/680K	C12	0,22 μF	48 750 20/220K
R14	0,22 MΩ	48 425 10/220K	C13	0,22 μF	48 750 20/220K
R15	0,33 MΩ	48 425 10/330K	C14	50 μF	48 313 02/50
R16	330 Ω	48 427 10/330E	C15	22000 pF	48 750 20/22K
R17	0,22 MΩ	48 425 10/220K	C16	200 pF	48 429 10/200E
R18	39000 Ω	48 425 10/39K	C17	20 pF	48 429 10/20E
R19	0,39 MΩ	48 425 10/390K	C18	3-30 pF	28 212 36.4
R20	47 Ω	48 425 10/47E	C19	0-430 pF	25 828 85.0*
			C22	0-430 pF	28 212 36.4
			C20	3-30 pF	28 212 36.4
			C21	3-30 pF	28 212 36.4
			C23	640 pF	48 429 10/640E
			C24	0,47 μF	48 750 10/470K
			C25	68000 pF	48 750 10/68K
			C26	400 pF	48 429 10/400E
			C27	6800 pF	48 752 10/6K8
			C28	50 pF	48 429 10/50E
			C29	0,22 μF	48 752 20/220K
			C30	0,22 μF	48 752 20/220K
			C31	0,1 μF	48 750 20/100K
			C32	3-30 pF	28 212 36.4
			C33	0,47 μF	—

S3
S4, S5, S6
S7, S8, S9
S10, S11
S12, S13
S14, S15
S16

25 961 04.0*
25 960 11.0*
25 728 26.1*

