




# PHILIPS SERVICE

# 676 A

200—600 m  
900—2000 m

2165 Z = 7 Ω  
103—253 V  
80 W


200—600 m	900—2000 m
<p>↑ A 77.5</p> <p>1333 kc/s</p> <p>VOL max</p> <p>C38, C41, C43 C45 max</p> <p>600 kc/s</p> <p>500 m.</p>	<p>↑ R41</p> <p>300 kc/s</p> <p>VOL max</p> <p>C39, C40, C42, C44 max.</p>



	B1	B2	B3	B4	B5	B6	B7	B8	
	E455	E455	E452T	E499	E463	E444	E499	1823	
Va	220	220	170	160	205	45	40		V
Vg2	125	125	125	—	205	15	—		V
Vg	5	5	2,6	8	16	5,5	—		V
Ia	2,5	2,5	3	0,18	33	—	—		mA
Ig2	0,5	0,5	1,1	—	3,8	—	—		mA

VC16 — 290 V VC5 — 215 V  
VC17 — 230 V VC6 — 220 V  
Copyright  
N.V. Philips Gloeilampenfabrieken, Eindhoven  
Imprimé en Hollande










R1	330 Ω	48 427 10/330E	C2	0,22 μF	48 750 10/220K
R2	330 Ω	48 427 10/330E	C3	0,47 μF	48 750 10/470K
R3	39 Ω	48 426 10/39E	C4	0,1 μF	48 750 10/100K
R4	39 Ω	48 426 10/39E	C5	0,1 μF	48 751 10/100K
R5	27000 Ω	48 427 10/27K	C6	0,1 μF	48 751 10/100K
R6	15000 Ω	48 427 10/15K	C7	0,47 μF	48 751 10/470K
R7	8200 Ω	48 427 10/8K2	C8	0,47 μF	48 750 10/470K
R8	0,1 MΩ	48 427 10/100K	C9	0,47 μF	48 751 10/470K
R9	1000 Ω	48 426 10/1K	C10	0,47 μF	48 751 10/470K
R10	0,1 MΩ	48 425 10/100K	C11	0,1 μF	48 750 10/100K
R11	0,68 MΩ	48 425 10/680K	C12	0,22 μF	48 752 10/220K
R12	0,18 MΩ	48 425 10/180K	C13	0,22 μF	48 752 10/220K
R13	0,18 MΩ	48 425 10/180K	C14	25 μF	48 312 11/25
R14	10000 Ω	48 426 10/10K	C15	25 μF	48 312 11/25
R15	6800 Ω	48 427 10/6K8	C16	1000 pF	48 429 10/1K
R16	0,33 MΩ	48 427 10/330K	C17	100 pF	48 429 10/100E
R17	0,15 MΩ	48 426 10/150K	C18	100 pF	48 429 10/100E
R18	0,22 MΩ	48 425 10/220K	C19	2000 pF	48 429 10/2K
R19	12000 Ω	48 427 10/12K	C20	160 pF	48 429 10/160E
R20	0,22 MΩ	48 425 10/220K	C21	125 pF	48 429 10/125E
R21	680 Ω	48 426 10/680E	C22	80 pF	48 429 10/80E
R22	2,2 MΩ	48 427 10/22K	C23	80 pF	48 429 10/80E
R23	0,22 MΩ	48 425 10/220K	C24	10000 pF	48 752 10/10K
R24	330 Ω	48 427 10/330K	C25	33000 pF	48 752 10/33K
R25	100 Ω	48 427 10/100E	C26	0,47 μF	48 750 10/470E
R26	120 Ω	48 427 10/120E	C27	0,1 μF	48 750 10/100K
R27	68000 Ω	48 425 10/68K	C28	25 pF	48 429 10/25E
R28	0,12 MΩ	48 425 10/120K	C29	0,1 μF	48 751 10/100K
R29	0,47 MΩ	48 426 10/470K	C30	0,1 μF	48 429 10/25E
R30	0,68 MΩ	48 426 10/680K	C31	0,1 μF	48 750 10/100K
R31	0,33 MΩ	48 425 10/330K	C32	1000 pF	48 750 10/47K
R32	1,2 MΩ	48 426 10/12K	C33	47000 pF	48 429 10/1K
R33	3900 Ω	48 426 10/39K9	C34	1000 pF	25 828 60.0*
R34	6100 Ω	—	C35	0,430 pF	
R35	80 Ω	—	C36	0,430 pF	
R36	0,47 MΩ	48 425 10/470K	C37	0,430 pF	



A	2950
B	2982

S1, S2, S3, S4	28 510 02.0*	S12, S13, S14, S15	25 960 59.0*
S5	25 727 99.0*	S16, S17, S18, S19	25 960 50.0*
S6, S7, S8	25 960 57.0*	S20	28 560 00.0*
S9, S10, S11	25 960 58.0*	S24	25 961 29.0*

Z	08 100 99.1
---	-------------



R 11397