


JVC

VICTOR COMPANY OF JAPAN, LIMITED


HR-D257MS

VIDEO (LUMINANCE) SCHEMATIC DIAGRAM HR-D257MS




HR 0257MS

circuit -




HR-D257MS





A-3

HR-D257MS




- AUDIO -

- NTSC -




DRUM MDA DRUM MDA HR-D257MS


DRUM MDA SCHEMATIC DIAGRAM & CIRCUIT BOARD



NOTE: Shaded () parts are critical for safety. Replace only with specified part numbers.




TUNER, IF SCHEMATIC DIAGRAM HR-D257MS




REMOTE CONTROL SCHEMATIC DIAGRAM

HR-D257MS



4.22 RF CONVERTER & RF SWITCH SCHEMATIC DIAGRAM



NOTES

ALL RESISTANCE VALUES IN OHMS
ALL CAPACITANCE VALUES IN P


IC1 L4705 or Equivalent
IC2 BA704 or Equivalent
X1 CS850CE3 or Equivalent

D1 25C2743, 25C2754, 25C2734 or Equivalent
D2-D3 25C25704, 25C3155 or Equivalent
D4 WEST7683, 82074 or Equivalent
D5 152076, 152473 or Equivalent

NOTE: Shaded () parts are critical for safety. Replace only with specified part numbers.

POWER SUPPLY SCHEMATIC DIAGRAM


HR-D257MS




NOTE: Shaded areas are critical for safety. Right angle with solder on part numbers.

4.8 MECHACON SCHEMATIC DIAGRAM

HR-D257MS



TIMER, DISPLAY AND POWER SWITCH SCHEMATIC DIAGRAMS HR-D257MS



–Waveforms of VIDEO (Luminance) circuit–

–Waveforms of VIDEO (Colour) circuit–

