

Service Manual

Edition January 1980



Technical Data

Current Line voltage Drive Power input Power consumption

Time from start to rated speed Platter Platter speed

Pitch control

Speed control (monitoring) Sensitivity of the illuminated strobe (for 0.1 % speed deviation)

Total wow and flutter (according to DIN 45 507) Rumble

Tonearm

(according to DIN 45 500)

Effective length of tonearm

Offset angle

Tangential tracking error Tonearm bearing friction (related to stylus tip) Stylus pressure

Cartridges

Weight

AC 50 to 60 Hz

110 to 125 V, 220 to 240 V

electronically-controlled direct-drive system, Dual EDS 500 Motor at playing operation approximately 2 watts <50 mW

220 V 50 Hz: at start 35 mA 110 V 60 Hz: at start 65 mA

at play 15 mA at play approximately 25 mA

2 - 2.5 s at 33 1/3 rpm

non-magnetic, 1.4 kg, 304 mm diameter 33 1/3 and 45 rpm, electronically adjustable

Separate for both speeds, each adjustable by means of variable resistor, with calibration scale; range of regulation: 10 %

with illuminated stroboscope for platter speeds 33 1/3 and 45 rpm, adjustable to 50 or 60 Hz

6 division markings per minute at 50 Hz, 7.2 division markings per minute at 60 Hz, (German Industry Standard) WRMS ±0.03%

50 dB Unweighted: Weighted: 75 dB

Torsionally rigid tubular aluminum tonearm in low-friction four-point gimbal suspension

221 mm 240 41 0.169 /cm

< 0.07 mN (0.007 g) vertical < 0.15 mN (0.015 g) horizontal

from 0 to 30 mN (0 to 3 g) infinitely variable with 1 mN- (1/10 g) calibrations from 0 to 15 mN (0 to 1.5 g) operable from 2.5 mN (0.25 g) stylus pressure up.

with 1/2 inch screw-type attachment. These can be fitted with the special accessories no. 262 186 which can be obteined from trade dealers.

ca. 5.4 kg Dimensions and Cutout Required refer to Installation Instructions.

Contents

Page						
1	Technical data					
2	Audio connection diagram					
3	Wiring diagram					
4	Dual EDS 500 eelctronic direct drive system					
4	Replacement of motor electronic					
4	Replacement of motor mechanic					
4	Adjustment of nominal speeds					
4	Setting 78 rpm nominal speed					
5	Stroboscope					
5	Pitch control					
5	Tonearm and tonearm suspension					
6	Removal of tonearm or spring housing					
6	Removal of tonearm compl, with tonearm suspension					
6	Adjustment of tonearm suspension					
6	Fitting 1/2 inch pick-up					
6	Antiskating control					
7	Cue control					
7	Replacement of due control assembly					
7	Tonearm Control					
7	Muting Switch					
8	Continuous Play					
8	Start					
8	Manuel Start					
8	Stopping					
9	Shutt-off Mechanism					
9	Adjustment Points: Tonearm set Down Point					
9	Shut off Point					
9	Tonearm does not set down					
9	Vertikal Tonearm lift					
10	Correct nominal speed obtained only at					
	extreme setting of pitch control					
10	Platter does not start					
10	Tonearm does not set down correctly					
10	Motor does not shutt-off					
10	Acoustic feedback					
10 – 13	Replacement with exploded views					
14	Lubrication					

Fig. 1 Audi Connection Diagramm








Fig. 2









Direct Drive System Dual EDS 500

For repair of the Dual EDS 500 special tools and measuring means are required. Work on the motor or motor electronics system should, therefore, only be carried out by an authorized Dual service station.

Replacement of motor electronics

- Extract unit plug from power line. Lift off platter 4 Bring unit into head position.
- 2. Remove machine screws 112 and cover of power part.
- Unsolder connecting leads to motor and generator. Open twists of holding angle 150 with pliers. Remove motor electronics 152, screws 151 and holding angle 150.
- 4. Pull off motor electronics 152 system from motor 18 carefully.
- Fix replacement motor electronics,
 Solder connecting cables see connection diagram Fig. 5.
- Slide cover over power part and fix it by means of machine screws 112.
- With the unit in normal position connect it to power line, Switch on unit and check power consumption on operation:

220 V/50 Hz approx. 15 mA 110 V/60 Hz approx. 25 mA

Check nominal speeds. If necessary, readjust as described below.

Replacement of motor mechanics

- 1. Extract unit plug from power line. Remove platter 4.
- With the unit in head position remove machine screws 174
 and washers 173. Pull off motor electronics board 172
 together with cover 175 carefully from the motor 18.
- Loosen connection for operating voltage at het plate 109.
 Unsolder connecting leads to speed fine adjustment 129, rotary switch 5 and the generator. Open twists of holding angle 152 with pliers.

- Loosen threaded pins 13 and remove platter cone 12.
 Remove the three screws 148. Lift off motor mechanics 149.
- Put platter cone 12 on new motor mechanics and fix it. Fix new motor mechanics with the three screws 148. Fix holding angle 150 with screws 151. Insert motor electronics 152 and twist holding pieces.

Solder on resp. plug connecting leads (fig. 5). Push cover on power part and fix it with screws **112**.

 With the unit in normal position connect it to the power line Switch on unit and check power consumption when operating:

22/ √/50 Hz approx, 15 mA 11C V/60 Hz approx, 25 mA

Check nominal speeds. If necessary, readjust as described below.

109

Setting nominal speeds

With knob 7 bring the fine speed control 129/R 19 into center position. With controls R 8 and R 9 on the motor electronic system adjust nominal speeds. Control R 8 is used for 33 1/3 rpm, R 9 for 45 rpm, Check with strobe disk.

Changeover to 78 rpm nominal speed

Instead of 45 rpm the Dual 622 can be changed to a nominal speed of 78 rpm.

To change the speed bring the fine speed control 129/R 19 in center position using knob 7. Using control R 9 on the motor electronics board 152 adjust for 78 rpm, Check with strobe disk.

StroboscopeAccurate setting of the platter speeds 33 1/3 and 45 rpm can be

checked during play with the aid of the stroboscope. When the platter 4 is rotating at exactly 33 1/3 or 45 rpm the lines of the stroboscope appear to stand still. If the lines move in the direction of rotation of the platter, the platter speed is too high. If the lines move backwards, the platter is rotating more slowly than the nominal speed. Adjustment of platter speeds 33 1/3 and 45 rpm is carried out separately with the "pitch" controls 7.

Strobe markings are provided on the outer edge of the platter for 50 and 60 Hz line frequencies,


To replace glow lamp 157 remove machine screws 160 and remove strobe cover

It can happen that the stroboscope lines appear to move slightly although the exact speed setting with stroboscope stationary has not been altered. This apparent contradiction is explained by the fact that the electronic central drive motor operates fully independently of line frequency whilst the only relatively accurate line frequency of the AC current supply is used for speed measurement with the light stroboscope. The constantly detectable fluctuations of line frequency by $\pm\,2$ % according to the information of the electricity supply companies brief frequency fluctuations up to 1% are possible — only effect the stroboscope indication and can cause the lines to "wander" although the platter speed is as constant and absolutely accurate as before.

Pitch Control

Fig. 6

Each of the two standard speeds 33 1/3 and 45 rpm (78 rpm) can be varied by about 10 %. The variable speed control **129/R 19** located in the voltage divider is adjusted by turning the pitch control knob **7**. By this the differential amplifier is altered and the motor speed accordingly.



Tonearm and Tonearm Suspension


Th efeather-light, extremely torsion resistant all-metal tonearm is suspended in a gimbal. Suspension is by means of **4** hardened and precision polished steel points which rest in precision ball bearings. Tonearm bearing friction is thus reduced to a minimum.


Bearing friction vertical 0.07 mN = (0.007 p)Bearing friction horizontal 0.15 mN = (0.015 p)


as related to stylus point.

As a result, it ensures most favourable pick-up conditions. Before adjusting the tracking force to suit the built-in pick-up cartridge the tonearm is balanced with the scale set to zero. Coarse adjustment is carried out by moving the weight with the stem **49**, the subsequent fine adjustment by turning the weight.

The tracking force is adjusted by turning the graduated spring housing **58** incorporating a coil spring. The Rotary knob **54** has markings for a range of adjustment from 0 to 30 mN (0 to 3 p) which permit accurate adjustment of the tracking force. One graduation in the range of 2-15 mN (0.2+1.5 p) corresponds to 1 mN (0.1 p), in the range of 15-30 mN (1.5-3 p) to 2.5 mN (0.25 p).







To Remove the tonearm or the spring housing

- Secure the unit in a repair stand. Turn the rotary turn switch 51 to the zero position. Lock the tonearm 48. Remove the counterweight 49.
- Turn the unit over. Remove the screening sheet 140 and solder off the tonearm connections at the short circuiter 137.
 Turn the unit the right way up.
- Remove the fillister head screw 55. Remove the rotary turn switch 54 and the washer 53.
- Loosen the nut 50 and the grub screw 51. Draw the tonearm 48 complete with bearing 57 from the bearing race 52.
 The spring housing 52 or the tonearm 48 may now be changed.

Reassembly involves the reverse procedure.

Removal of tonearm assembly with tonearm bearing

We recommend the following procedure:

- Clamp unit in the repair jig. Set the rotary knob 54 to zero. Lock tonearm 48, Remove weight 49.
- Move unit into head position and remove the screening plate 140. Unsolder the tonearm connections on the muting switch 137.
- Remove lock washer 184. Lift off main lever 183 and bearing support 182. Remove lock washer 144. Lift off setting raie 141 and rotary bearing 143 and turn towards motor 149.
- Unlock tension spring 209. Loosen lock washer 212 and remove skating lever 211.
- Remove lock washer 211 and slide bar 171. Lift off shut-off bar 161 from segment 208.
- Remove hex nut 170. Remove sink screw 174. Hold tonearm 48 and lift off counter bearing 173 and segment 208.
- 7. Remove tonearm complete with tonearm bearing.

Reverse this procedure when reassembling. Please bear in mind the threaded pin 33 is correctly positioned in the ball bearing.

Adjusting the tonearm bearing

First balance tonearm exactly. Both bearings must have slight, just perceptible play. The horizontal tonearm bearing is correctly adjusted when at anti-skating settings "0.5" and being touched it slides in without resistance. The vertical tonearm bearing is correctly adjusted when it swings in after being touched. The play of the horizontal tonearm bearing should be adjusted with threaded pin 33 and mat of the vertical tonearm bearing with threaded pin 51.

Fitting a 1/2 inch cartridge

If a cartridge with 1/2 inch standard mount is to be fitted, the conversion kit **31** Number 262 186 is necessary. The proper method of fitting is shown in fig. 8.

Also the decorative cover should be removed from the counterweight 49 and should be fitted with the compensatory weight to be found in the conversion kit 31.

Any alteration can only be carried out with the aid of a Dual-Skate-O-Meter and a test record and should only be done by an authorized service station.

Anti-skating Device

To compensate for skating force use the knurled ring **68**. The asymmetric cam plate displaces the skating lever **216** from the tonearm pivoting point. The anti-skating force is transmitted to the segment **207** and to the tonearm **48** by tension spring **208**. Optimum adjustment is carried out at the works for styli having a tip radius of 15 μ m (conical), 5/6 and 18/22 μ m (elliptical). Any alteration can only be carried out with the aid of a Dual-Skate-O-Meter and a test record and should only be done by an authorized service station.

Cue Control

By moving the lever **190** forward ($\underline{\mathbf{Y}}$) lift cam **192** rotates. The slide bar **141** transmits the lifting movement to the lift pin **206**, that raises the tonearm. As a result, the cue control permits raise up the tonearm at any desired point.

The lever 190 is released by moving the cue control lever rear wards (). As a result of the action of compression spring 205 the lift pin 206 is brought back to its normal position and the tonearm loweres slowly. Lowering of the tonearm is damped by silicone oil in the lift tube.

Replacement of Cue Control Plate

Replace due control plate 207 as follows:

- Clamp unit in the repair jig, and lock tonearm. Turn unit in head position.
- Remove safety washer 184. Lift off main lever 183 and bearing support 182.
- Remove safety washer 144. Lift off positioning bar 141 and rotary bearing 143 and turn towards motor 149
- Remove both machine screws 204, remove lift plate compl. 207.

For installation proceed in the reverse order.

The lift can be varied by turning the sleeve **45** The distance between the record and the needle should be 5 - 7 mm.

Tonearm Control

Automatic movement of the tonearm is initiated by the control cams on the inside of the cam wheel 16 on rotating through 3609

The control elements for raising and lowering are the main lever **183** and lifting bolt **206**, for horizontal movement the main lever **183** with segment **208**.

The automatic tonearm set down mechanism is designed for 30 cm and 17 cm records and is coupled to the platter speed change-over. The setdown points of the tonearm are determined by the spring pin of segment 208 contacting the slide bar 141. Limitation of the horizontal movement of the tonearm is produced by the pin of segment contacting the stop attached to the slide bar 189. Only during set-down does main lever 183 lift the slide bar 141 and the stop attached to it which, as a result, moves into the swivel range of the stop pin fitted on the segment. After completion of set down (lowering of the tonearm onto the record) slide bar 141 is released again and returns to its neutral position. As a result, the slide bar 141 moves out of the swivel range of the pin, so that unimpeded movement of the tonearm is possible for playing.

Muting Switch

To prevent disturbing noises during automatic operation of the tonearm the unit is fitted with a muting switch. Control of the switch springs for both channels is effected by the camwheel. With the unit in neutral state the short circuit of the pick-up leads is eliminated.

Adjustment

In zero position of the cam there should be a clearance of approximately 0.5 mm between the contacts of the muting switch. This clearance should be adjusted by bending the muting switch contacts. The contacts should be sprayed with a suitable cleaning agent.

Fig. 11




Fig 12




Fig. 13




Fig. 14





Fig 15



Start

Switching the switch lever **64** into the "start" position initiates the following sequence:

- a) The start lever 219 rotates the switch lever 180 which is pivoted about the notched stud. At the same time, the switch arm 41 is moved the motor 149, via the power switch 116, and the platter starts turning.
- b) Operating the switch lever 68 also releases the start slide 38 which is drawn toward the cam by means of the tension spring 156. By that the shut-off lever engage with the drive pinion and the cam turns.

Manual start

The latch **215** which is connected to the switch arm **41** engages in the four-sided plate when the tonearm is moved manually. The switch arm connects the mains supply to the motor **149** via the power switch **116** and the platter rotates.

When the run-out groove of the record is reached, the tonearm is lifted and returned, the motor is switched off automatically. If the tonearm is lifted off the record before the run-out, and returned by hand to the pillar, then the bolt on the segment **208** engages the latch **215** so that the switch arm is returned to its starting position. This switches off the mains supply.

Continuous Play

Continuous Play is switched on by turning the rotary knob **62** to "\infty". The rotary knob **67** turns the switch angle **185**. The switch rod **189** keep the change lever **180** in starting position

After the record has been played the tonearm returns automatically to the lead-in groove of the record. This procedure is repeated until the switch lever **68** is brought to the "stop" position or the rotary knob **62** to position "1".

Adjustment Point

Pull mains plug. Remove platter 4. Bring rotary knob 62 to position " oo ". Turn cam wheel to central position. The change lever 180 turns the guide lever U and the top of the guide lever must at least be brought to the cam range. Adjust by bending the switch rod 189.

Stopping

When control lever is set to "stop position the start slide **38** which is pulled towards the cam by means of tension **34**, becomes free. As a result, the shut-off lever is moved into the range of dogs cam. The lever remains in its stop position.

Shut-off

The shut-off and stop functions depend on the position of the guide lever \mathbf{U} . The guide lever \mathbf{U} is brought to stop position by the main lever $\mathbf{183}$ after every start (longer end of the guide lever towards cam wheel centre).

The shut-off bar **161** is guided along in proportion to the movement of the segment **208**.

The shut-off procedure is imitated after a record has been played by the dog ${\bf M}$ of the platter and the shut-off lever ${\bf A}$.

The shut-off lever $\bf A$ is moved towards the dog $\bf M$ of the platter within the shut-off range (record diameter 116 mm to 122 mm). The dog engages the shut-off lever $\bf A$. The cam wheel $\bf 16$ is moved from 0 position and engage with the drive pinion of the platter.

The main lever **183** guides the tonearm back and effected the tonearm to return to its rest position. During the running in of the cam wheel into 0 position the roll **42** of the switch arm **41** can run into the cut-out provided at the cam wheel and achate the power switch **116**.

Adjustment Points

Tonearm set-down point

The set-down point can be varied with the eccentric bolt 176. If the stylus sets down onto the record too far inside or outside turn eccentric bolt 176 in left or right direction (see Fig. 7).

Shut-off Point

The shut-off point (shut-off area of record diameter (116/122 mm) can be varied with the eccentric **E** mounted on the segment **208**.

Tonearm lifting height

- a) Remove the mains plug, Guide the tonearm 48 towards the edge of the platter. The bottom edge of the cartridge housing should be parallel to the top edge of the platter cover. Carry out alignment by turning the adjusting sleeve 202.
- b) Press the start button and turn the platter 4 in normal direction until the tonearm 48 reaches its highest position. The tonearm should now have a vertical play of approximately 1 + 2 mm (measured at the tonearm post). If necessary, slightly turn the adjusting sleeve 202.

Power Switch

Turn in tonearm 48. The slide 117 of the power switch 116 should have a play of 0.2-0.5 mm. Adjust by bending the switch arm 41.

Fig. 16

208

Fig. 17

4 48 202 47

207 204

Fig. 18

41

43

0,2-0,5mm

Defect

Tonearm does not set down on record or lowers too quickly when operating the cue control lever **190**

Vertical tonearm movement shows resistance

Cause

Excessive or insufficient damping as a result of contamination of the silicone oil in the lift tube

Excessive friction of Lift Pin **205** in guide tube

Remedy

Remove cue control plate **207**. Remove shaft pin **200** and washer **201**. Remove adjustment bush sleeve **212**. Remove washer **203**. Remove lift pin **206** and compression spring **205**. Clean lift tube and lift pin. Smear lift pin evenly with "Wacker Silicon Oil AK 300 000". Reassemble components.

See obove, if necessary change the lift pin 206


Defect	Cause	Remedy
Speed lies at limit of the range of adjust- ment of the pitch control	Nominal speed is maladjusted.	Readjust nominal speed, described on page 7.
Platter does not turn after switching unit on and moving tonearm in side	Power supply to motor interruppted. Power fuse 110 defect	Rèplace the fuse 110
Tonearm does not set down at the lead-in groove of the record	Tonearm set-down point is incorrectly set	The tonearm set-down point can be adjust with the eccentric bolt 176
Motor does not switch off when tonearm set down on rest.	Suppressor capacitor in power switch ist faulty (short circuit).	Replace suppressor capacitor in power switch
Acoustic feedback	 a) Chassis components (e.g. connecting leads) rubbing on board cut out 	a) Line up mounting board cut-out according to installation instructions
	 b) Connecting leads too tight. 	b) Slacken or lengthen leads.


Replacement parts

	· · · · · · · · · · · · · · · · · · ·						_	· · ·
Pos.	Part.No.	Qty	Description		Pos.	Part. No.	Qty	Description
1	220 213	1	Centering piece		50	246 884	1	Counter nut
2	214 056	1	Washer	Н	51	234 634	1	Grub screw
3	263 254	1 1	Platter compl. with mat	Н	52	263 329	l i	Bearing frame compl.
4	263 256	1 1	Platter compl.	Н	53	261 798	l i	Washer 5.2/10
5	238 034	1	Rotary switch	Н	54	248 989	i ;	Rotary knob
6	260 335	1	Rotary knob	1	55	249 097	ľ	Raised counter sunk head
7	260 336	1	Rotary knob		55	249 097	Ι'	screw M 2.5 x 12
8	242 191	3	Grub screw		56	236 069	1	Machine screw
9	263 257	1	Pitch cover		57	263 330	l i	Bearing compl.
10	200 444	8	Spring washer		58	263 331	l i	
11	239 414	3	Shipping screw compl.		59	248 979		Spring housing compl.
12	262 634	1	Washer	H	60	210 597	1	Lifting plate Washer 3 2/6/0.5
13	210 147	1	Lock washer	Ш	61	262 294		
14	242 192	1	Platter come compl.	Ш	62	260 334	1	Hexagon sheet screw B 2.9 x 6 5
15	242 191	3	Grub screw	Ш	63			Rotary knob
16	246 035	ĭ	Cam wheel	!	64	263 332 260 485	1	Rear cover compl.
17	232 972	3	Spring mount compl.		65		1	Switch lever
• • •	237 228	ĭ	Spring mount compl. (Tonearm side front)			260 328	!	Stroboscop prism
18	230 529	9	Threated piece		66 67	263 333	1 1	Front cover
19	230 521	3	Compression spring		67 68	263 334	1 1	Tonearm rest compl
	236 712	1	Compression spring (Tonearm side front)			260 320	1	Cam disc
20	200 723	4	Rubber damping		69 70	242 298	1	Washer
21	200 723	4	Steel cup		70	228 113	1	Washer
24	234 582	7	Tension spring		71	210 146	3	Lock washer 3.2
25	263 259	1	Tonearm head compl.			200 444	4	Spring washer 3.2
26	261 929	+	Tonearm lead compt.		101	210 517	2	Machine screw M 4 x 10
31	262 186	i l	1/2 inch conversion kit compl.		102	210 648	2	Washer 4.2/14/1
32	249 383	-i	Counter nut		103	242 283	2	Bush
02	262 695	-i	Counter nut		104	209 939	2	Sleeve
33	234 651	1	Grub screw		105	210 480	4	Machine screw AM 3 x 6
34	263 260	i	Frame compl.		106	237 548	2	Grommet with cord stopper
35	242 677	-i	Machine screw M 4 x 8		107	228 209	1	Sleeving
36	233 710	iΙ	Tension spring		108	242 284	1	Insulating plate
37	210 146	ίl	Lock washer		109	263 338	1	Power plate compl.
38	242 786	i l	Start slider		110	242 478	1 [Fuse T 0.063 A
39	210 361	ήl	Hex nut		C 53	222 760	2	Ceramic 20 nF/ 50 V
40	242 768	ήl	Bush		C 54	222 760	2	Ceramic 20 nF / 50 V
41	242 765	¦ [Switch lever		C 55	227 880	1	Elyt 1000 µF/ 40 V
42							.]	21γt 1000 μr / 40 V
42 43	242 785	1	Roll Rubbor sleeve		D 52	227 344	4	1 N 4001
43	200 650	1	Rubber sleeve		D 53	227 344	4	1 N 4001
44 45	263 261	1	Mounting plate compl		D 54	227 344	4	1 N 4001
	242 770	1	Adjustment screw		D 55	227 344	4	1 N 4001
47	260 428	1	Clamp screw		111	244 474	1	Power transformer
48	264 020	1	Tonearm compl.		112	210 283	2	Fillister screw
49	263 263	1	Weight compl.		116	242 581	1	Power switch compt.
	263 328	1	Weight compl. (UAP)	į.	1.0	272 701	1	TOWER SWITCH COMPL.

Pos.	Part.No.	Qty	Description		Pos.	Par	t.No.	Qtγ	Description
117	226 225	1	Clidos		204	210	472	2	Machine screw AM 3 × 4
117	236 335 200 444	1 1	Stider Spring washer	11	204	1	1798	1	Compression spring
119	233 012		Switch plate compl.		206	1	2 753	;	Lift pin
120	219 200		Snab spring	1	207		6043	1	Lift plate
121	239 732	1	Tension spring	11	208		3 335	1	Segment
122	230 148	1	Switch angle		209	218	3 59 1	1	Tension spring
123	241 883	1	Capacitor 10 nF/250 V		210		1 184	1	Adjustment disc
	242 822	1	RF-cocke 47 μH		212		4 331	1	Scating lever compl.
124	242 102	1	Cover		213		146	8	Lock washer 3.2
125	210 498	1	Machine screw M 3 x 28		215		2 764	1 1	Pawl
126 128	231 079 237 782	1 1	Cable holder Nut for potentiometer	1	216 217		915	1 1	Square plate Machine screw AM 3 × 4
129	238 073	1	Speed control-potentiometer (R 19)	Ш	218		3 154	Ιi	Tension spring
130	242 195	i	Contact piece	Ш	219		2 747	;	Switch lever
131	210 587	1	Washer 3.2/7/1	Н	220		600	1	Washer 3.2/8/1
132	210 362	1	Hex nut BM 3	Н	221	210	361	2	Hex nut
133	242 187	1 1	Contact assembly	Н	230		9 424	1	5pole plug
134	210 469	1	Machine screw AM 3 x 3	Н	231		7 303	1	Audio cable compl
135	242 741	1	Switch lever	П	232		7 301	1	Audio cable compl. with cynch plugs
136	242 790	1	Contact arm	$ \cdot $	233		9 436	3	Flat connector sleeve
137	242 612	!	Muting switch compl.	11	234 235		9 425	1	Cynch plug white Cynch plug black
138 139	239 806 210 486	1 1	Base shet Machine screw AM 3 x 8	$ \cdot $	236		9 426 4 602	1 2	AMP plug
140	242 791	l i	Screning shut	$ \cdot $	237		2 996	1	Power cable Europa compl.
141	242 769	1 1	Positioning slide	$ \cdot $	238		2 995	Ιi	Power cable America compl
142	244 834	ΙiΙ	Compression spring					'	CK 28 walnut console compl
143	237 498	1	Rotary bearing				1 952 1 953	1 1	CK 28 warnet console compl.
144	210 145	2	Lock washer 2.3				1 954	H	CK 28 agate-brown
148	210 511	3	Machine screw AM 4 x 4	11			7 986	Ιi	CH 6 Cover compl.
149	244 476	1	Motor mechanic			260	0 515	1	Operating Instructions
150	242 233	1 1	Upholder AM 4 4				1 756	1	Operating Instructions UAP
151 152	210 511 244 477	1	Machine screw AM 4 x 4 Motor electronic compl.			260	0 359	1	Shipping carton CS
132	244 477	'	Wotor electronic compi.						Motorelectronic
157	260 421	1	Gtim lamp		C 1	220	0 766	4	Elyt 47 μF/ 25 V
158	249 022	1	Glim plate		C 2		4 597	1	Elyt 220 μF/ 6 √
159	263 336	1	Stroboscope housing		C 3	- 1	6 410	1 -	Elyt 470 μF/ 35 ∨
160	210 469	2	Machine screw AM 3 x 3		C 4		6 410	1	Etyt 470 nF/ 35 V/10 % Ceramic 10 nF/ 30 V/20 %
161	242 763	1	Shut-off lever	İΙ	CE	1	7 963 7 390	1	Ceramic
162	209 357	1	Ball	H	\tilde{c} 7		7 390		Ceramic 1 nF/ 63 V/20 %
163 164	232 104 210 472	1	Ball bearing Machine screw AM 3 x 4	}	C 8	1	2 499	1	Foli 0.22 µF/100 V/ 5 %
165	243 706	Ι'n	Ball spring	İΙ	C 9		2 760	1	Ceramic 20 nF/ 50 V
166	242 771	l i	Rotary plate		C 10	214	6 410	3	Efγt 470 nF/ 35 V/10 %
167	210 146	8	Lock washer 3.2		C 11	1	5 573		Elγt 10 μF/ 16 V
168	223 777	1	Control stud		C 12		2 314	1	Elγt 0 68 μF/ 35 ∨
170	210 362	2	Hex nut		C 13		0 766		Elyt 47 μF/ 25 V
171	201 187	1	Washer		C 14	22	6 459	1	Foit 0.1 μF/100 V/ 5%
172	210 145	3	Lock washer	П	D 1		7 360	1	ZPD 7.5
173	242 615	1	Bearing	П	D 2	2 22	3 906	1	1 N 4148
174	203 475 242 7 92	1	Sunk screw M 3 x 8	П	R 1	22	4 603	3	1 MΩ /0.25 W/5 %
175 176	242 751	1	Tension spring Excenter pin	П	R 2		1 202		10 kΩ/0.25 W/5%
177	242 748	l i	Plate				4 735		68 kΩ/0.25 W/5%
178	210 472	l i	Machine screw AM 3 x 4		R 4		9 387		22 kΩ/0.25 W/5%
179	239 444	i	Tension spring		R		4 603		I MΩ /0 25 W/5 %
180	242 775	1	Changeover lever		R (_	1 342		82 kΩ/0.25 W/5 %
181	210 146	8	Lock washer 3.2		R 7		2 307 3 616	1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
182	242 789	1	Bearing		F		3 617	1 1	Potentiometer 10 kg/2 Potentiometer 22 k Ω / lin.
183	246 042	1 1	Main lever compl		R 10		5 531		$\frac{22 \text{ k}\Omega}{100000000000000000000000000000000000$
184 185	210 147 237 382	4	Lock washer 4		R 11	- 1	7 384	Ιί	110 kΩ /0 25 w/5 %
186	237 382	1	Switch angle Spring		R 12	2 22	8 265	i	270 kΩ/0.25 W/5%
187	210 549		Washer 2.1/5/0.5		B 13		9 3 95	1	15 kΩ/0.25 W/5%
188	210 343	l i	Hex nut BM 2		R 14		4 590	1	220 kΩ/0.25 W/5%
189	242 774	l i	Switch slide		R 15		1 202		10 kΩ /0.25 W/5 %
190	247 509	i	Lever compl.		R 16		7 868	1	560 Ω /0.3 W/5 %
191	237 543	1	Rubber sleeve		R 13	1	9 367	1	47 kΩ/0 25 W/5 %
192	242 742	1	Curve			3 24	2 311	1	2 Ω/25 W/5%
193	210 353	1	Hex nut BM 2		T		9 511	2	BC 172 B
		1			1		9 511	2	BC 172 B
200	216 844	1	Control stud	1	l .		4 715		BC 238 C
201	210 143		Lock washer 1.5	1			2 306	1	(NSD 102) BD 415
202	218 318	1	Adjusting sleeve	1			2 303		NS 4069
203	210 143	2	Lock washer 15		IC :	2 24	2 304	1	NS 555
L	<u> </u>	┺-	<u> </u>	٠ لـ	<u> </u>			-	


Modification reserved!





Lubricating instructions

All bearing and friction points of the unit are adequately lubricated at the factory. Replenishment of oil and grease is only necessary after approx. 2 years of normal use as the most important bearing points have sintered metal bushes. The motor bearings have long-life sintered metal bushings and thus should not be lubricated. Bearing points and friction faces should be lubricated sparingly rather than generously. When using different lubricants, chemical decomposition can often take place. To prevent lubrication failure, we recommend using the original lubricants shown below.



1


Wacker silicon oil AK 300 000



BP super viscostatic 10 W/40



Shell alvania No. 2



Dual Gebrüder Steidinger · 7742 St. Georgen/Schwarzwald

920 653-2 5.2/0180

Printed in Germany by Dual