



Recorders & Tape











Kits, Toys, Parts



Radios



Security Devices





REALISTIC LAB-390 DIRECT DRIVE TURNTABLE

Brushless DC servomotor instantaneously senses and corrects turntable speed. Variable pitch control and built in strobe light for precise speed adjustment. Easy to use front mounted controls 42-2967

£99.95

£9995

REALISTIC SA-950 STEREO AMPLIFIER

Versatile, matching stereo amplifier. LED power level display, microphone jack with variable source/mic mixing control. ape monitor, loudness, phono/tuner function switches. Output power: 25W x 2 £119.95 31-9038

REALISTIC TM-950 LW/MW/FM

Advanced circuitry and design ensure perfect reception every time. FET front-end FM tuner for superior sensitivity and FM multiplex ensures maximum stereo separation. Features illuminated slide rule dial, lighted pointer, stereo beacon and built-in FM muting. £119.95

REALISTIC SCT-950 CASSETTE DECK

Full feature stereo cassette deck with Dolby NR*. 3 position bias and equalization switches for optimum results from all tape formulae. Dual record/level meters, tape counter, auto-stop and 3 position. Input switch with record mute to cut recording signal without stopping the tape. DIN or phono connection. Response: 20-16,000 Hz (C₁O₂ tape). Wow and flutter: 0.09% (WRMS). 14-9841 £119.95

Combined Price

REALISTIC MC2200 SPEAKERS

A two way system producing high quality sound from a 9 cm tweeter and powerful 20 cm woofer. Full 35-20,000 Hz response and 40 watts RMS handling capacity. Attractive black cabinets. 430 x 270 mm. £89.90

Pair

DE-LUXE RACK STORAGE CABINET 42-9305

COMPLETE RACK SYSTEM

SAVE £60.65

Items Bought Separately £589.65

*Dolby is the trademark of Dolby Laboratories Inc.

Tandy is More Than Just 7700 Stores—It's Also 25,000 Skilled and Dedicated People working in over 40 Countries Around the World

It's Factory-to-you-Prices...

No middlemen. No duplication of product lines, highly efficient distribution. It all adds up to 'Value Where It Belongs'—in the products themselves.

It's Expert, Friendly Sales People...

Because our Salespeople deal only in our brands, they really know the products and can answer questions intelligently. You'll get no double talk.



It's Your Neighbourhood Store...

Now over 200 friendly Tandy stores in the UK and more opening all the time—we're getting closer to you with our manufacturing, electronics expertise and unparalleled service network.


It's 5,500 Employees in Manufacturing...

We own and operate 21 factories in 5 countries, including 17 in the U.S.A. and others in Canada, Japan, South Korea, and Taiwan. Thats over one million square feet of factory space.

TANDY STORES ARE WORLDWIDE

UNITED KINGDOM AUSTRALIA BELGIUM

IRELAND GERMANY HOLLAND U.S.A. FRANCE JAPAN CANADA and 31 other Countries



Three years ago we introduced our TRS-80 personal computer, becoming the first company to mass-produce computers. Today we're the acknowledged market leader.

REALISTIC RA

Plug'n Talk®

Science Fair

Radio Shack

-ARCHER-

It's our Exclusive Brands

CONCERTAPE®

ENERCELL

ArcherKit TM


OPTIMUS®

Clarinette®

Our products are custom made by or for Tandy and no one else. Choose our brands and be assured of outstanding product life.



Our brands can boast the latest advances in electronics—keeping quality high and production costs down.



Our guarantees are meaningful—service and parts available through our stores in 40 countries ensuring same efficient service.



Look for this sign in your area. A store in your town may be a Dealer or Franchisee for our exclusive brands.



USE YOUR CREDIT CARD TO BUY NOW PAY LATER...Access, Barclaycard and Trustcard Welcome.

QUICK INDEX
Complete Index 67
Store Locator 66
Quantity Discounts 66

Aerials IV/FIVI	02
Aerials, Car	76
Aerials, Car	64
Amplifiers, Stereo	15
Batteries	. 104
Books	.111
Cables, Audio	32
Calculators	. 123
Car Radios	72
Car Radios	70
Cassette Portables	. 50
Cassette Tane	51
Cassette Tape	82
Clocks	122
Clock Radios	120
Computer Coffman	120
Computer Software Computer Hardware	120
Computer Hardware	. 126
Diodes	96
Disco Lights	40
Electrical Devices	68
Electrical Devices	. 106
Equalizers	30
Equalizer/Boosters	. 73
Headphones	46
Headphones	96
Intercoms Kits Magnetic Cartridges	114
Kits	108
Mannetic Cartridges	22
Microphones	3/
Multitesters	04
Music Contract	00
Music Centres	41
P.A. Equipment	38
Project Boards	92
Radios	.116
Radios	48
Receivers	4
Resistors	99
Scanning Radios	80
Security Devices	115
Soldering Equipment	59
Speaker Systems	16
Speaker Replacement	44
Speaker, Replacement	20
Stereo, Hi-Fi	20
Ceuli	22
Styli	
Tape and Accessories	52
Tape Decks Tape Recorders (Portables) Telephones Test Equipment	26
Tape Recorders (Portables)	50
Telephones	.112
Test Equipment	60
loois & Hardware	56
Transformers	102
Transistors	. 98
Tuners	. 15
Turntables	23
TV Accessories	64
TV Games	107
Watches	122
Wire	101
MII	101

TANDY CORPORATION BRANCH UK BILSTON ROAD WEDNESBURY WEST MIDLANDS WS10 7JN TEL 021-556-6101

NEW! ALL-DIGITAL RECEIVER AT OUR LOWEST PRICE YET! COMPUTERIZED! QUARTZ-LOCKED! 16-STATION MEMORY!



£26995

50 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.02% total harmonic distortion.



SAVE £50.80

STA-2250. All Digital, Quartz Locked Stereo Receiver

LAB-270. Automatic, 2 Speed, Belt Drive

Available November 30, 1980

31-2095

Specifications

AMPLIFIER: Response: 20-20,000 Hz. ± 0 dB. Signal-to-Noise: 85 dB phono, 90 dB aux. Phono Input Overload: 170 millivolts. FM TUNER: Sensitivity (IHF): 2 microvolts (11.8 dBf). Capture Ratio: 1.5 dB. Stereo Separation: 48 dB. Stereo Harmonic Distortion: 0.3%. Mono Harmonic Distortion: 0.2%. Signal-to-Noise Ratio: 67 dB at 1 millivolt. AM Tuner: Image Rejection: 45 dB. EXTERNAL CONNECTIONS: AM and 75/300-ohm FM antenna, A and B speaker pairs, headphone jack, mag phono, aux, phono-type and DIN jacks for Tape-1, 2 in out, AC outlet, phono ground. **SIZE:** 13.01 x 49.21 x 34.93 cm.

REALISTIC STA-2250. Computerized tuning convenience and accuracy

plus a very versatile control section—at a breakthrough price. Touch a button and scan up or down the bands automatically or manually, stopping perfectly,


tuned at each station—with its frequency displayed on big bright LEDs. Store any 16 stations in the memory for instant recall. FM muting blanks out all tuning noise, and a Hi-MPX filter cleans up weak stereo signals. The pre-amp has hi and low filters to remove record scratch and rumble, up-front tape monitoring

and dubbing controls, 11-detent bass, mid-range and treble controls, 40-detent concentric volume/balance controls, stereo/mono pushbutton—and

more! Fully protected against overheating and overloading.

Regular Separate Item Price £509.80

OPTIMUS-25. Three Way Acoustic Suspension Speakers.



6-Level LED AM/FM Signal Strength Indicator

Dual-Gate MOSFET FM Tuner

BETTER **Special System Price**

SAVE £69.80

STA-2250. All Digital, Quartz Locked Stereo Receiver

LAB-420. Fully Automatic, Direct Drive, Programmable Repeat Turntable.

OPTIMUS X-100. Three Way Speakers with Powerful Sound.

Regular Separate Item Price £599.80



STA-2250. All Digital, Quartz Locked Stereo Receiver LAB -8500. Fully Automatic, Direct Drive, Programmable Quartz Lock Turntable

OPTIMUS T-200. Top of the Range Tower Speaker.

Regular Separate Item Price £699.80

£269.95

LOW-PROFILE RECEIVER WITH DIGITAL FREQUENCY DISPLAY! AUTO-MAGIC TUNING LOCKS FM STATIONS ON-FREQUENCY





- 4-Digit Display Shows Exact FM and AM Frequencies
- 5-Level AM/FM Signal Strength Indicators
- FM Muting for Noise-Free Tuning

REALISTIC STA-720. We've replaced the mechanical tuning dial with LED display and an accurate electronic counter. You can see the exact station frequency from across a room. Exclusive Auto-Magic fine-tunes FM stations for you, and locks them on-frequency for cleanest sound—automatically. Phase-locked loop multiplex (PLL) assures full FM stereo channel separation. The phono pre-amp feature a new IC that lowers distortion while maintaining proper RIAA equalization for superb sound from your LPs. High-level audio stages are direct-coupled for clean and powerful bass. Other luxury "touches" are 10 "thin-line" pushbutton controls, 5 LED mode indicators full tape monitoring circuitry, detented bass and treble controls, and a 40-detent volume control. Amplifier is fully protected against overheating and overloading. Looks great, sounds great! 31-1997 £179.95

Specifications

AMPLIFIER. Response: 20-20,000 Hz \pm 1 dB at 1 watt. Inter-modulation Distortion: 0.03% at 20 watts. Signal-to-Noise: 81 dB phono, 92 dB aux. Phono Input Overload: 140 millivolts. FM TUNER. Sensitivity (IHF): 1.9 microvolts (10.8) dBf). Capture Ratio: 1.0 dB Stereo Separation: 45 dB at 1 kHz. Stereo Harmonic Distortion: 0.3%. Signal-to-Noise: 70 dB. Image Rejection: 55 dB. Selectivity: 55 dB. AM TUNER. Sensitivity: 320 microvolts for 20 dB S/NN. Image Rejection: 48 dB. EXTERNAL CONNECTIONS. AM and 75/300-ohm FM antennas, A and B speaker pairs, headphone jack, mag phono, aux, tape in/out, AC outlet, phono ground. SIZE: 7.94 x 41.91 x 31.11 cm.

£17995

25 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.05% total harmonic distortion.

GOOD

Special System Price

£270



SAVE £29.80

STA-720. Digital Display Stereo Receiver. LAB-60. Semi Automatic, Belt Drive Turntable. MINIMUS-7. Two-Way Bookshelf Speakers

Regular Separate **Item Price** £299.80



Regular Separate STA-720. Digital Display Stereo Receiver. LAB-390. Precision Direct Drive Turntable with Front Mounted Controls. **Item Price** £419.80 OPTIMUS-23. Two-Way Bass Reflex Speakers

BETTER

Special System Price

£300



SAVE £39.80

STA-720. Digital Display Stereo Receiver. LAB-270. Automatic, 2 Speed, Belt Drive

MINIMUS-11. Natural Sounding, 2-Way Bookshelf Speakers.

Regular Separate **Item Price** £339.80


TREMENDOUS RESERVE POWER FOR ANY KIND OF MUSIC A VERSATILE CONTROL CENTRE FOR A SUPERB SYSTEM



REALISTIC

80 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.03% total harmonic distortion.

- Detented Bass, Treble and Midrange Control with Defeat Button for Instant Comparison to Flat Response
- MOSFET FM Front End for Low noise, Super Sensitivity
- 18 Controls and a Full Array of Inputs and Outputs



High technology engineering, heavily heat-sinked for cool operation.



Versatile array of input/output jacks for easy connection of other components.





AM signal strength and FM centre-channel meters.





Dual-range meters show output power levels

REALISTIC STA-2080. If you love music, you'll really appreciate this versatile new receiver. With it, the most demanding parts of your favourite selections remain pure and undistorted at high volume level. You get the "punch" of the original performance thanks to the huge power reserve of its direct output amplifier. The FM tuner is equally outstanding. A massive flywheel control, giant lighted dial and dual meters make it easy to tune for lowest distortion. Pushbutton muting silences noise when you tune and the Hi-MPX filter gives you noise-free reception of weak stations. For superior reproduction of discs, there's a pre-amp with extra wide dynamic range — with a built in subsonic filter that eliminates power-robbing turntable rumble and minimises the effects of warped records. With the "2080" you can listen to—or tape from—two turntables. Complete taping facilities let you record with two decks, copy tapes and lots more, without changing connections. The three boost-and-cut tone controls each have 21 detented positions. A midrange control gives you the "extra" range needed to bring out a hidden vocalist, or adjust the presence of a featured instrument. The pushbutton tone "defeat", along with rear panel main-in pre-amp-out jacks, make this receiver a smart choice if you plan to use an equalizer or other signal-processing equipment. There's also a high-filter button that reduces record scratches, tape hiss and other high frequency noise. For protection, three relays and two circuit breakers guard against overdriving speaker wiring shorts and overheating, even eliminate "thumps" when you select £329.95 imputs. A solid audio buy. 31-3000

Specifications

AMPLIFIER—Frequency response at 5 watts output: 15-25,000 Hz \pm 2 dB. Signal-to-Noise ratio: 90 dB phono 98 dB aux and tape Phono Input Overload for 0.5% THD: 200 mV FM Tuner. Sensitivity (1HF): 1.7 microvolts (9.8 dBf) Capture Ratio: 1.5 dB Signal-to-Noise Ratio: 70 dB Stereo Separation at 1 kHz: 48 dB RF. Interference Rejection: Rated Excellent EXTERNAL CONNECTIONS: AM and 75 300 ohm FM antennas push-connect terminals and phono jacks for A speakers, push-connect terminals for B speakers, headphone jack, two magnetic phono inputs, aux input. Main-in Pre-amp-out jacks phono and DIN jacks for tape 1 in/out tape 2 in/out, one switched, one unswitched AC outlets phono ground. SIZE 17.46 x 51.43 x 43.50 cm.

Available September 30, 1980

Enjoy Life more with Tandy Hi-Fi

LET TANDY PLAN YOUR HI-FI SYSTEM

EXCELLENT

A Superb Selection of Hi-Fi Separates

- Designed to Complement each other in Looks and Performance Stylish Realistic Audio
- Component Rack

STA-2080 AM/FM Stereo Receiver. LAB 8500 Direct Drive Turntable including Dust Cover and Magnetic Cartridge.

TWO MACH ONE Floor Speakers. **AUDIO COMPONENT RACK**

Regular Separate Item Price £859.75

Special System Price

£770



Available September 30, 1980



STA-2080 AM/FM Stereo Receiver. **LAB-420** Direct Drive Turntable including Hinged Dust Cover and Magnetic Cartridge. TWO OPTIMUS T-200 Tower Speakers.

Regular Separate Item Price £719.80



SAVE £59.80

STA-2080 AM/FM Stereo Receiver. LAB-390 Direct Drive Turntable including hinged Dust Cover and Magnetic Cartridge.

Regular Separate Item Price £589.90

TWO OPTIMUS T-70 Tuned Labyrinth Floor Speakers

THE SLEEK STA-11, A UNIQUE LOW-PROFILE RECEIVER WITH AMPLE POWER FOR CLEAN SOUND AT HIGH LEVELS ***PROFILE** ***

\$\frac{199}{5}\$

Auto-Magic Fine-Tunes, Locks-in FM Stations

 LED Tuning Indicator Changes from Red to Green when Station is Properly Tuned

The power and specifications once found only in components twice the size! 30 watts per channel from 20-20,000 Hz with a mere 0.02% total harmonic distortion. Phase-locked loop FM multiplex for wide stereo separation. The STA-11 features an EQ circuit that tailors its response to 'mini' speakers, giving uniform output in all frequencies for outstanding musical reproduction. FM muting cuts out interstation interference while tuning; Hi-MPX filter, detented bass, treble and midrange controls, 40-detent volume control with concentric balance control, full tape monitoring facilities, rear panel EQ switch, 5 level AM/FM LED signal strength indicators, fluid-feel counter-weighted tuning knob and wide illuminated tuning scale, and more. The look, feel and sound of a precision receiver. 31-1999

30 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.02% total harmonic distortion.

Specifications:

Amplifier. Frequency Response: 30-20,000 Hz ±1.5 dB. Signal-to-Noise Ratio: 89 dB (phono) 90 dB (aux). Phono Input Overload: 170 millivolts. FM Tuner. Sensitivity (HF): 1.7 microvolts (9.8 dBf). Capture Ratio: 1.0 dB. Selectivity: 70 dB. Stereo Separation: 45 dB 1 kHz. Total Harmonic Distortion: 0.3% stereo, 0.1% mono. Signal-to-Noise Ratio: 70 dB. AM Tuner Sensitivity: 250 microvolts/meter for 20 dB S/N. Image Rejection: 40 dB. External Connections: AM and 75/300 ohm FM antennas, mag phono aux, tape in/out, A and B speaker pairs, headphone jack, AC convenience outlet, phono ground. Size: 8.26 x 44.77 x 36.20 cm.

Available September 30, 1980









SMALL IS BEAUTIFUL! THE FAMOUS LOW-PROFILE STA-7L



LW/MW/FM STEREO RECEIVER JET-BLACK METAL CASE IS JUST 9cm HIGH!

- Superb Hi-Fi That Fits the Smallest Spaces
- "EQ" Circuit for Deep Bass from Mini-speakers
- Tape Monitor Loudness Button

Until now a reduction in size meant a reduction in sound quality. Now there's a Realistic new concept in compact audio—the STA-7L. Stands only slightly higher than a credit card, yet you get advanced circuitry, responsive controls, and big features. It's made possible by our new equalisation circuitry. The circuit uses both voltage and current neg ative feedback to produce a spectacular 50 Hz bass response—something previously impossible with mini speaker systems. FET-FM/phase locked loop multiplex for superior stereo reception, mag input for using the best phone cartridges, A and B speaker switching, stereo/mono button, detented boost-and-cut bass and treble controls, weighted for tuning ease, and more. A lot in a little! 31-9032

£11995

10 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.4% total harmonic distortion.

Specifications

AMPLIFIER: Audio Output power at 8 ohms: 14 watts/channel RMS (music power: 22 watts/channel) at 1 kHz both channels driven. Frequency Response: 20-20,000 Hz. Signal-to-Noise Ratio: 60 dB Phono; 65 dB Aux. Phono Overload: 100 mV. Frequency Equalisation Response for System Mode: 6.5 dB at 100Hz. THD at 10 w RMS: 0.03% at 1 KHz.

Equalisation Response for System Mode: 6.5 dB at 100Hz. THD at 10 w RMS: 0.03% at 1 KHz. FM TUNER. Sensitivity (1 HF): 2.2 uV typical. Capture Ratio: 3 dB. Stereo Separation: 34 dB at 1 kHz. THD: 0.6% stereo; 0.5% mono. S/N Ratio: 60 dB.

MW TUNER. Sensitivity: 200uV/m for 20 dB S/N LW TUNER. Sensitivity: 500 uV/m for 20 dB S/N.

SIZE. 8.9 x 42 x 30 cm. Power requirements: 220/240v AC50 Hz.









THE LOOK, SOUND AND FEATURES OF A LUXURY RECEIVER! TWO MAGNETIC INPUTS FOR USING TWO TURNTABLES



£21995

40 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.06% total harmonic distortion.



STA-820. FM/AM Stereo Receiver. LAB-270. Automatic 2 Speed Belt Drive Turntable, inc. Cartridge.

Regular Separate Item Price £419.80

OPTIMUS-11. Two-Way Passive Radiator Speaker.

• Wide-Dynamic-Range Pre-amplifier

• 40-Position Detented Volume Control

Dual illuminated Tuning Meters

will drive two pairs of speakers to room-filling volume. In its pre-amplifier are recently developed OP Amp integrated circuits which assure low noise, wide dynamic range and distortion-free listening. Special automatic circuitry eliminates "thumps" as you switch inputs and selectable-FM muting even takes the annoying "hiss" out of tuning FM. Tape monitor button and facilities for recording with two stereo decks. Clean styling with brushed aluminium panel outside—overload protected amp and hi-tech FET tuner inside! 31-2087 £219.95

Specifications

AMPLIFIER: Power Output at 8 ohms, 20-20,000 Hz, both channels driven: 40 watts RMS. Total Harmonic Distortion—Full power: 0.1%. Frequency Response at 1 watt \pm 2 dB: 20-20,000 Hz. Signal-to-Noise Ratio: (Phono) 68 dB, (Aux./Tape) 75 dB. Input Sensitivity (Phono) 22 mV, (Aux./Tape) 160 mV. FM TUNER: Sensitivity (IHF) at 90 MHz: 1.2 ν V. Signal-to-Noise Ratio at 90 MHz: 29 ν V. Total Harmonic Distortion: (Mono) 0.1% (Stereo) 0.5%. Stereo Separation at 1 kHz: 48 dB. Image Rejection at 106 MHz: 58 dB. Capture Ratio 1.5 dB. AM TUNER: Antenna Sensitivity: 200 ν V/m. Image Rejection at 1,400 kHz: 45 dB. Signal-to-Noise Ratio at 5 mV/m: 43 dB. Power requirements: 220/240 V AC 50 Hz. SIZE: 47 x 35 x 16 cm.



STA-820. FM/AM Stereo Receiver.

LAB-390. Precision Direct Drive Turntable with
Front Mounted Controls, inc Cartridge.

OPTIMUS-T100. High performance Tower
Speaker.

Regular Separate Item Price £499.80



STA-820. FM/AM Stereo Receiver.


LAB-420. Fully Automatic Direct Drive Programmable Repeat, inc
Cartridge.

OPTIMUS-10. Two-Way Passive Radiator System.

Regular Separate Item Price £549.80

IN SOUND AND PRICE IT'S A CLEAR WINNER

LW/MW/FM STEREO RECEIVER



Full Tape Monitoring

FET and PLL Multiplex Circuits for Clear FM Reception

REALISTIC STA-78LA. A winning combination of performance, features and price. The LW/MW/FM tuner has FET and PLL circuitry for rock stable, FM stereo reception. For accurate tuning there's a wide, back lit dial with red LED stereo indicator and illuminated signal strength meter to cut inter-station interference when tuning there's an FM mute facility. The amplifier has OP-AMP integrated circuitry in the phono and tone control pre-amps to ensure a clean sound and wide dynamic range up to its maximum 25 watts per channel output. On the luxury silver finish facia panel are individual controls for volume, treble, bass and balance. Full tape monitoring and dubbing is available controlled from a selection of pushbuttons which also include hi filter; loudness; stereo/mono and A/B speaker selection with stereo channel reversal for special listening applications. Headphone jack.

31-9033 £169.95

Specifications

AMPLIFIER:

Total Harmonic Distortion—full power: 0.5%. Frequency Response at 1 watt ± 2 dB: 20-20,000 Hz. Signal-to-Noise Ratio (Phono) 65 dB. (Aux./Tape) 75 dB. Input Sensitivity (Phono) 2.2 mV. (Aux./Tape) 160 ω V. FM TUNER: Sensitivity (IHF) at 96 MHz: 1.9 ω V. Signal-to-Noise Ratio: 65 dB. Total Harmonic Distortion: (Mono) 0.1% (Stereo) 0.5%. Stereo Separation at 1 kHz: 48 dB. Image Rejection: 58 dB. Capture Ratio: 15 dB. MTUNER Terminal Sensitivity: 200 ω V/m. Image Rejection: 35 dB. Signal-to-Noise Ratio: 45 dB. Selectivity: 32 dB. LW TUNER Radiation Sensitivity: [F. Rejection: 35 dB. Image Rejection: 50 dB. EXTERNAL CONNECTIONS. 75 and 300 ohm FM aerials; magnetic phono; aux; dubbing and taping jacks. SIZE: $15\times32\times43$ cm.

£16995

25 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.5% total harmonic distortion.



SAVE £31.80

Regular Separate Item Price £309.80

STA-78LA. LW/MW/FM Stereo Receiver. LAB-60. Semi Automatic; Belt Drive Turntable, inc. cartridge. MC-1401. Bass Reflex, 2-Way Speakers.



STA-78LA. LW/MW/FM Stereo Receiver.

LAB-390. Precision Direct Drive Turntable with Front
Mounted Controls, inc. cartridge.

OPTIMUS T-70. Tuned Labyrinth Speaker System.

Regular Separate Item Price £429.80



SAVE £39.80

Regular Separate Item Price £389.80

STA-78LA. LW/MW/FM Stereo Receiver. LAB-270. Automatic; 2-Speed Belt Drive Turntable, inc. cartridge. OPTIMUS-23. Two-Way Bass Reflex Speakers.

THE HEART OF A GREAT SYSTEM AT A LOW REALISTIC PRICE PLL AND FET FM, EXTRA FEATURES FOR "ROOM TO GROW"



£14995

22 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.1% total harmonic distortion.



SAVE £26.80

STA-100. AM/FM Stereo Receiver. LAB-60. Semi Automatic Belt Drive Turntable, inc. cartridge.

MC-600. Two-Way Bookshelf Speakers.

Regular Separate Item Price £259.80 5 LED Mode Indicators
 Tape Monitor

 11-Detent Bass & Treble, Centre-Detent Balance Control for Exact Settings

REALISTIC STA-100. One of our best sellers designed for beautiful sound and operating convenience. The wide dial, balanced flywheel control and lighted signal meter make it easy to tune for best AM and FM sound. FM muting silences tuning noise with the push of a button. You can listen with headphones only, main speakers only, remote speakers only, both pairs—or even reverse main speakers for perfect stereo imagery. There's also a loudness button, jacks for recording with two tape decks, a "hot" FM front end and phase-locked-loop multiplex for wide FM stereo channel separation. 31-2089

£149.95

Specifications

AMPLIFIER: Power Output at 8 ohms, 20-20,000 Hz, both channels driven: 22 watts RMS. Total Harmonic Distortion—full power 0.15%. Frequency Response at 10 watts \pm dB: 20-20,000 Hz. Signal-to-Noise Ratio: (Phono) 55 dB. (Aux./Tape) 65 dB. Input Sensitivity: (Phono) 2.2 mV, (Aux./Tape) 160 mV. FM TUNER: Signal-to-Noise Ratio at 98 MHz, 55 dB. Total Harmonic Distortion: (Mono) 0.17%, (Stereo) 0.85%. Stereo Separation at 1 KHz: 33 dB. Image Rejection at 106 MHz: 48 dB. Capture Ratio: 1.7. AM TUNER: Terminal Sensitivity: 300 vV/m. Image Rejection: 40 dB. Signal-to-Noise Ratio: 37 dB. Selectivity: 22 dB. Power Requirements: 220/240 V AC 50 Hz. Size: $16 \times 44 \times 29.5$ cm



STA-100. AM/FM Stereo Receiver. Regular Separate
LAB-270. Automatic 2-Speed Belt Drive Turntable, inc. cartridge.
MC-1401. Bass Reflex, 2-Way Speakers.
Regular Separate
Item Price
£309.80

BEST
Special System Price
£305

SAVE
£34.80

STA-100. AM/FM Stereo Receiver.

1 AB-390. Precision Direct Drive Turntable with F

LAB-390. Precision Direct Drive Turntable with Front Mounted Controls, inc. cartridge.*

MC-2001. High efficiency Speaker, Power handling 60 watts.

Regular Separate Item Price £339.80

STEP INTO COMPONENT STEREO AT LOW COST! AND STILL ENJOY CLEAN STYLING TRUE HI-FI SPECS, 12 CONTROLS



- Lighted Tuning Meter
 Tape Monitor
- Main/Remote/Both Speaker Switching
- Brushed Aluminium Front
 PLL FM

REALISTIC STA-430. Impressive looks, quality construction and great sound are yours even in Realistic's lowest priced receiver. Features a wide lighted dial and signal meter for accurate tuning, and pushbutton loudness that boosts bass and treble for best fidelity when you listen at low volume. Inside, a phase-locked loop IC assures wide FM stereo channel separation. The direct-coupled power amplifier delivers deep bass and will drive two pairs of speakers. Centre-detent balance, boost-and-cut bass and treble controls, LED FM stereo indicator. An unbeatable value at this low price. 31-2092

Specifications

AMPLIFIER: Power Output at 8 ohms, 20-20,000 Hz, both channels driven: 10 watts RMS. Total Harmonic Distortion—full power: 0.9%. Frequency Response at 1 watt ± 2 dB: 20-20,000 Hz. Signal-to-Noise Ratio: (Phono) 55 dB, (Aux./Tape) 60 dB. Input Sensitivity: (Phono) 2.2 mV, (Aux./Tape) 160 mV. FM TUNER: Signal-to-Noise Ratio at 98 MHz: 60 dB. Total Harmonic Distortion: (Mono) 1.0%, (Stereo) 1.5%. Stereo Separation: 30 dB. Image Rejection: 45 dB. Capture Ratio: 6 dB. AM TUNER: Terminal Sensitivity: 350 ν V/m. Image Rejection: 35 dB. Signal-to-Noise: 34 dB. Selectivity: 20 dB. Power requirements: 220/240 V AC 50 Hz. Size: 14.5 x 42 x 30 cm.

£9995

10 watts per channel, minimum RMS into 8 ohms from 20-20,000 Hz, with no more than 0.6% total harmonic distortion.





STA-430. AM/FM Stereo Receiver.

LAB-48. Three speed changer with dust cover, inc. cartridge.

Minimus-5. Two-Way Bookshelf Speakers.

Regular Separate Item Price £179.80



STA-430. AM/FM Stereo Receiver. LAB-270. Automatic 2 Speed, Belt-Drive Turntable, inc. cartridge. MC-1401. Bass Reflex, 2-Way Speakers. Regular Separate Item Price £259.80



SAVE £21.80

STA-430. AM/FM Stereo Receiver.

LAB-60. Semi Automatic, Belt Drive Turntable, inc. cartridge.

MC-600. Two-Way, Bookshelf Speakers.


Regular Separate Item Price £209.80

"SEPARATES" BRING BIG SOUND TO SMALL PLACES, & BUDGETS

If you're starting out with stereo, supplementing an existing system or starting a second, Realistic stereo separates offer superb sound for budget price.



VERSATILE STEREO MINI **AMPLIFIER**



AM FM STEREO MINI TUNER

- FM Stereo Indicator Built-in Antennas

REALISTIC SA-102 INTEGRATED STEREO AMPLIFIER

Full sound and frequency response and a range of features not normally found on budget amplifiers. Separate tone, balance and volume controls. Switches for speaker in/out, stereo/mono and magnetic or ceramic cartridge. Headphone jack for private listening. With attractive brushed aluminium front panel and walnut veneer case. Size 82 x 235 x 177 mm. 31-1963 £39 95

REALISTIC TM-102 AM-FM STEREO TUNER

A perfect match for your SA-102 or SA-10 amplifier at an equally budget conscious price. More stations less noise with 3 ganged FM tuning advanced IC and a ceramic filter to cut signal interference. FM stereo indicator, built in antennas and external FM aerial connections. Size 82 x 135 x 177 mm. 31-1964 £39.95



OUR BIG MONEY-SAVER

95 • Ceramic Phono Input Tuner/Tape Deck Input

The REALISTIC SA-10 brings quality stereo sound to your living room at an affordable price. Ideal for a stereo starter. Separate left and right channel controls for volume and balance. Full range tone control. Selector switches for stereo/mono and tape/tuner. Finished in stylish matt black. Size 82 x 200 x 139 mm. 31-1982 £19.95.



Special

Regular

REALISTIC SA-102. Value for System Price money Stereo Amplifier. REALISTIC LAB-48. Three speed

record changer. REALISTIC MINIMUS-3. Budget Bookshelf Speaker System.

Separate Item Price £79.80 SAVE £7.80



Special System Price £152

Regular

Speakers Separate

REALISTIC SA-102. Integrated Stereo Amplifier

REALISTIC TM-102. AM/FM Stereo Tuner REALISTIC LAB-60. Semi Automatic Belt Drive Turntable. **REALISTIC MINIMUS-4.**



Special

Regular

REALISTIC TM-102. AM/FM Stereo System Price REALISTIC LAB-60. Semi Automatic

Belt Drive Turntable REALISTIC MC-600. Two-Way Bookshelf Speaker with wide range sound.

Separate Item price £189.75 SAVE £19.75

Tandy Audio. Where Else Would You Find Such Value?

Item Price £169.75 SAVE £17.75

HI-FI COMPONENTS FOR THE AUDIO ENTHUSIAST

High Power, Exclusive Features -The Ultimate Amplifier

£18995

75 watts per Channel RMS



Specifications

AMPLIFIER: Power Output at 8 ohms, 1 KHz, both channels driven 75 watts RMS. Total Harmonic Distortion 50 watts: 0.02%. Frequency Response at 1 watt: +2 d B: 20-20,000 Hz. Signal-to-Noise Ratio: (Phone) 70 dB, (Aux./Tape) 80 dB. Input Sensitivity: (Phono) 1.5 and 3.6 mV (Switchable). Power Requirements: 220/240v AC 50 Hz. SIZE: 146 x 410 x 305 mm.

REALISTIC SA-2001. More power, more exclusive features for maximum system control. Unique Perfect Level is a variable loudness control over the full frequency range. Step-detent bass and treble controls each have 3-way cross-over switches. Switchable Hi and Lo filters. Illuminated power meters have selectable sensitivity. Inputs for 2 phono, tuner and aux plus dubbing and monitoring. Overload protective circuitry and much more from the ultimate amplifier. 31-1962

Superb Integrated Amplifier at a Moderate Price

£12995

46 watts per Channel RMS



Specifications

AMPLIFIER: Power Output at 8 ohms, 1 KHz, both channels driven 46 watts RMS. Total Harmonic Distortion 30 watts: 0.05%. Frequency Response at 1 watt ±2 dB: 20-20,000 Hz. Signal-to-Noise Ratio: (Phono) 65 dB, (Aux./Tape) 80 dB. Input Sensitivity: (Phono) 2.2 mV. Power Requirements: 220/240V AC 50 Hz. SIZE: 146 x 410 x 305 mm.

REALISTIC SA-1001B. Power, flexibility and features at an unbeatable price. High level amplifier stages are directly coupled for distortion free bass response up to 46 watts per channel. Separate tone controls including "midrange" for precise sound mixing. Pushbuttons for A/B speaker switching, low filter, tape monitor, loudness and stereo/mono. Inputs for tuner, magnetic phono and two aux for use with any high-level signal source—tape, tuner or second deck. Twin headphone jacks. Overload protection circuit. 31-9035 £129.95

LW/MW/FM Stereo Tuner £139 95

Selectable Bandwidth for tuning weak FM Stations



Specifications

FM TUNER Sensitivity (IHF): 1.7 vV. Stereo Separation at 1 KHz 40 dB/35 dB. Selectivity: 75 dB (Narrow) 45 dB (Wide). AM TUNER Terminal Sensitivity: 250 vV/M for 20 dB S/N Ratio. LW TUNER Radiation Sensitivity: 400 vV for 20 dB S/N Ratio. Power Requirements: 220/240V AC 50 Hz. SIZE: 146 x 410 x 305 mm.

REALISTIC TM-1001L. Complete your system with the tuner that has everything. Selectable FM/IF bandwidth for finding weak FM signals with reduced interference from nearby strong stations. FM muting. Switchable AFC locks in FM signals for drift free reception. High blend filter reduces high frequency noise on weak stereo signals. Illuminated analogue scale, signal strength and centre tuning meters. Rotary selector for AM, FM and FM stereo (Auto) with pushbuttons for LW and MW. Adjustable output level. 75 and 300 ohm antenna terminals. 31-9034

Play Now — Pay Later. Barclaycard, Access and Trustcard Honoured At Most Stores.

OPTIMUS HIGH-PERFORMANCE "TOWER" SPEAKERS

TOP OF THE LINE! TWIN 25.4 cm WOOFERS



£12995 EACH

- 16.51 cm Midrange Speaker
- 5.08 cm Edgeless Tweeter With Horn Assembly

REALISTIC OPTIMUS T-200. Our best sounding Tower speaker, the "200" is skillfully crafted to deliver a flat, uncoloured frequency response with high or moderate powered amplifiers. The two active woofers move only half the distance of a single-woofer system, boosting efficiency and lowering distortion and cone break-up. Gradualslope crossovers improve power handling capacity and ensure smooth transitions in bass-midrangetreble response. Keeping in tune with the latest time-alignment technology; we've staggered the tweeter so there are no sudden phase shifts or discontinuities in the measured phase response. And T-200's look great anywhere in a room because they're finished on 5 sides in genuine oiled walnut veneer.

40-2029

£129.95 EACH

Specifications:

Response: 50-20,000 Hz. System Sensitivity: 90 dB (SPL at 1 meter/1 watt). Controls: Variable midrange and treble. Power Handling **Capacity:** 150 watts. **Impedance:** 8 ohms. **Size:** 86.63 x 31.75 x 31.75 cm

TWIN LONG-THROW 20.32 cm WOOFERS



£8995 EACH

- Variable High Frequency Control
- 7.62 cm High-Compliance Tweeter

REALISTIC OPTIMUS T-100. Clean, clear sound from a beautiful speaker! The two active woofers and a tweeter assure balanced response from 55-18,000 Hz. The T-100 is so efficient you'll get the maximum out of any hi-fi amplifier for room-filling volume with minimum wattage. An L-Pad control lets you match the treble response to the acoustics of your listening room and to your personal taste. And like the T-200, the "Tower" has real style—it's finished in oiled walnut veneer on all sides so it looks just great even if not placed against a wall. The input connections are recessed on the bottom of the enclosure so even the speaker cables remain hidden.

40-2025

£89.95 EACH

Specifications:

Response: 55-18,000 Hz, ±3 dB. System Sensitivity: 90 dB (SPL at 1 meter/1 watt). Controls: Variable treble. Power Handling **Capacity:** 75 watts. Impedance 8 ohms. **Size:** 90.17 x 33.02 x 31.12 cm.

TUNED-LABYRINTH SPEAKER SYSTEM



£7995

- 20.32 cm Long Excursion Woofer
- 2.54 cm Wide-Dispersion Dome Tweeter

REALISTIC OPTIMUS T-70. Audio breakthrough! A high-performance 1" soft dome tweeter delivers smooth response up to 20,000 Hz. Its wide dispersion and very low distortion means you

hear detailed reproduction of the highest piano notes or the crash of cymbals with dramatic clarity. A long-throw 8" woofer and tuned-labyrinth enclosure reinforce the lower bass and excellent permit transient response. All this, plus hand-finished cabinetry of mitre-folded walnut veneer machined from a single panel for continuity of grain and colour. £79.95 EACH

40-2023

Specifications

Response: 55-20,000 Hz. System Sensitivity: 90 dB (SPL at 1 meter/1 watt). Power Handling Capacity: 75 watts. Impedance: 8 ohms. Size: 74.93 x 26.04 x 27.47 cm.

Available November 30, 1980

FIVE YEAR GUARANTEE

Tandy guarantees to the original owner the proper-electro-mechanical function of all Optimus, MC and Minimus speaker systems in their unopened enclosures, provided the system has not been abused (our determination is final) and that the owner provides transportation to and from the repair site. Your speaker must function properly or Tandy will repair it FREE OF PARTS AND LABOUR CHARGES! This guarantee is honoured at all Tandy stores across the country. Just present your proof of purchase to get five years of free service.

EXPERIENCE THE EXCITEMENT OF SPEAKERS BY REALISTIC

REALISTIC MACH ONE **FAMOUS FOR BASS YOU CAN FEEL**

3995 each

- Massive 38.1 cm Woofer with 35 oz. Magnet
- Treble and Midrange L-pads

REALISTIC MACH ONE. If it's tight 'wall-shaking' bass you like, this speaker is the one for you! Its powerful 15" woofer, a sectoral midrange horn and heavy-duty horn tweeter work in concert to deliver all the punch that today's music packs. Because the Mach One's frequency response covers the entire audio range you won't miss a note of your favourite performers. Separate midrange and tweeter controls let you adjust speaker performance to better match the acoustics of your listening room. All this adds up to a 'heavyweight' speaker enclosed in a handsome oiled walnut veneer cahinet 40-4024 £139.95 each

Sectoral midrange horn, designed to provide a true spatial image. Smooth 800-8000 Hz response for a 'live' presence.

Heavy-duty 'Bullet' tweeter horn delivers crisp and clean highs from 8000-25,000 Hz.

Treble and midrange L-pads for presice adjustment of response to suit room acoustics.

Acoustic suspension woofer pumps out huge volumes of air — you can feel the bass down to 20 Hz. Four-layer voice coil is wound on a brass form for extra heavy power handling.


Front Grille








£9995 each THE X-100-POWERFUL SOUND 3 WAY SPEAKER SYSTEM



Over-all Frequency Response: 20-25,000 Hz

REALISTIC OPTIMUS X-100. If you like the sound and feel of wall-shaking bass, you'll love this speaker. It has the response and power capacity (over 100 watts peak programme) to give the low frequencies your entire 'body' hears . . . close your eyes and feel the music. The superior transient response of the X-100 preserves the punch of modern music material — it's the speaker that makes hard rock easy! All this quality of sound for about half of what you'd expect to pay! L-C crossover for a smooth 20-25,000 Hz response. Genuine walnut veneer. Removable grill. 8 ohms. Size: 585 x 380 x 250 mm. 40-9157 £99.95 each



2-WAY PASSIVE SUSPENSION RADIATOR O 95 each

Removable

- 25.4 cm Passive Radiator
- 20.32 cm Active Woofer 8.26 cm Dome Tweeter

REALISTIC OPTIMUS-10. Active woofer and drone are acoustically-coupled to give rich bass usually heard only from larger speakers. Contour only from larger speakers. Contour controls. Phono/screw terminals. Wal-

ut veneer enclose. 40-2028 €99.95

Specifications each
Response: 42-20 000 Hz ± 3 dB.
Power hand ling capacity: 75 watts.
Impedance: 8 ohms. Size: 63.5 x
39.05 x 26.99 cm.



- 10.16 cm Midrange • 6.35 cm Tweeter

REALISTIC OPTIMUS-25. Powerful 25.40 cm high compliance woofer delivers deep bass without cone breakup. Acoustically isolated extended-midrange speaker makes vocalists come alive Low-mass alumin nium tweeter. Genuine

walnut veneer finish. 40-2027 Specifications

Response: 45-20,000 Hz. Power Handling Capacity: 75 watts. Impedance: 8 ohms. Size: 63.5 x 35.56 x 29.21 cm.





2-WAY BASS REFLEX SPEAKER SYSTEM

69^{95 each} 25.4 cm Woofer -

63.35 cm Tweeter

Bass Reflex Design Tunes to 45 Hz for Extended Low-End Response and High Efficiency

REALISTIC OPTIMUS-23. Ported enclosure and a 10 oz magnet woofer create well-defined bass. Smooth transition crossover and 6.35 cm tweeter with high-tempered voice coil for clear, crisp highs. High efficiency design means you can use lower-powered amplifiers. Phono-type and screw terminals. £69.95 each 40-2032

TANDY

Specifications Response: 55-20,000 Hz. Power Handling Capacity: 75 watts. Impedance: 8 ohms. Size: 56.52 x 31.12 x 29.85 cm

2-WAY PASSIVE RADIATOR SYSTEM SEALED ENCLOSURE FOR EXTENDED BASS RESPONSE

£59⁹⁵ each

- 20.32 cm High-
- Compliance Woofer
 20.32 cm Passive Radiator
- 6.35 cm Extended-Range

REALISTIC OPTIMUS 11. Exciting depth and clarity of bass plus a specially-designed tweeter that produces highest output with lowest distortion of any currently available 6.35 cm tweeter! A special crossover network reduces distortion between frequency ranges. Screw terminals. 40-9173

Specifications lesponse: 80-18,000 Hz. Power Handling Capacity: 50 watts. Impedance: 8 ohms. Size: 55.88 x 31.12 x 26.04 cm.





REALISTIC MC-SERIES FLOOR/SHELF SPEAKERS



HIGH-EFFICIENCY SPEAKER

Strong, Clear highs from 6.35 cm wide Dispersion Tweeter.


20.32 cm Woofer is sealed into cabinet for deep bass without booming.

Strong, Clear highs from 6.35 cm wide Dispersion Tweeter.

dome tweeter for sensational top end performance.

Powerful 20 cm woofer for strong, deep bass without booming.

HIGH EFFICIENCY SPEAKER SYSTEM



Both Speakers Feature removable grilles

- Efficient 20.32 Woofer
- Look and sound good anywhere
- Removable front grille

REALISTIC MC-2001. Smooth sound from deep, non booming bass to clear dramatic highs. Response: 60-17,000 Hz. Power handling capacity: 60 watts Phono-type jacks and screw terminals. Walnut veneer enclosure, removable grille. 8 ohms. 33.02 x 57.15 x 20.95 cm. 40-1987

Available September 30, 1980

Two-Way System Full 35-20,000 Hz Response

Power enough for all kinds of music

REALISTIC MC 2200. A two-way system—that brings superb sound and styling to any audio system. Powerful 20 cm woofer delivers deep bass without "booming" and special 9 cm dome tweeter reproduces clear, dramatic highs. 35-20,000 Hz frequency response. 70 watts peak (40 watts RMS) handling capacity. Distinctive black cabinet with matching grille. 430 x 270 x 205mm 40-9164 £44.95 each



2 WAY SPEAKER SYSTEM

Extended Range Tweeter

REALISTIC MC-1200. Accurate wide-range sound 20.32cm woofer (25 sq. in. radiating area) for deep bass and 6.35 cm tweeter for crisp highs. Response 85-17,000 Hz. Power handling capacity: 50 watts. Genuine walnut veneer finish removable decorator grille. Phono type jacks and screw terminals 8 ohms. 45.09 x 26.99 x 19.05 cm. 40-1984 £29.95 each

MC SERIES-THE IDEAL EXTENSION SPEAKER FOR YOUR SYSTEM



2-WAY BOOKSHELF Walnut Veneer each • Removable Grille

REALISTIC MC-600. Wide range sound with extended bass response. Efficient design features 15.24 cm woofer and 6.35 cm tweeter. Frequency Response: 100-18,000 Hz. Power handling capacity: 40 watts. Phono type jacks and screw terminals. 8 ohms. 34.29 x 22.54 x 13.34 cm. 40-1979 £24.95 each

BASS REFLEX SPEAKER

• 20.32 cm Woofer 10.80 cm 95 Tweeter each Ported Enclosure

REALISTIC MC-1401. Delivers powerful bass even with receivers rated as low as 5 watts RMS. Tuned passive port enclosure for great sound across the 80-20,000 Hz range. Power handling capacity: 55 watts. Genuine walnut veneer. Phono-type jacks and screw terminals 8 ehms. 45.72 x 29.21 x 19.05 cm. 40-1988

£39.95 each

COMPACT REALISTIC MINIMUS® BOOKSHELF SPEAKERS



REALISTIC MINIMUS-7

- Less than 20.32 cm High
- Full Range Response up to 20,000 Hz
- Handles up to 40 Watts

EACH

REALISTIC MINIMUS-7. The size of an average paperback book, but big enough for full range response upto 20,000 Hz from a long excursion 10.16 cm woofer and wide dispersion 2.54 cm soft-dome tweeter. Smooth transition L-C crossover network. Power handling capacity of up to 40 watts. Die cast aluminium enclosure. 8 ohms. Black 40-2030 Silver 40-2034 £29.95 EACH

ADJUSTABLE MOUNTING BRACKET £895 PAIR You can quickly and simply mount Minimus-7 speakers on walls, ceilings or install them 40-2031


your car. Fully adjustable 2031 £8.95 PAIR EALISTIC MINIMUS-11

Acoustically Aligned Speaker Units 50 Watts Power Handling

 39^{95} each

New big brother to Minimus-7. The identical acclaimed design concept but with a bigger 12.70 cm woofer and 6.35 cm horn-loaded tweeter, acoustically aligned for proper time relationship and distortion free listening. The result is an open, natural midrange sound that adds 'life' to vocals. Up to 50 watts capacity. Die cast aluminium enclosure with removable grille. 8 ohms. Silver: 40-2035 Black: 40-2036

DELUXE 2 WAY BOOKSHELF SPEAKER SYSTEM



• 60-20,000 Hz


Frequency Response Two 105 mm Woofers REALISTIC MINIMUS-21.

Astonishing performance

from a super small bookshelf speaker system. Two 105 mm woofers deliver deep, rich bass and independently mounted aluminium cone tweeter reproduces crisp, clear treble frequencies. Removable acoustically transparant grille, 8 ohms. 40-9167

£39.95 EACH

VERSATILE BOOKSHELF SPEAKERS TO SUIT ANY INSTALLATION



A lot of sound for little money, Ideal for extensions, replacements or 'mini' systems. A 127mm full-range speaker housed in an elegant, walnut-grained, vinyl veneer enclosure. 254 x 216 x 140 mm. 8 ohms. 40-913

B. REALISTIC MINIMUS-4

Takes up no more space than a few books, yet the 127 mm woofer with whizzer cone delivers a satisfying 125-17,000 Hz response. Oiled walnut veneer with handsome sculptured grille. 310 x 200 x 145 mm. 8 ohms. 40-224 £14.95 EACH

C. REALISTIC MINIMUS-5
Enjoy 100-20,000 Hz sound from a shelf speaker small enough to fit almost anywhere. Air-sealed woofer for powerful bass response and extended range 38 mm tweeter with wide-dispersion, multi-cellular horn. Delivers great spatial sound in stereo systems. 20 watts. 8 230 x 160 mm. **40-255** £1 £19.95 EACH

D. REALISTIC WALL BAFFLE

An extra flat, slant-back baffle with wide frequency response. 20 cm speaker, separate volume control. Ideal extension for your stereo system. Oiled walnut veneer enclosure. 40-219 £9.25 EACH

REALISTIC MINIMUS-0.5

A tiny 120 x 188 x 114 mm speaker pours out room-sized sound. Efficient enough to be powered by portable radio, TV or recorder to give them full amplitude. High-compliance acoustic suspension speaker handles up to 10 watts music power. Oiled walnut veneer enclosure. 8 ohms 40-1995 £9 95 FACH

REALISTIC MINIMUS-8

Hear that sound—it's music to your ear! 120-20,000 Hz response from an enclosure only 250 x 120 x 140 mm. Such quality is possible because the 102 mm acoustic suspension speaker uses a magnet with over 10,000 Gauss for rich, natural sound. Oiled walnut veneer cabinet. 10 watts. 8 ohms. 40-216 £14.95 EACH

"SHOW OFF" YOUR STEREO WITH AN AUDIO RACK



Deluxe Hi-Fi Rack

- Full Length Locking Glass Doors
- 3 Adjustable Shelves

(Not including components)

Elegant, deluxe rack protects and stores stereo equipment, records accessories. Bottom shelf for LP's. Walnut grained vinyl veneer. $111.8 \times 58.4 \times 45.7$ cm. Easy to assemble. 42-3023 £89.95



Low Line Storage Cabinet £4995

Fully Adjustable Shelves

Heavy Duty Casters



(Not including components)



Elegant Audio Storage Rack

- 3 Way Adjustable Shelves
- No-Mar Heavy-Duty Casters

(Not including components)

Stack your components in this handsome vertical rack. Use top for changer, middle shelf for receiver, 3rd for tape deck, bottom for LP's and tapes. Walnut grained vinyl veneer. $87.6 \times 58.4 \times 43.1$ cm. Easy to assemble. 42-3021 £49.95



Ample storage for all your audio equipment, records, tapes, accessories, . and makes them conveniently available. Easy to assemble. Elegant black wood grain finish adds a touch of class to any room. Size: $88 \times 36 \times 44$ cm. 42-9305 £39.95





Stereo Remote Speaker Switch

Operates with amplifiers having 4 or 8 ohm output impedance and upto 15 watts RMS per channel, 3 speaker pairs. ohm speakers only.

40-125

£6.95



Clear Acrylic Speaker Stand

Get more from your speakers by directing the music towards your ears — cleaner bass response, etter high frequency dispersion. 40-1252 £18.95 pair

Adjustable Speaker Stand

> Adjustable From 26.67 cm to 41.91 cm

Finished in matt black, has neoprone covered supports to prevent speaker movement, castors for ease of

40-9181

£24.95



supports to prevent movement, castors or ease of movement.

40-9180

£18.95



Stands

Holds up to a 23 kg Raises Speakers 30 cm off the Floor! Improves sound quality by reducing boominess. Constructed of durable chrome

plated steel. Everything included for easy assembly. 40-1251 £17.95

Adjustable Wall **Brackets**

Secure wall mounting brackets for speakers 150-250 mm deep Fully adjustable pivot and tilt. Clamp retains speakers in position. For up to 16 Kg. 40-9171


£24.95

Telescopic Corner Mounts



Angular Mounts. Suitable for mounting en closures up to 35 cm3 maximum in angle of wall.

Omnidirectional **Wall Mounts**



Flat Mounts. Used for fixing to the wall enclosures of up to 20 cm³ maximum volume. Can

Speaker Brackets



The simplest way to mount both speakers against the wall. Minimises vibrations and ensures better sound reproduction. Complete with For speakers up to 23 kg.

£2.59

TANDY ACCESSORIES FOR SOUND QUALITY




arm has its own armrest. Adjustable counterweight. Reduce record and stylus wear and improve reproduction. Complete with brush et roller

£5.99

42-9209

Record Cleaning Kit



Total record care. Includes automatic cleane with roller cleaning brush, handler to protect frecords from fingerprints and dirt and a dust-off es the dust off safely and effectively

Low Priced Groov Kleen

Modern automatic record cleaner. Fitted with an arm rest and counterweight to ensure light-weight tracking. All chrome finish.

£2.29 lacement velvet carrier, brush and self-

Hydro-Stor Record




Stylus "Micro" Scope

99p

Shows When Its Time for Replacement.

Protect your investment. Pocket-sized, lets you examine your stylus for une ven wear that ruins records. 42-2756



Carbon Fibre Brush



Clean your records with a sweep of over 1,000,000 static-cutting carbon, fibres. Clear plastic cover for

protection when not in use. 42-110

Turntable Mat



s dust attraction on records 42-362



Stylus Brush

Extend the life of your valuable stylus and records by removing dust and damaging grit. Kit contains stylus brush, cleaning pad with built-in magnifying inspection mirror and cleaning fluid. 42-9310

Deluxe Stylus Balance



Balance your phono arm precisely to give correct playing weight. Ensures long life to your records and stylus.

42-9208

Autochanger



Cleans records as you play them. Fits most units with flat top cartridge housing. Com-plete with velvet and stylus cleaning brush. Chrome finish. 42-9201 £1.69

Replacement velvet carrier, brush and self-

adhesive base.

42-9205

Record CleaningKit



Record Stand



Allows you to store up to 40 LP's. Free Free standing hang it on the wall. Smoke 42-9197

Record Clamp Stabilizer



Helps flatten warped records. Elim tion. Deluxe Strobe Disc checks turntable

Cloth



Special chem cal properties in the cloth discharge electricity to pretect your

42-9191 69p

Anti-Static Universal Tone Cleaning Arm Head Shell

42-9207



Fits most Japanese and European tone arms. Finger lift, colour coded cartridge terminal wing. Perforated ced weight.

42-2752

£3.49

F

59p

Cleaner Spray

Fine spray penetrates deep into record grooves to remove harmful dust and dirt. Reduces record and needle wear. Reduces 42-2500

42-9199 £1.29



For correct tracking of stylus. Reduces

s and record wear

Record Leveller Stylus Cleaner

Special clean ng brush and fluid to keep your stylus in perfect

42-9194

Deluxe Record Sleeves



Ten vinyl lined paper sleeves to protect your records from dust, dirt and os. Fit standard 12" LP's

42-132 £1.99

Turntable Cushions



Foam cushion grips records to prevent slipping. Reduces rumble. 42-360 25.4cm (10") 79p 30.5cm3 (12

Turntable Speed Strobe Disc



tumtable

Makes cise speed ad Jse with 42-268

45rpm Spindle Adaptor



For playing Continental 45rpm discs on standard gramophone spindles. Moulded plastic adaptor slips over indle. 39p

Clip-on Disc Brush/Arm Lift



your records as you play them. Fits easily onto tone arm. 39p

42-1073 B. Cleans as record plays, also pro viues fingertip arm lift. 42-1072

69p

UPGRADE WITH REALISTIC/SHURE Diamond Magnetic STEREO CARTRIDGES



ADVANCE INTO THE FUTURE WITH THE REALISTIC/SHURE RXT4

Our best in every way! Its dynamic stabilizer with viscous damping assures outstanding performance, even on warped records, with any turntable capable of tracking at 11/2 grams or less. Telescoped stylus for unmatched trackability at an ultra-light $\frac{3}{4} - \frac{1}{2}$ grams—even on the new super-discs. Lowest distortion elliptical stylus (5 x 18 microns). Super-flat frequency response: 20-20,000 Hz. Wide stereo separation: at least 25 dB at 1 kHz. Carbon fibers neutralize static charges. Side quard automatically deflects stylus to prevent damage. With easy-mount installation kit,

screwdriver and stylus cleaning brush. £24.95



HI-VALUE HI-FI! REALISTIC/SHURE R25EDT

Elliptical diamond stylus for lower distortion (10 x 18 microns). High fidelity 20- 20,000 Hz frequency response. Tracks at 2-4 grams

42-2767

RS3T STYLUS.

Replaces R25, Shure M71, M75 -ECS series. 42-2768 £9.99



WIDE DYNAMIC RANGE! REALISTIC/SHURE R47EDT

Features of R25EDT, plus high trackability down to 11/2 grams for lower wear. 20 dB channel separat -ion for superb stereo. Tracks at -ion for superb stereo. -3 grams

42-2761

£14.49

RS5T STYLUS.

Replaces R47, Shure M70, M75 series. 42-2762 £12.45



ULTRA-LIGHT TRACKING! REALISTIC/SHURE R1000EDT

20-20,000 Hz response for high-definition music. Tracks at only 34-11/2 grams. 5 x 18 micron stylus tip

42-2769

£25.79

RS8T STYLUS.

Replaces R1000, Shure M90, M75 T-2 series. 42-2770 £20.45



For R9000, Shure M95 series 3/4-11/2 q.

42-2651 £20.49



How Old Is Your Stylus? A New One Will Protect Your Valuable Records!



RS6E STYLUS

For R27, Shure M73/75E series 3/4-11/2 q

42-2764 £15.45



HI-FI ON A BUDGET! REALISTIC/ADC QLM30 MK 111

Diamond conical stylus with 20-18,000 Hz, \pm 3 dB response. Channel separation: 18 dB at 1 kHz. Tracks 3-5 grams: With easy-mount adapter



STEREO CERAMIC CARTRIDGE

Replaces almost any make of cartridge. This model has a 3 mil. radius sapphire stylus for 78 rpm records, and a sapphire stylus for microgroove records on the reverse. 42-9134 £4.19

MAGNETIC CARTRIDGE DIAMOND REPLACEMENT STYLI

All our diamond replacement styli are either originals or meet or exceed the manufacturer's specifications.












Make Cat. No.		Fig.	Tip	Stylus No./Cartridge	Price
Goldring Hitachi Sanyo	42-9119 42-9118 42-9136 42-9139	5 6 7 8	Stereo/LP Stereo/LP Stereo/LP Stereo/LP	G.800 (D.110) G.850 (D.120) DS.ST.101 ST.28 (MG.28)	£ 3.99 £ 3.99 £ 4.49 £ 4.49
Sansui	42-9135 42-9160	10	Stereo/LP Stereo/LP	G.2611. G.2711K SN-28	£ 3.99 £ 4.49
EMEN	T STYL	الا	V 5	ALL ONE L	OW PRICE


® PEALIST


DIAMOND REPLACEMENT STYL

• Individually tested for uniform quality and response
Only at Tandy can you purchase first-grade, British made, diamond styli at these bargain prices. All styli are diamond-tipped on one side and—if double sided—have sapphires on the other. The code on the chart for Tip 1 and Tip 2 is: ST = Stereo; LP = Long Playing.



	F		G	н			
Make	Cat. No.	Fig.	Tip 1 Dia.	Tip 2 Sapph.	h. Stylus No./Cartridge		
BSR	42-9110	F	LP	LP	ST 5, ST 6, X1M, X1H, X1HE, X2HE		
	42-9109	ь	21		ST 10, X1M, X1H, X1HE, SX1M, SX1H, SX2H X4H, X5H, X5M, SX5H, SC5H		
	42-9106	H	ST		ST12, ST14, X5M, SX5M, SC5M, SX6M, SX6H		
	42-9107	1	ST		ST15, X5M, SX5M, SC5M, SX6M, SX6H		
	42-9111	J	ST	ST	SC7M SC10H, SC10M, XBM4, SC8H, SC7M		





AG Philips 42-9102

n



OUR BEST EVER RECORD DECK WITH A HOST OF FEATURES FOR FANTASTIC PERFORMANCE

- Neon strobe patterns on platter allow you to check exact speed
- Front panel consol for direct access to controls
- Includes Realistic Integrated Low-Mass Cartridge Headshell and moving magnet cartridge with diamond stylus

REALISTIC LAB-8500. For state of the art listeners, we present our finest ever. The precision fully automatic direct drive turntable employs a powerful brushless DC servo motor with special poles which generates a signal to compare with an internal quartz crystal frequency. Strobe markings allow you to check the speed—precisely. This comparison is achieved by Phase/lock loop circuit. The result is a precisely accurate turntable speed, which is continuously sampled and corrected. Speeds are 331/3 and 45 rpm. Rumble is better than 65 (DIN B). Signal to noise ratio is better than 53 (DIN B). Wow and flutter is less than 0.33% WRMS! To match the deck the arm is S-shaped, statically balanced with a plug-in headshell. Other features include repeat play facility, oil damped cueing, hinged dust cover, anti-skate device, full manual control option, walnut veneer base.

Size: 143 x 450 x 355 mm. 42-8970



Adjustable Antiskate Control can be set for conical, elliptical or shibate type cartridges so that the antiskate force corresponds to the stylus force.



Repeat dial allows you to programme turntable to automatically shut off at record end or return the tone arm to the start of the disc.

PRECISION DIRECT-DRIVE, HIGH PERFORMANCE TURNTABLES

FULLY AUTOMATIC WITH PROGRAMMABLE REPEAT



- Neon Stroboscope For Precise Speed Adjustment
- 20-Pole DC Servomotor
- Hinged Dust Cover
- Complete With Cartridge

REALISTIC LAB-420. Designed to meet the high standards that audiophiles expect for superior sound reproduction from discs. The 3.1 lb aluminium alloy platter rests directly atop the 20-pole DC servomotor for unwavering speed, and the S-shaped tone arm keeps the cartridge stylus perpendicular to the radius of the groove across the full surface of the record—which means extremely low distortion and excellent tracking at less than 1½ grams. 42-2975

Specifications

Drive System: Direct. Platter: Aluminium alloy die-cast, 31.12 cm diameter, 3.1lbs. Motor: 20-pole brushless DC servo-type. Speeds: 33 1/3 and 45 RPM. Pitch Control Range: ± 4%. Rumble: 65 dB (DIN B). Signal-to-Noise Ratio: Better than 53 dB. Hum: -65 dB. Wow and Flutter: Less than 0.03% WRMS. Size: 14.28 x 29.69 x 35.48 cm. Accessories: Head shell with cartridge, counterweight, 45 RPM adaptor, dust cover.

DELUXE TURNTABLE FEATURES EASY-TO-USE FRONT-MOUNTED CONTROLS



- Automatic Arm Return and Shut
 Off
- Low-Profile, Moulded One-Piece Base with Anti-Shock Feet
- Hinged Dust Cover
- Complete with Cartridge

REALISTIC LAB-390. Brushless DC servomotor instantaneously senses and corrects platter speed. Die-cast non-magnetic platter damps vibration. Variable pitch control and built-in strobe-illuminator/pilot light to make speed adjustment easy and precise. Anti-skating control helps prevent record wear and inner groove distortion. S-shaped tone arm with adjustable tracking force. 42-2967 £99.95

Specifications

Type: Auto arm return, auto shut off. Drive System: Direct. Platter: Aluminium die-cast, 31.28 cm diameter. Motor: Brushless DC motor. Speeds: 33½ and 45 RPM. Pitch Control Range: ± 5% adjustment range. Rumble: —75 dB. Wow and Flutter: Less than 0.03% WRMS. Size: 42.86 x 13.02 x 37.47 cm. Accessories: Head shell with cartridge, counterweight and 45 RPM adaptor, overhang gauge, dust cover.

SOUND QUALITY BELT-DRIVE TURNTABLES AND CHANGER

DELUXE AUTOMATIC 2 SPEED TURNTABLE

Hinged Dust Cover.

S-Shaped Tone-Arm with Auto Return.

• £14.49 Valve Magnetic Cartridge.

REALISTIC LAB-270. Designed to satisfy the purist, yet anyone can appreciate its sound value! Features a powerful DC servomotor for unwavering accurate speed with instant acceleration. The belt-drive system absorbs the slightest vibration of the motor so you hear only the music. S-shaped tonearm has damped cue/pause that gently raises and lowers stylus. Adjustable anti-skate for mini-mum record wear. Adjustable counter-balance for perfect tracking at less than 2 grams.

42-2965

£79.95

Specifications:

Type: Auto arm return. Drive System: Belt. Platter: Aluminium die-cast, 30.48 cm diameter. Motor: DC servo-type. Speeds: $33\frac{1}{3}$ and 45 RPM. Rumble: -65 dB. Wow and Flutter: Less than 0.05% WRMS. Size: 42.86 x 13.65 x 33.02 cm. Accessories: Head shell with cartridge, counterweight, 45-RPM adapter, dust cover.

SEMI AUTOMATIC STEREO TURNTABLE £5995

Viscous Damped Cue/Pause Control

Calibrated Anti-Skate And Adjustable **Counter Balance**

Complete with Cartridge

REALISTIC LAB-60. Styled in gun metal grey with smoke tint hinged dust cover this 2 speed turntable's modern looks will look good in any home. Operation is semi-automatic with a viscous damped cue/pause control for the S-shaped tone arm. Slide-in head shell complete with magnetic cartridge and diamond stylus. Adjustable counterbalance and calibrated anti-skate reduces distortion. 42-9023 £59.95





Battery Powered Stereo Pre-amplifier

Instant Installation

Reliable Solid State Circuitry

Install instantly for use with magnetic cartridges for increased bass and treble. Use a changer with a magnetic or even equipment with ceramic phone input. In a compact metal case. Requires a 9v battery. 42-8930

33⅓, 45 and 78 RPM Changer
 Diamond Stylus Cartridge

REALISTIC LAB 48. Our lowest priced changer but packed with features. Lightweight tubular tone arm, adjustable tracking force and full fidelity ceramic cartridge. Positive action slide controls. Accurate cueing for positioning of stylus wherever you want on the record. Walnut trim base and tinted dust cover supplied. 42-2934

OPEN-REEL DECK WITH 3 HEADS, 3 MOTORS, LOGIC CONTROL



REALISTIC®

£34995

OPEN REEL DECK FOR PROFESSIONAL OR HOME USE.

- Easy-to-Use! Pushbuttons with Full-Logic Solenoid Control let you switch from fast forward to rewind to play without tape Snarls or Spills.
- Separate High/Low Bias and EQ settings for Best response and lowest noise from any tape.
- 7½ and 3¾ ips Speeds.

REALISTIC TR-3000. Join the professionals and upgrade to open reel for wider frequency response, lower noise and distortion, greater dynamic range and "easy-to-be-creative" editing! Our finest ever reel deck features a pushbutton-activated electronic solenoid system to control all tape movement, and a servo-controlled DC capstan motor to virtually eliminate wow and flutter. Twin idler arms and two high-torque reel motors maintain constant tape tension for smooth, fast winding. Separate mike and line input controls work like a built-in mixer. Pause and record mute controls let you edit out unwanted material electronically as you record. Lighted 3" VU meters, adjustable line output level, 4-digit tape counter, ¼" Mike jacks, ¼" stereo headphone jack. With 7" plastic reel, two stereo patch cords. AC operation **14-700**

Professional Features







3 heads: erase, record and play—for off-the tape monitoring as you record material!







High-torque wind and rewind motors. FG servomotor for low wow and flutter.

Specifications

Frequency Response: $30-28,000 \text{ Hz} \pm 3 \text{ dB} 30-20,000 \text{ Hz} \pm 1.5 \text{ dB}$ at 7% ips. $30-20,000 \text{ Hz} \pm 3 \text{ dB}$, $30-15,000 \pm 1.5 \text{ dB}$ at 3% ips. S/N Ratio: Better than 58 dB at 7% ips, 55 dB at 3% ips. Total harmonic distortion: 0.9% at 0.09% at 0.09% at 0.09% ips. Fast Forward/Rewind Time: 90 sec. 1800. Head Material: Hard Permalloy. Size: $410 \times 326 \times 231 \text{ mm}$.

TANDY'S TOP-OF-THE-LINE **CASSETTE DECK**

METAL







OUR BEST! DOUBLE DOLBY* NR, 3 HEADS, DUAL CAPSTAN DRIVE

Three Separate Heads Let You Monitor the Tape As It's Being Recorded — And Two Separate Dolby Circuits Let You Record and Monitor in Dolby - You Hear Exactly What Your Tape Recording Will Sound Like!

£34995

- Variable-Bias/Twin-Tone Oscillator for Flat Response
- Calibration Controls for Proper Dolby Recording Level
- Two Large VU Meters with Two Peak LED VU Indicators
- Tape/Source Button and 3 Heads-Monitor Off-the-Tape as you Record
- Solenoid-Operated, Logic IC Controlled Transport for Smooth Handling

REALISTIC SCT-3100. The ultimate cassette deck for those who want the best in cassette recording-gives you highest performance from any cassette plus metal-tape reproduction that rivals open reel! Includes features like soft-touch logic pushbuttons for rewind, play, fast forward, stop, record, pause, and record mute to effortlessly control all functions. Tape/source pushbutton for instant exact comparison of tape recording and source. The cassette door is detachable for easier tape head maintenance. Output level control, concentrically clutched record level controls with "memory ring" for exact resetability. Two ¼" mike inputs, headphone jack. Twin 3" VU level meters with digital tape counter, reset, auto-rewind. Timer functions allow automatic rewind to stop, continuous play, or timed record or play (with external timer, not included). Record mute button is handy for editing out unwanted material as you record. Adjustable bias Twin-Tone generator creates 400 Hz and 10 kHz signals to calibrate the deck precisely to any tape formulation. Double Dolby, with switchable multiplex filter, insures optimum results when recording Dolby FM, records, or through the mike inputs. Peak-indicator LEDs visually indicate + 3VU and + 6VU record levels for continuous monitoring and reduction of distortion. Auto-rewind mechanism lets you select stop, rewind or play functions, during recording or playback. At end of tape travel, the 3100 will either rewind and stop or rewind and go to play/record. The cassette deck with it all! 14-615

Specification

Frequency Response ± 3 dB: 30-21,000 Hz (metal), 30-20,000 Hz (Cr02), 30-19,000 Hz (normal).

Wow and Flutter: Less than 0.04% WRMS. Signal-to-Noise Ratio (ref. 3.0% THD, Dolby "on" CCIR weighted, metal tape): 67 dB. Distortion (ref. 160 mW/m @ 400 Hz): Less than 0.9% THD. Record and Play Heads: Titanium surfaced, ferrite core. Erase Head: Ferrite with double gap. Output Level: Adjustable to 0.78 volt max. Size: 10.96 x 43.50 x 26.67 cm.

*Dolby is the trademark of Dolby Laboratories Inc.





Separate record and play heads off-the-tape monitoring. Single-housing design for perfect, permanent alignment.



Four Position Dolby Switch: Dolby Tape In/ Out, Dolby FM, MPX Filter.





Dolby Calibration Controls for precise accurate operation.



Use any tapenormal, Ferrichrome, Cr02 or the new highoutput metal cassettes!

SUPERB REALISTIC STEREO CASSETTE DECKS



DOUBLE DOLBY NR, 3 HEADS, FAST LED PEAK LEVEL METERS

METAL





- Four-Position Tape Selector Use Normal, FeCr, CrO2 or Metal Tape.
- Three Heads for True Tape/Source Monitoring, While You Record.
- Double Dolby Works in All Modes Recording, Playback and Monitoring.
 16-Segment LED Peak Level Meters for Each Channel & Peak Hold Button.

REALISTIC SCT-31. A smart choice for the music lover who wants metal capability, easy operation and low-profile styling. Records and monitors in Dolby. A single fourposition selector handles all tape formulations and a front panel bias control adjusts for optimum response with any cassette. Has super-fast two-colour LED peak meters. The auto/manual peak-hold feature shows you highest signal levels for easy and exact level setting. Also features a smooth-operating cassette transport with DC servomotor capstan drive; switchable MPX filter; full auto stop and more. 14-614

£26995

Specifications:

Frequency Response ±3 dB: 30-21,000 Hz (metal), 30-20,000 Hz (Cr02), 30-19,000 Hz (normal). **Wow and Flutter:** Less than 0.05% WRMS. **Signal-to-Noise Ratio:** (ref. 3.0% THD, Dolby "on" CCIR weighted, metal tape): 66 dB. **Distortion** (ref. 160mW m @ 400 Hz): Less than 1.0% THD. Record and Play Heads: Ferrite with titanium surface. Erase Head: Double gap ferrite. Output Level: Adjustable, 0.78 volt max. Size: 43.50 x 10.48 x 25.4 cm.



Supertage Metal Cassettes — A Difference You Can Hear!

Tandy's new state-of-the-art metal tape is coated with particles of pure iron with twice the coercivity of any oxide tape. This means the tape can capture and reproduce more of the music, even the sparkling high-frequency transients that are lost with conventional cassettes. Metal tape lets you record at higher levels with lower distortion—you get stunning dynamic range over the entire audio frequency spectrum and sound quality you thought you'd never hear from a cassette! 44-960
£5.95.



PEAK HOLD FLUORESCENT METERS AND DOLBY* NR







- Four-Position Tape Selector Use Normal, FeCr, Cr02 or Metal Metal Tape.
- Record Mute Button and Pause Lever for Silent Editing As You Record.
- FG (frequency generator) Servo Motor for Precise Speed, Low Wow and Flutter.
- Accurate 14-Segment Fluorescent Level Meters with Peak Hold Button.

REALISTIC SCT-21. A four position Dolby NR mode switch lets you record Dolby or standard tapes from any source. There's a front panel fine bias control that ensures best response from all cassettes and concentric record level controls with memory ring for easy resetting to a previous level. The ultra-fast operating fluorescent meters with switchable peak hold end "guesswork" when setting recording levels. Also has adjustable output level control to match the input requirements of any receiver or amplifier; LED record and Dolby mode indicators; switchable MPX filter; 3-digit tape counter and more. An outstanding value! 14-611

Specifications:

Frequency Response \pm 3 dB: 30-20,000 Hz (metal), 30-18,000 Hz (Cr02), 30-15,000 Hz (normal). Wow and Flutter: Less than 0.06% WRMS. Signal-to-Noise Ratio: (ref. 3.0% THD, Dolby "on" CC1R weighted, metal tape): 66 dB. Distortion (ref. 160 mW/m @ 400 Hz): Less than 1.1% THD. Record/Play Head: Hard permalloy. Erase Head: Ferrite. £179.95 Size: 41.91 x 10.47 x 25.08 cm. 14-611

REALISTIC DECKS ADD SUPERB STEREO TO ANY SYSTEM

PEAK-READING FLUORESCENT METERS. **DOLBY* NR, LOW PRICE**

Available Oct. 30, 1980



DOLEN SYSTEM

£12995

 Three-Position Tape Selector - Normal, **Chrome or Metal**

• 12 Segment **Fluorescent Meters**



REALISTIC SCT-22. Features a smooth operating cassette transport. Push Key operation; DC capstan motor for accurate speed; full automatic stop at end of tape in all modes. Easy to read fluorescent meters and clutched, concentric record level controls with memory ring make it easy to set recording levels. Three position Dolby NR switch for making Dolby or standard recordings; switchable MPX filter; adjustable ouput control; superb sound and styling at a low price 14-612

Specifications:

Frequency Response ±3 dB: 30-19,000 Hz (metal), 30-14,000 Hz (Cr02), 30-13,000 Hz (normal). Wow and flutter: Less than 0.8% WRMS. Signal-to-Noise Ratio (ref. 3.0% THD, Dolby "on" CCIR weighted, metal tape): 65 dB. Distortion (ref. 160 mW/m @ 400 Hz): Less than 1.3% THD. Record/Play Head: Hard permalloy. Erase head: Ferrite: Output level adjustable to 0.78 volt maximum. Size: 12.7 x 42 x 21.5 cm.

DOLBY* NR AND METAL CAPABILITY IN A LOW-PRICED REALISTIC DECK Available Sept. 30, 1980



8995

 Dolby Reduces "Hiss", Extends Headroom

Full Auto-Stop **Prevent Tape** Damage

Output Level Control - Tape Counter





REALISTIC SCT-24. Convenience, the superior sound of metal tape, and the Dolby Noise Reduction System are yours to enjoy with this easy-to-use stereo deck. Features of the SCT24 include 2-colour LED peak meters for exact record level setting; soft-eject cassette door; push levers for pause, record, play, rewind, fast-forward and stop/eject cassette modes. Resettable 3 digit tape counter that helps you find individual cassette selections; adjustable output level to match the input of your system; and a mike/line input selector. 14-613

Specifications:

Frequency Response ±3 dB: 30-14,000 Hz (metal), 30-12,000 Hz (CrO2 and ferric). Wow and flutter: 0.15% WRMS. Signal-to-Noise Ratio: 64 dB on metal (ref. 3.0% THD, Dolby "on" CCIR weighted. Distortion: 1.33% THD (ref. 160 mW/m @ 400 Hz). Output: Adjustable to 0.55 volt max. External Connections: Headphones, two mike inputs, RCA-type line in/out. Size: 12.3 x 39

STEREO RECORD/PLAY CASSETTE DECK

Cr02 Tape Switch

Great Addition to Any Stereo With Tape In/Out Jacks

ADD STEREO CASSETTE PLAYBACK TO YOUR MUSIC SYSTEM!

 Adjustable Output Level ● End-of-Tape Auto-Stop




REALISTIC SCT-12. This compact deck lets you record from any source. Auto-level sets recording level for you - no adjustments are required. End-of-tape Auto-Stop prevents tape damage. Has selector switch for CrO2 or normal tape; pushkeys for all modes including pause; 3 digit tape counter; adjustable output level; walnut grained vinyl veneer case. Size: 7.9 x 14.5 x 22 cm €49.95

£3995

REALISTIC SCP-2. Theeasy, low-cost way to add cassette listening to any music system that has aux or tape jacks Features push-keys for play, stop/eject, fast-forward and rewind; Auto-Stop at end of tape and adjustable output level control to match any receiver or amplifier Simulated-walnut case. Size: 8.9 x 14 x 21.4 cm. £39.95



UPGRADE YOUR STEREO SYSTEM WITH QUALITY ACCESSORIES




Almost Infinite Combination of Control Variations
 Zero-Gain Level Controls with 6 LED Indicators

Bring out 'hidden' vocalists, add 'punch' to certain instruments, compensate for poor room acoustics—even minimize record scratches, tape hiss and turntable rumble. Twenty boost/cut slide-action controls have scales calibrated in 4 dB increments and center-detent flat positions. EQ record switch for custom producing your own tapes. Bypass button provides instant comparison to input. Wide-response, low-distortion circuit. All-metal cabinet, brushed aluminium front. Tape monitor button, tape in/out jacks. £99.95 31-2000

Frequency Bands (Each Channel): 31,62,125,250,500,1000,2000,4000,8000 and 16,000 Hz. Frequency Response (flat setting): 5 to 50,000 Hz \pm 0.5 dB, - 1.0 dB. Tone Control Range: \pm 12 dB. Harmonic Distortion: 0.02% at 0.775 volt output. Hum and Noise: 80 dB (0.775 volt input). Size: $12.06 \times 42.54 \times 26.03$ cm.

5-BAND GRAPHIC EQUALIZER



£4995

• 10 Precision Linear Controls with Centre Detents

Boost or cuts frequency response up to 12 dB at 60, 240, 1000, 3500 and 10,000 Hz. Tape monitor button and tape in/out facilities. Harmonic Distortion: 0.02% at 0.775 volt output. Walnut vinyl veneer case, brushed aluminium front. Size: 10.80 x 26.04 x 15.26 cm. 31-1987 £49.95

0 REALISTIC

Specifications

6-RANGE SOUND LEVEL METER

 6 Sound level Ranges from 60 dB to 126 dB A and C weightings to check compliance with Safety Regulations.

Versatile meter measures sound intensity in any situation. Switchable Fast/Slow response. Built in battery checker. Can also function as an electret condenser mike for recording or frequency analysis. Ranges: 60/76 dB; 70/86 dB; 80/96 dB; 90/106 dB; 100/116 dB and 110/126 dB. Accurate to ± 2 dB at 114 dB. Phono-jack connection, tripod mounting socket. Distortion less than 2% at 1 kHz, 0.5 V. Impedance: 10 Kohms. Min. Requires 42-3019 £22.95

ELECTRONIC RHYTHM BOX




For practice or performance! Choose from 5 rhythms—Latin, Bossa, Rock, Foxtrot and Waltz. Use them separately or together. Slide-action volume and tempo controls. Metronome mode keeps time with a pleasant beat. Built-in speaker, or plays through any amplifier. 27.94 x 7.30 x 20.32 cm. Requires 6 'C' batteries.

Push Key Selectors

42-2103

£39.95

DELUXE POWER METER



REALISTIC APM-200. Quick-response LEDs track Q95 short bursts of music energy—help you spot distortion. Lighted RMS meters measure average power output in 0-2 and 0-200 watt ranges. Easy hook-up. 22.23 x 9.53 x 9.84 cm. 42-2102 £39.95




LOW COST AUDIO POWER METER

REALISTIC APM-100. Continuous speaker monitoring for up to 100 watts RMS at RMS at 4 or 8 ohms. DIN and screw terminal. 42-9400 £12.95

REALISTIC HI-FI CHART

NIABAT		RECEIVERS	WATTS	WATTS	
NAME	CAT. No.	DESCRIPTION	MUSIC	USA*	PRICE
STA-2080	31-3000	AM/FM HIGH POWER RECEIVER	2 × 150	2 × 80	329.95
STA-2250	31-2095	AM/FM DIGITAL RECEIVER	2 × 100	2×50	269.95
STA-820	31-2087	AM/FM RECEIVER	2 × 82.5	2.40	219.95
STA-11	31-1999	AM/FM SLIM LINE RECEIVER	2 × 52.5	2 × 30	199.95
STA-720 STA-78LA	31-1997	AM/FM DIGITAL SLIM LINE RECEIVER	2 × 45	2 × 25	179.95
STA-76LA STA-100	31-9033 31-2089	AM/FM/LW RECEIVER AM/FM RECEIVER	2 × 45 2 × 45	2 × 22 2 × 22	169.95 149.95
STA-7L	31-9032	AM/FM/LW BLACK SLIM LINE RECEIVER	2 × 24	2 × 10	119.95
STA-430	31-2092	AM/FM LOW COST RECEIVER	2 × 22.5	2 × 10	99.95
	01 2002	* = USA WATTS MEASUREMENT MADE AT LESS THAN 0.1% HARMONIC DISTORTIO		2 × 10	35.55
		STEREO AMPLIFIERS	IIV.		
SA-2001	31-1962	HIGH POWER STEREO AMPLIFIER	2 × 105	2 × 75	189.95
SA-1001B	31-9035	STEREO AMPLIFIER	2 × 63	2 × 46	129.95
SA-950	31-9038	TOWER COMPONENT STEREO AMPLIFIER	2 × 40	2 × 25	119.95
SA-102	31-1963	LOW COST STEREO AMPLIFIER	2 × 6	2 × 2.5	39.95
		TUNERS	nitida Salar X Salat S	Explications	HAR
		SERVICE TO SERVICE VARIABLES AND A SERVICE OF THE S	SELECTIVITY	Tive	
TM-1001L	31-9034	AM/FM/LW STEREO TUNER	250u v/m FOR 2		139.95
TM-950	31-9039	TOWER COMPONENT AM/FM/LW STEREO TUNER	300u v/m FOR 2		119.95
TM-102	31-1964	LOW COST AM/FM STEREO TUNER	250u v/m FOR 2	OdB SN	39.95
		STEREO TAPE AND CASSETTE RECORDE	RS		
TD 2022	44.700	DESCRIPTION AND COUNTY OF			
TR-3000 SCT-3100	14-700 14-615	17.78 cm, 3 MOTOR, 3 HEAD, OPEN REEL RECORDER 3 HEADS, DOUBLE DOLBY, THREE POSITION TAPE SELECT, INCLUDING METAL			349.95 349.95
SCT-3100	14-615	3 HEADS, DOUBLE DOLBY, THREE POSITION TAPE SELECT, INCLUDING METAL 3 HEADS, DOUBLE DOLBY, THREE POSITION TAPE SELECT, INCLUDING METAL			269.95
SCT-21	14-611	FLOURESCENT VU METER, DOLBY, THREE POSITION TAPE SELECT, INCLUDING WETAL			179.95
SCT-950	14-9841	TOWER COMPONENT STEREO CASSETTE DECK	IVILIAL		119.95
SCT-22	14-612	FLOURESCENT VU METER, DOLBY, NORMAL, CRO ₂ , METAL			129.95
SCT-24	14-613	LED PEAK METERS, DOLBY NORMAL, CRO ₂ , METAL			89.95
	See Alleria				
		TURNTABLES			
			WOW AND	FLUTTER	
LAB 8500	42-8970	QUARTZ LOCK DIRECT DRIVE, INCLUDES CARTRIDGE	LESS THAN (0.03% WRMS	169.95
LAB 420	42-2975	DIRECT DRIVE, PROGRAMME REPEAT, INCLUDES CARTRIDGE		0.03% WRMS	129.95
LAB 390	42-2967	DIRECT DRIVE, STROBE ILLUMINATOR, INCLUDES CARTRIDGE		0.03% WRMS	99.95
LAB 270	42-2965	BELT DRIVE, 2 SPEED, INCLUDES CARTRIDGE	LESS THAN (0.05% WRMS	79.95
	42-9023	BELT DRIVE, 5" ARM INCLUDES CARTRIDGE			59.95
LAB 60					
LAB 60 LAB 48	42-2934	3 SPEED, AUTO CHANGE, INCLUDES CARTRIDGE			39.95
		PORT OF THE PROPERTY OF THE			39.95
		3 SPEED, AUTO CHANGE, INCLUDES CARTRIDGE HI-FI SPEAKERS	FINISH	WATTS	39.95
LAB 48		PORT OF THE PROPERTY OF THE	FINISH WALNUT	WATTS	139.95
MACH ONE	42-2934	HI-FI SPEAKERS	WALNUT		139.95
LAB 48 MACH ONE	42-2934	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM		100	
MACH ONE	42-2934 40-4024 40-2029	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM	WALNUT WALNUT	100 150	139.95 129.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100	40-4024 40-2029 40-9157 40-2028 40-2025	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM	WALNUT WALNUT WALNUT	100 150 100	139.95 129.95 99.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM	WALNUT WALNUT WALNUT WALNUT	100 150 100 75	139.95 129.95 99.95 99.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM	WALNUT WALNUT WALNUT WALNUT WALNUT	100 150 100 75 75 75 75	139.95 129.95 99.95 99.95 89.95 79.95 79.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25 OPTIMUS 23	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM	WALNUT WALNUT WALNUT WALNUT WALNUT WALNUT	100 150 100 75 75 75	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM	WALNUT	100 150 100 75 75 75 75	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM	WALNUT	100 150 100 75 75 75 75 75 75 50 60	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95
MACH ONE T-200 X-100 OPTIMUS 10 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM	WALNUT BLACK	100 150 100 75 75 75 75 75 75 50 60 70	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95
MACH ONE T-200 X-100 OPTIMUS 10 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM	WALNUT	100 150 100 75 75 75 75 75 75 50 60 70	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM	WALNUT BLACK WALNUT BLACK	100 150 100 75 75 75 75 75 50 60 70 55	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21 MINIMUS 11	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE	WALNUT BLACK WALNUT BLACK SILVER/BLACK	100 150 100 75 75 75 75 75 50 60 70 55 80 50	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 39.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 23 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21 MINIMUS 7	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6 40-2030/4	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 2 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE	WALNUT BLACK WALNUT BLACK SILVER/BLACK BLACK/SILVER	100 150 100 75 75 75 75 75 50 60 70 55 80 50	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 39.95 39.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21 MINIMUS 7	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE	WALNUT BLACK WALNUT BLACK SILVER/BLACK	100 150 100 75 75 75 75 75 50 60 70 55 80 50	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21 MINIMUS 7	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6 40-2030/4	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 3 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE 2 WAY SPEAKER SYSTEM	WALNUT BLACK WALNUT BLACK SILVER/BLACK BLACK/SILVER	100 150 100 75 75 75 75 75 50 60 70 55 80 50	139.95 129.95 99.95 99.95 79.95 79.95 79.95 69.95 59.95 44.95 44.95 39.95 39.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-70 OPTIMUS 25 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6 40-2030/4	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 2 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY HIGH EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE	WALNUT BLACK WALNUT BLACK SILVER/BLACK BLACK/SILVER	100 150 100 75 75 75 75 75 50 60 70 55 80 50	139.95 129.95 99.95 99.95 89.95 79.95 79.95 69.95 59.95 44.95 44.95 39.95 39.95 39.95
MACH ONE T-200 X-100 OPTIMUS 10 T-100 T-70 OPTIMUS 23 OPTIMUS 23 OPTIMUS 11 MC-2001 MC-2200 MC-1401 MINIMUS 21 MINIMUS 7	40-4024 40-2029 40-9157 40-2028 40-2025 40-2023 40-2027 40-2032 40-9173 40-1987 40-9164 40-1988 40-9167 40-2035/6 40-2030/4	HI-FI SPEAKERS HIGH POWER 3 WAY SPEAKER SYSTEM HIGH POWER 3 WAY TOWER SPEAKER SYSTEM HIGH POWER, MEDIUM SIZE, 3 WAY SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 3 WAY TOWER SPEAKER SYSTEM 2 WAY, LABYRINTH TOWER SPEAKER SYSTEM 2 WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY PASSIVE RADIATOR SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY EFFICIENCY SPEAKER SYSTEM 2 WAY BASS REFLEX SPEAKER SYSTEM COMPACT 3 WAY SPEAKER SYSTEM COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE COMPACT 2 WAY DIE CAST ALUMINIUM ENCLOSURE 2 WAY SPEAKER SYSTEM STEREO EQUALIZERS FREQ 12dB 5 BAND HI-FI STEREO EQUALIZER	WALNUT BLACK WALNUT BLACK SILVER/BLACK BLACK/SILVER	100 150 100 75 75 75 75 75 75 50 60 70 55 80 50 40 50	139.95 129.95 99.95 99.95 79.95 79.95 79.95 69.95 59.95 44.95 44.95 39.95 39.95 39.95

WIDE CHOICE OF AUDIO CABLES, CONNECTORS AND ADAPTORS



INJECTION MOULDED STEREO CABLES

Shielded stereo cables for quick, easy connections colour coded for correct hook-up.

Cat. No.	Fig	Description	Length(m)	Price
		2 straight phono plugs at each end 2 straight phono plugs at each end	0.90 1.80	1.59 2.19

MOULDED CABLE ASSEMBLIES

Multipurpose flexible cable for every application.

Cat. No.	Fig	Description	Length(m)	Price
42-2358	2	Phono jack to phono jack	1.80	1.29
42-2361	3	Phono plug to phono jack	0.90	0.99
42-2362	3	Phono plug to phono jack	1.80	1.49
42-2363	3	Phono plug to phono jack	3.65	1.69
42-2365	4	Phono plug to phono plug	0.45	0.89
42-2366	4	Phono plug to phono plug	0.90	0.89
42-2367	- 4	Phono plug to phono plug	1.80	1.29
42-2368	4	Phono plug to phono plug	3.65	1.79
42-2370	5	Phono plug to stripped tinned ends	0.90	0.89
42-2371	5	Phono plug to stripped tinned ends	1.80	1.39
42-2381	6	Phono plug 6.3 mm to phone plug 6.3 mm	1.80	1.49
42-2420	7	Miniature phone plug 3.5 mm to miniature phone plug	1.80	1.29

Fig	Description	Length(m)	Price
8	Miniature phone plug 3.5 mm to miniature phone jack 3.5 mm	1.80	1.59
		1.80	1.39
		1.80	1.19
		1.80	1.39
	8 9 10		8 Miniature phone plug 3.5 mm to miniature phone jack 3.5 mm 1.80 9 Miniature phone plug 3.5 mm to phono plug 1.80 10 Miniature phone plug 3.5 mm to stripped leads 1.80

ADAPTORS AND CONNECTORS

All adaptors are made of high strength, lightweight plastic moulded for long life and noise free operation.

Cat. No.	Fig	Description	Price
42-2390	12	Shielded phono plug, pack of 2	0.89
42-2435	13	Y-adaptor: 2 phono plugs connected to one phono jack: 101 mm shielded cable	1.29
42-2436	14	Y-adaptor: phono plug connected to 2 phono jacks: 76 mm shielded cable	1.29
42-2471	15	Y-adaptor: 3-conductor stereo phono jack 6.3 mm to 2 phono plugs, 40 cm	1.79
42-2448	16	Y-adaptor: 3-conductor stereo phono plug 6.3 mm to 3-conductor stereo phone jacks 6.3 mm	3.29
42-2477	17	Y-adaptor 3-conductor stereo phone plug 6.3 mm to 2 phono jacks 3.5 mm	1.49
274-310	18	Phone plug 3.5 mm to 2 phone jacks 3.5 mm	0.85
42-2156	19	Mono phone jack 6.3 mm to 2 phone plugs 6.3 mm	1.89
- 4			





Top quality shielded cables for positive protection and low signal loss. Perfect for easy connections, testing equipment, or for making checks or repairs. 42-2309

MULTIPURPOSE FLEXIBLE GREY CABLE



Phone plug 6.3 mm to phone tack 6.3 mm, length 3.65 m. 42-2378 €2.39

GUITAR CORD



Coiled guitar cord. 91 cm extends to 4.6 m; phone plugs 6.3 mm. 42-2473 €3.29

25' MICROPHONE CABLE



Heavy duty, low loss microphone extension. 6.3 mm plug, 6.3 mm inline jack. 42-2379 £2.49

£249

SPEAKER EXTENSION **CABLES WITH PHONO**



Phono plug at each end. 42-2445 3.6m (grey) 42-2431 3.6m (white) 42-2392 7.3m (grey)

42-2430 7.3m (white)

Y-STEREO ADAPTOR



£219

2m cord, phone plug 2 phono plugs. 42-2474

£1.79

COILED HEADPHONE EXTENSION CORD



Makes it easy to listen to headphones anywhere in 7m shielded cable with stereo plug and £5.29 iack. 42-2443

GOLD PLATED 81 81 PATCH CORDS



MF-200 Maximum Fidelity. Low capacitance phono plugs for maximum conductance and fidelity. With strain reliefs. 9.9 m cable.

SPEAKER EXTENSION CABLE



8.30m shielded cable for low signal loss (Ø 1.024 mm). Grey cable with phono plug at each 42-2478

12 METRES STEREO SPEAKER CABLE



High quality cable with phong plugs at each end for easy connections. For use with all Realistic receivers and speakers. 42-2432 63.29

SPEAKER EXTENSION CABLES



Use for extensions or to move your present speakers. Easy to connect — no soldering. Colour coded.

42-2446 7 3m


STEREO HEADPHONE **EXTENSION**





Shielded cable with stereo plug and jac your headphones anywhere. 42-2442

AUDIO CABLE AT TANDY FOR EVERY KIND OF HOOK-UP



		3446			
	SYMBOLS	\odot	5. 5-pin 45° DIN Headphones Plug	0	10. Stereo Phone Jack 6.3 mm
$\overline{\odot}$	1. 3-pin DIN Plug	83	6. 5-pin 45° DIN Headphone Jack	0	11. Phone Plug 6.3 mm
·••	2, 3-pin DIN Jack	(2)	7. DIN Speaker Plug	0	12. Phono Plug
	3. 5-pin DIN Stereo Plug	(2)	8. DIN Speaker Jack	0	13. Phono Jack
(·.)	4. 5-pin DIN Stereo Jack	0	9. Stereo Phone Plug 6.3 mm	0	14. Miniature Phone Plug 3.5 mm

REALISTIC

Cat. No. Fig		Fig. Description Leng			
42 9211	1	DIN speaker rack to 2 x spade terminals	0.15	.99	
42-9212	2	DIN speaker jack to DIN speaker jack	Adapt	.99	
42-9213	3	DIN speaker jack to phong plug	0.15	.99	
12-9286	4	DIN speaker plug to 2 x spade terminals.	5.00	€1.29	
42-9287	5	DIN speaker plug to DIN speaker jack	2.50	€1.29	
12-9288	5	DIN speaker plug to DIN speaker jack.	5.00	€1.49	
42-9289	5	DIN speaker plug to DIN speaker jack	7.50	€1.69	
42-9290	6	DIN speaker plug to DIN speaker plug	2.50	€1.29	
42-9291	6	DIN speaker plug to DIN speaker plug	5.00	€1.49	
42-9292	6	DIN speaker plug to DIN speaker plug	7.50	€1.69	
12-9221	7	DIN speaker plug to 2 x DIN speaker tacks	0.15	€1.29	
12-9222	8	DIN speaker plug to miniature phone jack 3.5 mm.	Adapt	.99	
12-9223	9	DIN speaker plug to stereo phone jack 6.3 mm.	0.15	€1.59	
42-9275	10	3-pin DIN plug to 2 x phono plugs.	1.20	€1.79	
42-2393	- 11	3-pin DIN plug to 2 x phono jacks.	0 15	€1.79	
12-9231	12	3-pin DIN plug to miniature phone plug 3.5 mm	1.20	€1.59	
12-9235	13	Miniature phone plug 3.5 mm to DIN speaker jack	Adapt	.99	
42-9236	14	5-pin DIN stereo jack to 2 x phono plugs.	0.15	€1.59	
12-9237	15	5-pin DIN stereo jack to 4 x phono plugs	0.15	€2.29	
42-9240	16	5-pin DTN stereo jack to 5-pin DTN stereo jack	Adapt	€1.89	
12-9241	17	5-pin DIN stereo plug to stripped, tinned ends	1.28	€1.59	
12-9243	18	5-pin DIN stereo plug to 2 x phono jacks.	0.15	€1.89	
12-9244	19	5-pin DIN stereo plug (wired 2/5/3) to	- Anna Carlo		
	1	2 x phono plugs.	1,28	€1;99	
42-9245	19	5 pin DIN stereo plug (wired 1/2/5/3/) to 2 x phono plugs	1.20	€1.99	
42-9246	20	5-pin DIN stereo plug to 4 x phono jacks.	0.15	€2.69	
42-9247	21	5-pin DIN stereo plug to 4 x phono jacks.	1.20	€2.69	
42-9248	21	5-pin DIN stereo plug (2 x 470 ohm resistor) to	1 20	€2.99	
12-9249	- 22	4 x phono plugs	1.20	€1.29	
42-9249	23	5-pin DIN stereo plug to 3-pin DIN plug 5-pin DIN stereo plug to miniature phone	1 20	£1.29	
	24	plug 3 5 mm	1.00		
42-9251	24	5-pin DIN stereo plug to 2 x miniature phone plug 3 5 mm	1.20	€1.99	
12-9253	25	5-pin DIN stereo plug to 5-pin DIN stereo jack.	1.20	€1.89	
12-9254	25	5-pin DIN stereo plug to 5-pin DIN stereo jack	2.50	€2.29	
42-9278	26	5-pin DIN stereo plug to 5-pin DIN stereo jack (inverted poles for recording/reproduction)	Adapt	€1.59	
12-9255	27	5-pin DIN stereo plug to 5-pin DIN stereo plug.	1.20	€1.89	
12-9256	27	5-pin DIN stereo plug to 5-pin DIN stereo plug.	2.50	€2.29	
12-9257	28	5-pin DIN stereo plug to 2 x 5-pin DIN stereo jacks.	Adapt	€2.29	
12-9258	29	5-pin DIN stereo plug to stereo phone tack 6.3 mm	0.15	€1.99	
12-9293	- 30	5-pin DIN stereo plug to 2 x stereo phone	Adapt	€2.59	
3 14 3 1		jacks 6.3 mm			
12-9259	31	5-pin DIN stereo plug to stereo phone plug 6.3 mm	1.20	€2.39	
42-9265	32	5-pin 45° DIN headphones plug to stereo phone jack 6.3 mm	0.15	€1.89	
42-9266	33 -	5-pin 45° DIN headphones plug to stereo phone	Adapt	€1.89	
42-9267	34	jack-6.3 mm. 5-pin 45° DIN headphones plug to 2 x stereo phone	0.15	€2.69	
42-9270	35	jacks 6.3 mm stereo phone jack 6.3 mm to 2 x DIN speaker plugs	0.15	€1.89	
12-9283	36	stereo phone plug 6.3 mm to 5-pin DIN stereo jack	0.15	€1.59	

RECORD AND PERFORM IN FULL STEREO





Ideal for voice/music sound reinforcement. Tight pattern helps prevent feed-back. On/off switch. Reversible connector for 600 or 50,000 ohms impedance. 80-12,000 Hz response. With cable, screw-on connector, 6.3 mm phone plug, stand adapter. 33-992



Great for stage work and budding musicians. Great all round performer at an attractive price. Sensitivity $-65\,6B+3\,dB$. Output 10 k ohms at 1000 Hz. On/off switch. Mesh screen. Supplied complete with cable phono and floor stand adapter. €14.95 33-1053



Electret element exhibits excellent sound characteristics with music and maximum clarity for speech Wide 20-13,000 Hz response. On/off switch. 600 ohms. 2.74 m cable with 6.3 mm phone plug. Includes battery. 33-1050 €9.95



Get professional-sounding results from an affordable mike. Excellent 20-20,000 Hz ± 4 dB response with superthin 4-micron diaphragm using a "back-electret" design. Low-frequency contour switch helps control "'proximity effect" for vocals and close-up use. Balanced low-impedance output with

XLR-type connector. Foam windscreen eliminates wind noise and breath "pop" Heavy-duty 4.88 mm cable, vinyl case, and stand adapter. Requires 'AA' battery. 33-1080 €29.95 HIGHBALL DYNAMIC MIKE Perfect for PA and Hand-Held Vocal Use. Tight Unidirectional Pickup £2995

Rugged, high-performance mike has wide 80-15,000 Hz response with emphasis on "presence" for clean, articulate, natural sound. Ball windscreen minimizes breath "pops" and rubber antishock ring withstands rough handling. Unidirectional pattern helps control unwanted sounds and feedback.



Features rugged wire mesh windscreen, 250 or 50,000 ohms impedance, 90-11,000 Hz response Built-in on/off switch. With 4.57 m cable, 6.3 mm phone plug, and stand adapter. €9.95



Make your own exciting sound at the flick of a switch as you perform or record. Use as a superb omnidirectional mike too. Full 200-8000 Hz response. Sensitivity: $-70 \, \mathrm{dB} \pm 5 \, \mathrm{dB}$ at 1 KHz in reverb mode, $-77 \, \mathrm{dB} \pm 5 \, \mathrm{dB}$ at 1 KHz in normal mode. Impedance: 700 ohm in reverb mode, 200 ohm in normal mode. Lightweight black finish with 6m cable and standard 6.3 mm plug: 33-9110



Pick up the pattern that suits your needs

OMNIDIRECTIONAL. A circular pattern that lets you place a mike almost anywhere in an average size room and get good sound pick up. Ideal for recording family events, meetings, conferences.



CARDIOID. Picks up sound mostly from the front. Good pick up on the sides and relatively poor from the rear. Ideal for stage work, music recordings. PA where feed back is a problem.

LOW-PRICED REPLACEMENT MIKES FOR EVERY USE



Ultra compact condenser mike lets you move about. Wide frequency response, 600 ohms impedance, With cable, 6.3 mm phone plug and battery. All directional pickup pattern. 33-1058 £6.25



GOOSENECK DESK STAND MIKE £17²⁵

Cardioid pick-up makes it perfect for or cardioid pick-up makes it perfect for on-stage panel discussions or desk-top PA use. Locking push-to-talk button, 600 ohms. 200 – 10,000 Hz response. Output level: —78 dB. 1.8 m cable, 6.3 mm phone plug. 33-921 £17.25





Ideal for use with cassette recorders or P.A. Dual connection with mini plug for micro-phone, submini plug for remote on/off, 100-11,000 Hz response, 100 ohm impedance. With desk stand. 33-1040 £6.95



ELECTRET OMNIDIRECTIONAL £495

Mini-plug for audio and subminiplug for remote on/off control, 20-13,000 Hzresponse, Includes stand, windscreen, and battery. 33-1060 £4.95



Great with cassette recorders. Dual connections - mini and submini jacks. 100–15,000 Hz response, 1000 ohms impedanc With cable and desk stand, 33-1039 £5.45 dance. Output level: — 73 dB.



cassette recorders. Mini plug for audio, submini for on/off switch connection, 200 ohms 33-1054 £1.95



Mini plugs for audio, submini plugs for on/off with cassette recorders featuring remote control jack, 100-15,000 Hz response, 200 dhms. With sk stand. Fits Realistic CTR series and others. 33-1031 £4.25

PENCIL-TYPE DYNAMIC MIKE £295

For voice or music, 150-10,000~Hz response, 200~ohms impedance. Miniplug for audio use and submini for on/off switch connections. Universal connectors. Desk stand. 33-1034 £2.95



Now you can mix or "seque" two turntables, a tape deck and a stereo mike just like disco and radio station DJ's. Blends music and narration for professional-sounding recordings, too! Five slide-action faders and dual VU meters for precise level control. Magnetic or ceramic phone jacks, headphone cue monitor jack. Frequency response: 20-20,000 Hz. 6.99x26.67x19.05 cm. Requires 4 AA batteries or AC adapter. 32-1100 £39.95



6 RANGE SOUND LEVEL METER

£2295

- 6 Sound level Ranges from 60 dB to 126 dB
- A and C Weightings to Check Compliance with Safety Regulations
- Electret Condenser Mike Function



STEREO MIKE MIXER


High Impedance!

Mixes up to 4 mono mikes, or a pair of mikes to each stereo channel. Separate volume controls, phone jack inputs. Uses one 9 V battery. 33-920 £9.95

Versatile meter measures sound intensity in just about any surroundings loud or soft, high-pitched, low-pitched or broadbands sounds, intermittent or continuous. Can function as a high-quality electret condenser mike for recording or frequency analysis. Phono-type jack for connection to Hi-Fi or test equipment. Threaded insert attaches meter to camera tripod for added accuracy. Standard 0 dB = 0.0002 μ bar. Distortion less than 2% at 1 kHz. 0.5 V. Impedance \pm 10 K ohms min. load. 9 V battery included.

42-3019 £22.95

TANDY P.A. AND MICROPHONE ACCESSORIES



A. CAST BASE MIKE STAND

Sleek Chrome Finish

"Sure-Grip" Clutch Adjustable from 34" to 62" grip action clutch locks and holds at desired height. Heavy low-profile cast-iron base has rubber feet for placement and use anywhere! Std. %"27 thread

33-320 €15.39 **B. FOLDING MIKE STAND** Ideal For Portable Use

Five chromed legs with protective rubber feet provide maximum stability. fold up for easy portability and storage. Positive action clutch adjusts instantly from 32" to 57". Std. %"-27 thread.

C. 31" MIKE BOOM

ADAPTOR • Chrome Tube with Adjustable Counterweight

Standard %"-27 thread boom attaches to any floor stand. With one-piece iniversal swivel.

C£995



FULL 33 cm FLEXIBLE GOOSENECK £289

Bends easily in any direction at any angle to give you 33 cm of flexibility. Standard %"-27 thread. Chrome

plated. 33-330 £2.89



Quick snap-on connections

Snap-on accessory allows microphone to be quickly disconnected from its stand %"-27 inner and outer thread. Chrome-plated

ADAPTOR

MIKE STAND

Use with any floor stand assembly. High-impact styrene. Standard %"-27 thread. 33-371 £1.29

Padded bottom and gun-metal finish

10 cm chrome tube attaches easily Standard %"-27 thread.

PADDED

DESK

 $£6^{25}$



Perfect for attaching mike to desk or lectern. %"-27 outer thread. 33-332 £2.59



MIKE ADAPTOR

Reduction thread for mike stands. Reduction from $\frac{5}{9}$ "-27 outer thread to %" inner thread

PERSONAL LISTENING ACCESSORIES



With 1.4 m Cable

Enjoy radio listening from a speaker beneath your pillow! Compact precision speaker with miniature phone 33-206

DELUXE PILLOW SPEAKER



6 m STEREO HEADPHONE EXTENSION



Shielded cable with stereo plug and jack lets you use your headphones anywhere. 42-2442 £3.99

HEADPHONE HOOK



A simple and very useful way to keep your headphones within hand-reach. Press it into place wherever you want. Elegant smoke-tint design. 33-9104 £1.95

AMPLIFIER-**HEADPHONE COUPLER**



Attaches stereo headphones to any amplifier that doesn't have a jack

33-1009

£1.49

NOVA-FONE EARPHONE SPEAKER



Completely cov ers the ear! Dynamic 80 30. speaker. 30-14,000 Hz. 3.5 mm mini phone

33-1036 £3.85

TRANSISTOR **EARPHONES**



Designed for portable recorders and radios.

33-174 with 2.5 mm plug. 49p 33-175 with 3.5 mm plug. 59p

6 m EARPHONE



EXTENSION



3.5 mm miniature jack and plug for transistor radios, etc. 33-176 99n

PHONES/SPEAKER **ADAPTOR**



Allows you to listen to two headphones, two speakers or to both at the same time. with DIN speaker plugs 33-9103 £4.95

HEADPHONE ADAPTOR



Connects 2 sets of headphones to one stereo headphone jack. 3-conductor phone plug connected to 2-3 conductor jacks. 42-2448 £3.29

Y-STEREO ADAPTOR



Record directly from headphone output on receiver 2 m cord, phone plug, 2 phono plugs. 42-2474 £2.29

GOLD-PLATED PATCH CORDS



MF-200 Maximum Fidelity Low-capacitance phono plugs for maximum conductance and fidelity. With strain reliefs long. 42-2601 £4.49

COILED HEADPHONE



Makes it easy to listen to headphone anywhere in the room. 7 m shielded cable with stereo plug and jack

£5.29 42-2443


4 m HEADSET REPLACEMENT CABLE



3-conductor extendable coiled cord to replace any stereo headset cord. Complete with 3 Conductor Stereo Phono Plug. £3.29 42-2476

FOR A FULL RANGE OF CABLES AND ADAPTORS SEE PAGES 32 & 33

REALISTIC MULTI-PURPOSE SPEAKERS AND POWERHORNS



6 SPEAKER PA COLUMN

- Big 50 Watt Handling Capacity
- · Easy 'Hook-Up'

£7995 EACH

Ideal for any event. Use as many as you need for large meeting halls and auditoriums. Six speakers deliver a full 100-20,000 Hz response—enough for most PA applications. Proper placement directs sound away from microphone and eliminates most feedback. Rugged construction assures years of reliable use. 100 volt line input. Size: 1010 x 130 x 90 mm.

40-9169 EACH £79.95

HIGH-POWER PORTABLES
SOUND COLUMN


 75 Watts Power Handling


 Solid State Piezo Tweeter

£5995 EACH

REALISTIC PA-88. Designed for "natural" sound reinforcement! The controlled 130° sound dispersion maximizes the coverage pattern and makes mike placement easier by minimizing feedback. Wide 95-18,000 Hz response, high efficiency design. Rugged black vinyl enclosure—with heavyduty carrying handle and protective metal corners—is compact enough to carry in a car. Has 0.63 cm jack, 2 push-terminals for easy hookup. 8 ohms. Size: 76.2 x 25.4 x 17.28 cm.

40-1257 EACH £59.95





ALL PURPOSE WEATHERPROOF POWER HORNS

- Clear Reproduction
- Shock and Rust
 Resistant

£3995

A. PA-12

30.4 cm PA-12. 25 watts (40 watts peak), 200-13,000 Hz. 8 ohms. 40-1238 £39.95

£2495

B. PA-8

20 cm. PA-8. 15 watts (25 watts peak), 200-13,000 Hz. 8 ohms. 40-1237 £24.95

£1295

C. PA-5

12.7 cm. PA-5. 8 watts (12 watts peak), 200-13,000 Hz. 8 ohms. 40-1236 £12.95



A portable PA system ideal for sporting events, picnics, rallies. Pistol grip handle with convenient thumbwheel volume control. Durable molded housing.

Requires 8 "AA" batteries.

32-2025 £24.95



BAFFLE SPEAKER

20 cm Speaker with wide frequency response. Ideal extension speaker for your stereo system. With volume control. 8 ohms.

£9.25



£795

10 cm POWER HORN

Waterproof full-fidelity speaker.
Mounting bracket installs at
any angle. 8 ohms. Buy two
for big stereo sound on your
patie! 40-1244 £7.95



£2495

£279 70 V LINE TRANSFORMER

10 watt primary. Taps at 10, 5, 2.5, 1.25, 0.62 watts secondary. 4 to 8 ohms. **32-1031 £2.79**

REALISTIC PA AMPLIFIERS - BEST COVERAGE YOU CAN BUY



REALISTIC MPA-80. Eighty watts of pure power plus the portability you need in a professional PA system. Great for "live" bands, background music or discos. Slide-action controls. Four mike inputs. High-level aux input. Two magnetic phone inputs let you mix and fade two turntables. Monitor selector for listening to input or output through headphones. Master volume control with memory ring. Lighted power meter and LED indicator. Bypass switch for external signal processor such as equalizer, reverb or limiter. Overload protected. 32-2026

Specifications:


Response: 30-20,000 Hz. Power: 80 watts RMS at 4 ohms. Outputs: mix bus, E0 in/out, push-to-connect speaker terminals, two 6.3 mm speaker jacks, 6.3 mm headphone jack. Power Requirement: 240 VAC, 200W. Size: 10.09 x 36.83 x 26.67 cm.

FULL-FEATURE 35-WATT PA AMPLIFIER WITH PRIORITY SWITCH FOR INSTANT PAGING

£7995

 Built-in Pre-amp for Magnetic Phono Cartridges.

 Constant-Voltage Output.



REALISTIC MPA-35. Ideal for paging and use in medium-size auditoriums and churches. Mixing inputs for Mike-1, Mike-2, and phono/aux. Master volume and tone controls. Priority switch for Mike-1 over-rides all other inputs for instant paging. Pushbutton on-off switch lights up when power is "on". Metal case, simulated walnut grain finish. 32-2022 £79.95

Specification

Response: 150-12,000 Hz. Power: 35 watts RMS at 8 ohms. Outputs: 4, 8, 16-ohm speakers, 25 and 70V line. **Power Requirement:** 240VAC,95 120W. **Size:** 10.80 x 27.94 x 21.59 cm.

20-WATT AC/MOBILE PA AMPLIFIER



Includes D.C

Inputs for Mike/ and Phono/Aux. REALISTIC MPA-20. Use it anywhere! Features three mixing controls: 2 microphone and dual-function phono/aux. Master tone and volume controls help control feedback. Lighted power on/off switch. Metal case. Includes mobile mounting bracket. 32-2020 £54.95

Specification Response: 200-10,000 iHz. Power: 20 watts RMS at 8 ohms. Outputs: 4, 8, 16-ohm speakers, 70V line. Power Requirement: 240V. 40W/12VDC. 3.5A. Size: 11.43 x 26.67 x 19.05 cm.

LOW COST MOBILE AMPLIFIER



 Dynamic Mike Included! Auxiliary Input for Tuner, Phone or Tape Recorder!

REALISTIC MPA-10. Ideal for almost any mobile public address application. Use it in your car, lorry, camper or boat for paging or announcing or for background music wherever loud and clear sound is needed over a medium size area. Features pushbutton mike and aux selectors, or you can depress both and override the auxiliary input for paging. On/off volume and tone controls, screw terminal speaker connections. Output for 4 or 8 ohms. 10 watts RMS at 8 ohms. For 12V DC pos/neg earth. Supplied with mounting bracket, mike and mike clip. 380 x 105 x 165 mm. 32-2019

£29.95

MONEY SAVING PA SYSTEMS
























LET TANDY TURN YOUR NEXT PARTY INTO A SUCCESS



CARTWHEEL SPINNER LIGHT

£6495

- · Use at home or with a mobile disco
- · Lights respond to sound intensity
- Instant installation just plugs in

The cartwheel responds to sound in a fascinating display of modulated colour. Three channels of light spin in rotation to varying sound intensities, enjoy with music at home or use in mobile disco units or bands. Walnut grain case. 42-9321

Available November 30, 1980




BRILLIANT XENON STROBE LIGHT **£26**95

- High performance Xenon tube
- Incredible stop action effects

Produces brilliant stop action effects with high performance xenon

tube backed with a quadrangle hi-polish metallized reflector. Tube has been tested to 24,000,000 flashes with a variable

speed control. Scratch control one to twelve flashes per second sensitivity. Walnut finished case. **42-3009 £26.95**



PLAID STEREOLITE £44⁹⁵

- Just plug it in to opperate
- Walnut finished case

Our plaid stereolite projects brilliantly coloured light patterns to sound with a bi-level positive/negative response to your stereo, radio or tape deck. No additional installation is required with our very sensitive self-adjusting microphone system. De-luxe walnut finished case 42-9320 £44.95

Available October 31, 1980



Available

October 31,

81 TANDY

SEQUNETIA CHASE LITE COLUMN £3995


- Infinitely adjustable flash rate
- Use with mobile disco, with bands or at home

Hand set the speed flash rate on four colour chase column for the right visual effect. Infinitely adjustable rate from full stop to faster than the human eye can follow. Turns any party into an event, use also for mobile discos and bands. Walnut finished case.

42-9323

£39.95

42-9323 Available October 31, 1980



DANCE MACHINE WITH RED BASE £995

- Adds excitement to any party
- Strong moulded construction

Popular party light with a crystalline multi-G scratch Multi-faceted globe creates constantly changing spectrums of coloured light on the walls and ceiling. Moulded construction with heat activated revolving inner cylinder.

42-9322

£9.95

Available October 31, 1980

TANDY—THE HOME ENTERTAINMENT CENTRE



A superb sounding, high powered music system with a host of features. Make top-quality recordings off the air or live with a microphone. Front-loading cassette deck has Auto-Stop, Dolby* and a tape selector switch for Cr02, Ferrichrome and Standard tape. Tape counter, pause control and front panel mike jacks. Damped cassette door for easier tape loading and unloading. The two speed belt drive turntable features a counterbalanced, lightweight "S" shaped tone arm which returns to rest automatically when record finishes. Anti-skate control and viscous damped cueing arm. The headshell is complete with magnetic cartridge and diamond stylus valued at over £20.00. The LW-MW-FM stereo tuner has switchable AFC, tuning strength meter, stereo indicator light, push-button waveband selector and illuminated slide-rule dial. The amplifier delivers a big 2 x 20 watts output power at less than 1% THD at 8 ohms. Front panel controls for treble, bass, balance and detented volume control. Pushbutton loudness for improved bass response at low volume. Microphone and headphone jacks. Terminals for external AM/FM aerials Din tape and speaker jacks. Sliding AM-Beat switch. Housed in a walnut wood-grained cabinet with brushed aluminium front panel and hinged dust cover. 13-9140

Specifications
AMPLIFIER—Output Power: 20 Watts RMS per Channel. Total Harmonic Distortion: Less than 1%. Frequency Response 40-20,000 Hz. TUNER—3 bands. MW 525-1605 KHz, FM 88-108 MHz. LW 150-300 KHz. TURNTABLE—Belt Drive: Two Speeds, 331/3 and 45 RPM. Wow and Flutter: 0.15% (WRMS). Stylus Pressure (with cartridge supplied): 2 grams ±0.5 gram. CASSETTE DECK—4 Track, 2 channel stereo. Wow and Flutter: Less than 0.15% (WRMS). Signal-to-Noise Ratio (Cr02 with Dolby on): 56 dB. Frequency Response: 63-12,500 Hz ±3 dB. Channel Separation: 30 dB. DIMENSIONS—(Clarinette—600: 610 x 400 x 210 mm. POWER REQUIREMENTS: 220/240V AC 50 Hz.

SAVE WHEN YOU BUY A COMPLETE SYSTEM



CHOICE 2

OPTIMUS II.

Compact 2-way Bookshelf Speaker. £59.95 each

SAVE £70.85

Items Bought Separately £469.85



THE STEREO COMPACTS WITH BIG SOUND FROM TANDY



Specifications: Amplifier: 2 x 25 watts music power at 8 ohms. Tuner: LW 140-270 kHz. MW 510-1620 kHz. FM 87.5-108 MHz. Cassette Deck: 4-track, 2 channel stereo. Frequency response: 40-14500 Hz signal to noise ratio 56 dB. Power Requirements: 220/240 V AC 50 Hz.

REALISTIC CLARINETTE 400. The quality of component audio in one versatile, compact hi-fi system. Play or record tapes, listen to LW, MW and VHF stereo or enjoy your favourite records – 2 speed belt-drive record deck features damped cueing, adjustable anti-skate and lightweight tone-arm complete with magnetic cartridge. The 3-band tuner has giant illuminated tuning scale, signal strength meter, stereo indicator and four preset station pushbuttons. The Dolby cassette deck features bias selector for optimum results from CrO₂, Fe Cr and standard tape, twin VU's and record level controls, auto-stop, digital tape counter. Pushbutton waveband and function selectors, calibrated volume, balance, bass and treble controls, DIN headphone and microphone sockets. 25 watts per channel output. Complete with two de-luxe 3-way speaker systems in matching moulded cabinets. Jacks for adding the extra speakers. 13-9139



POPULAR PRICED STEREO COMPACTS FROM TANDY

DELUXE STEREO COMPACT SYSTEM

£8995

- Lightweight, counterbalanced S-Shaped Tone Arm
- Facilities for Tape and Headphones
- Deluxe Single Play Turntable

CLARINETTE 10A. Low-profile design makes this truly a "compact"—but the sound is superb. The 2 speed turntable is complete with diamond stylus ceramic cartridge, lightweight tone-arm with cueing lever. The control panel features pushbutton on/off, sliding controls for volume, balance and tone, plus headphone jack and power indicator. Solid wood cabinetry stylishly finished in Teak vinyl veneer, and complete with hinged dust cover. 220/240 V AC. Speakers 235 \times 733 \times 340 mm. Console 498 \times 358 \times 135





BARGAIN COMPACT **AUDIO SYSTEM**

f6995

- Removable Dust Cover
- Headphone Jack for Private Listening

CLARINETTE 8A. A great low cost audio system! Features an autochange deck with ceramic cartridge. Controls for on/off tone, volume/balance for left and right channels, plus headphone jack. Great stereo at a great low Tandy price! 13-9027

COMPACT HIGH PERFORMANCE CASSETTE STEREO SYSTEM

- 2 Band MW/VHF Reception
- Records and Plays Cassettes
- Add your own voice to tapes as you record them
- Input for Ceramic-Cartridge
- Record Deck


REALISTIC MODULAIRE 959. Play pre-recorded stereo cassettes or record your own, off air, from external sources or from stereo microphone jacks. Builtin counter and Auto-Stop. Tuner has lighted dial, FM stereo indicator, switchable loudness, high filter, speaker selector and headphone jack. Separate bass, treble controls and aux input for adding a record changer. Facility for adding two extra speakers. Attractive walnut vinyl veneer cabinet. Cassette unit: $580 \times 320 \times 730$ mm. Speakers: $355 \times 240 \times 115$ mm.

14-652

£149.95



ADD A TURNTABLE AND COMPLETE THE SYSTEM



REALISTIC HI-FI SPEAKERS — BEST VALUE IN CUSTOM-BUILT SYSTEMS

£ 995

TWEETERS


A. HIGH DOME TWEETER. Top quality tweeter for high frequencies (800 to 20,000 Hz). Can be used with midrange systems and woofers featured on this page for music power ratings up to 75 watts. Magnetic core: 25 mm Ø. Induction: 12,000 Gauss. Impedance: 8 ohms. 95 x 95 mm high. 40-9130

B. SOFT DOME TWEETER. 4,000-20,000 Hz. 50 watts, 25 mm textile dome with 4/u.f. crossover capacitor included. 40-1283

€5.49



c £649



D. HIGH-QUALITY. 8-14 kHz response. 30 watt. Impedance 8 ohms. Horns opening: 75 x 268 mm. depth: 196 mm.

40-1279

HORN TWEETER. 4-16 kHz response. Electronic crossover. 30 watts. 8 ohms. 185 x 75 x 160 mm. 40-1228



£8.49

PIEZO SUPER TWEETER



PIEZO SUPER TWEETER. Enh

B. SUPER TWEETER. 50 watts. Frequency 5-40 kHz. Attentuation 12 dB/actave below 5 kHz. 99.1 g magnet. Impedance 8 ohms. Built-in crossover network. 40-1310 £13.25

£1325



LOW COS HORN TWEETER. 30 watts. Frequency: 4-16 kHz. 8 ohms. Front frame size: 87 x 87 mm. Depth: 78 mm. 40-1278

F £429

G. HEAVY-DUTY HORN TWEETER. 8-18 kHz response. 40 watts. 85 mm magnet and 25 mm voice coil. Electronic crossover. 8 ohms. 87 x 72 x 69 mm. 40-1277 £4.29

H. CONETWEETER. 500-20,000 Hz. Handles 50 watts program. 57.8 gram magnet. Crossover included. For 2 or 3 way speakers.

40-1270

£2.95

I. PIEZO SUPER HORN. Ideal for high performance systems. Frequency Range 5-25 kHz with 75 watt maximum power handling capacity. 40-1381

J. PIEZO WITH DOME. Uses a solid state driver element. Frequency Range 4-20 kHz. Maximum power handling capacity 75 volts.



DYNAMIC 15.24 cm MIDRANGE

• 600-15,000 Hz Response


Midrange with a wide 1.5-8 kHz frequency response. Handles 15 watts. Foam surround, 3 oz magnet with 1.90 cm voice coil. Multiple application 8 ohms. 40-1005

SOFT DOME MIDRANGE

Features 10.8 oz Magnet

Soft Dome Midrange. Frequency Response of 600-8,500 Hz. Professionally engineered with 10.8 oz magnet and 1%" voice coil. Handles 70 watts. High angle cloth dome construction. 40-1281 £8.95







£3995

£695

Speaker Kit. Includes woofer, midrange and tweeter Speaker terminals and crossover 40-3025 £39.95 Tandy. The Audio Store That Has Everything



the looks of your speakers. Acoustically transparent. Velcro stripfastening makes it a breeze to attach. Large 43.18 x 59.69 x 1.90 cm sheet of foam will cut down to your speaker size.

Brown 40-1946 £5.95 Black 40-1951 £5.95



SPEAKER **GRILLE CLOTH**

As Low As £3.69

'Acoustically transparent' weave allows unrestricted passage of sound waves.

Cat. No.	Colour	SIZE	Price
40-1935	Deluxe Black	91.44 x 91.44 cm	£4.79
		91.44 x 91.44 cm	£4.79
40-1949	Basket Weave	91.44 x 81.28 cm	£3.69
40-1933	Black	91.44 x 81.28 cm	£4.65



ACOUSTIC INSULATION

Prevents resonances and gives better bass response. Line changer to reduce feedback. 84 cm2. 42-1082 £3.39

FOR THE DIY

AUDIO FAN

REALISTIC HI-FI SPEAKERS BEST VALUE FOR CUSTOM-BUILT SYSTEM



HIGH QUALITY WOOFER SYSTEMS

The Speakers below all feature:

- Distortion-free bass reproduction!
 - Low inherent bass resonance!
 - Good transient response even with heavy damping!

(A) • 30 watts nominal power (DIN)

A quality speaker at a reasonable price with 40 watts peak power. Frequency range: 45-7,000 Hz. Recommended for 20/25 litres cabinet volume. Resonancy frequency: 40 Hz. Impedance: 8 ohms. Magnetic core: 25 mm. 170 mm diameter x 114 mm high. 40-9134 £14.95

B) • 50 watts nominal power

Magnet weight 454 g. Resonance frequency 34 Hz. Response 90-3,000 Hz. 203 mm diameter. Recommended crossover 2,500 Hz. SPL (dB) 82. 40-1006 £11.95

(C) ● 50 watts nominal power (DIN)

With special long life magnetic core of 31 mm. Peak power rating: 70 watts. 30-5,000 Hz response. Resonance frequency: 23 Hz. Impedance: 8 ohms. Features moving coils for improved power handling. Weight 1.8 kg. 245 mm diameter x 141 mm high. 40-9138 £21.95

(D) • 50 watts nominal power

304 mm diameter. Magnet 16 oz. Resonance frequency 14 Hz. Response 22-550 Hz. Recommended crossover 500 Hz. SPL (dB) 77.5. 40-1007 £21.95

(E) ● 75 watts nominal power

380 mm diameter. Magnet weight 578 g. Resonance frequency 18 Hz. Response 22-550 Hz. Recommended crossover 550 Hz. SPL (dB) 77.5 weight. 40-1008 £29.95





HI-FI MODULE CROSSOVER NETWORKS



• For 2-way Hi-Fi speaker systems!

Frequency division at 4 ohms: 3,000 Hz. At 8 ohms: 500 Hz

40-9141 ● For 3-way Hi-Fi

speaker systems! Frequency division at ohms: 1,000/6,000 Hz. At 8 ohms : 500/3,000 Hz £12.49 40-9142



£995 D. Size: 20.32 cm. Power (watts): 30. Free-Air Resonance: 105 Hz. Freq. Resp. (Hz): 105-8K. Magnet Wt (oz): 9.40, SPL (dB): 93 £9.95 40-1316

81



B. 305 mm 85-Watt. Rugged 50 mm voice coil and massive 850 g magnet structure for high sound level output. Phase-coded solderless terminals. Free air resonance. 55 Hz 8 ohms. 40-1314 £31.95

203 mm Speaker, 33 Watts

127 mm Speaker, 25 Watts

£36.99

ceramic magnet and 50 mm voice coil with multi-strand flexible leads anchored to cone.

Resists fracture and burnout! Phase-coded

solderless terminals. Free air resonance.

5-10 nominal watts power



127 mm Speaker, 10 Watts





Hz. 8 ohms. 40-1315





70-15,000 Hz response. capacity. 8 ohms. 40-1909° £3.99

65-17,000 Hz. 18 watt. Whizzer cone 280 g magnet. Free air resonance: 150 Hz. 8 ohms.

127 mm Speaker, 18 Watts

40-1284 f9.95 28-20,000 Hz. Sep. high frequency cone. 453 g magnet. Free air resonance 60 Hz. 8 ohms.

£12.39 40-1311

50-15,000 Hz. Aluminium construction. 220 g magnet. Free air resonance 65 Hz. 8 ohms. £13.25

203 mm diameter. Frequency response 75-20,000 Hz. 8 ohms. Magnet weight 79 g. Resonance 75 Hz. SPL (dB) 88. **40-1271** £3.95

MONOPHONIC VOLUME

8-OHM. DIRECT. REPLACEMENTS



Alnico PM 'thin" speakers

High Quality Rugged Construction

40-262 70 mm £1.29 40-247 64 mm £1.19 40-246 57 mm £1.19 40-248 51mm £1.49 40-245 51 mm £1.19

6-WAY SPEAKER SELECTION

Easy to install! For selection up to six re-

mote speakers. 85 x 200 x 60 mm.



40-124

f2⁷⁹

40-1341



£389

CONTROL



Controls volume of any 8 ohm speaker. 75 watts music peak. With faceplate. 40-977 £2.99

8-16 ohms. Non-shorting. Control one or two pairs of speakers. Wall-mount. With instructions. 40-130 £3.89

SPEAKER SELECTOR

£2.79

DISCOVER THE HI-FI REALISM OF STEREO HEADPHONES



SUPER VALUE TANDY 40 HEADPHONES

£1495

 Wide 30-18,000 Hz Response

 Comfortable Soft Padded **Earcushions**

Deluxe stereo features you wouldn't expect at this low price! Acoustically shaped earpieces combined with large 9 cm speakers provide excellent response over a wide range. Soft-cushion earcup and padded headband for extra comfort. Complete with 3 m coiled cord, standard 6.3 mm plug 33-9993 £14.95





DELUXE HEADPHONES

£1295

- Right/Left Volume Adjustment
- 20-20,000 Hz Response

Tandy-25: This headphone has Mylar Diaphragms speakers, allowing you to listen to true hi-fidelity. With the double head adjustment band, and the padded earcushions these headphones offer light weight comfort. Power 0.5 Watt Maximum. Impedence 25 ohms, 3.6 metre cable.

33-9017 £12.95

DELUXE HEADPHONES

- Glide Path Volume Control
- 50-15,000 Hz Response

Realistic Tandy-16 stereo head-phones bring the unique realism of stereo headphone listening to a price level where everyone can afford it. And yet, without a sacrifice of full-fidelity sound. The headband is adjustable to fit any size head and the earcups are fashioned for comfort and to mask out background noises. For Amplifiers/Receivers which incorporate a stereo headphone jack, just plug in the headphones 33-9116 £9.95



BUDGET-PRICED TANDY 12 HEADPHONES

5 cm Speakers For **Excellent Bass**

High quality at a budget price makes these headphones unmatched in value. The 5 cm speakers in each earcup provide a satisfying 50-15,000 Hz response. Cushioned earpads and adjustable headband give you a natural airtight fit. With 1.8 m cord, standard 6.3 mm plug. 4-16 ohms. A sound bargain! 33-9012 £7.95

LIGHTWEIGHT **MONOHEADPHONES**

£545

- Comfortable Padded Earcushions
- Standard 8 ohm Impedance

A deluxe 8 ohm Mono headset with large, soft padded earcushions and adjustable vinyl headband. Ideal private listening for your favourite portable radio or cassette, communications receiver or even for that electronic organ practice without disturbing the neighbours. Complete with cord and standard 6.3 mm mono plug. 20-200



EXPERIENCE STEREO HEADPHONE HI-FI REALISM

R MOSTA FORALISTE

THE ULTIMATE IN STEREO HEADPHONES


Exclusive Patented Driver and Passive Diaphragm System

£3995

Realistic PRO-50. An innovative break-through in stereo headphone listening! All the features needed for natural listening enjoyment: accurate stereo imagery, outstanding fidelity of reproduction from 16-20,000 Hz at all listening levels, and comfort – they weigh only 10½ ounces: 25.4 cm cord. You have to hear them to believe! 33-1007 £39.95

DYNAMIC TRANSDUCER WITH SIX PASSIVE DIAGRAMS

The passive diaphragms are acoustically transparent at mid and high frequencies to let the ear develop its own natural resonance — at these frequencies PRO-50 works as an open-air headphone.



6 passive diaphragms let the ear listen in a virtually "free field", eliminating "self-resonance" of ordinary headphones. Below their own resonance; the passive diaphragms will not permit low frequency notes to pass, eliminating "boominess", and operate as a coupled headphone.

PRO-IIA SUPERIOR HI-FI HEADPHONES

10-2,200 Hz Frequency Response Adjustable Headband for Extra Comfort

£34.95

Superb listening from special Mylar diaphragm drivers with a response that's two octaves beyond the range of ordinary headphones. Effective cone radiating area is over 12 square inches so you hear the highest highs and lowest lows with sparkling clarity. The rugged 1" voice coils are virtually burnout-proof. Air-filled earcushions and heavily-padded, adjustable headband for extra comfort. 25.4 cm coiled cord. 33-996

£3495





£2595

Full 10-16,000 Hz Response 63.5 mm Low-Angle Drivers

Sensational value in ''private'' stereo enjoyment. Constructed with a ''Snap-fit'' headband assembly. These stylish headphones deliver a full response, with bass reproduction that compares to more costly models, thanks to the special ''low-angle'' drivers. Soft foam-filled vinyl ear cushions are contoured to the ear for comfort. 2.85 m of coiled cord ensures mobility and freedom from annoying tangles. With standard 6.3 mm plug. Impedance: 4-16 ohms. **33-1008 £25.95**



THE BEST SOUNDS AROUND—TANDY RADIO CASSETTES



KING-SIZE WITH 2-WAY SPEAKER SYSTEM

 Record Your Own Cassettes "Live" or Off-the-Air

 Separate Woofer and Tweeter for Wide-Range Sound

• LW/MW/SW/FM



£7995



Available

November 30,

1980

Realistic CTR-54. Our best mono LW/SW/AM/FM cassette recorder. Features, Auto-Level. Speaker monitor switch to listen as you record FM or AM, tape counter, and tape Auto-Stop. Also has tone control, 3-way tuning record level/battery check meter, jacks for a remote control mike, earphone, and aux input for recording from external sources. 23.50 x 35.56 x 9.53 cm. Earphone included. Mains operated or 4 "D" batteries or external DC adaptor.

14-9816 £79.95

ALL THE MOST WANTED FEATURES



£5495

- Battery/Tuning Meter
- Pause Control

Realistic CTR-50. Enjoy AM/FM or cassettes anywhere you go. Features Auto-Level, Auto-Stop, tone control, speaker monitor, and tape counter. Jacks for remote control mike, aux input, earphone. 17.14 x 28.57 x 7.62 cm. AC operation or 4 "D" batteries (not incl.) or external DC Adaptor. 14-810 £54.95





RECORD OFF-THE-AIR OR LIVE EVEN WITH OUR LOWEST-PRICED AM/FM RECORDER

£4495

- Auto-Level
- Auto-Stop
- Built-In Condenser Mike



Realistic CTR-46. Features include LED recording indicator, tone control, speaker monitor, jacks for remote control mike, aux input, and earphone. 19.05 x 26.67 x 7.62 AC operation or 4 "C" batteries (not incl.) or external DC Adaptor. 14-839



FULL-FEATURE AM/FM/CASSETTE RECORDER



£5995

- Auto-Level
- Auto-Stop
- Pause Control

Realistic Minisette VII. Versatility in a "take-anywhere" size! Record with built-in mike or tape directly off-the-air. Features LED battery indicator, FM—AFC, speaker monitor switch, and a special "sleep" function shuts off radio automatically. External jacks for remote control mike and speaker. 11.43 x 20.95 x 5.71 cm. With earphone. Requires 4 "AA" batteries or external AC, DC adaptor. 14-803



STEREO PERFORMANCE WITH PORTABLE CONVENIENCE

THE GO ANYWHERE HOME ENTERTAINMENT CENTRE



£12995

- LW/MW/SW/FM Wave Bands
- Built-in 2 Way Speaker Systems With Separate Woofers and Tweeters

REALISTIC SCR-3. Play pre-recorded cassettes, tune into AM, FM or FM stereo, record off-air or 'live' using the built in makes. Tape Auto-Stop. Pause and cue/revue. ASMS system senses the silence between songs during fast forward and rewind. Select standard or Cr02 tape. Tape monitor switch and digital counter. LED displays for output power, record/battery level, FM stereo and ASMS. Separate volume, balance and tone controls. Jacks for external mikes, speakers and headphones. Mains operation, 12V DC car/boat adaptor or batteries. LW/MW/SW/FM Stereo. 14-9772

||||| STERE[] ((((())))



TANDY TEALISTIC AUTO GEOD AUTO

COMPACT, FEATURE-PACKED AM/FM STEREO CASSETTE RECORDER

£4995



- "Stereo-Wide" Switch For Enhanced Stereo Realism
- LED Level and Tuning Indicators

REALISTIC SCR-4. Everything you need for high-quality stereo recording and listening. Two built-in electret mikes, Auto-level recording, end of tape auto-stop counter. Balance and tone controls, LED FM stereo indicator, two-level speaker monitor for listening as you record off-the-air, headphone jack, jacks for ext. speakers and remote control makes. AC operation, 6 'C' cells or external DC Adapter. Size: 17.78 x 36.19 x 6.98 cm. AM/FM, FM Stereo. 14-774

WIDE-SCOPE STEREO AM/FM AUDIO AND

CASSETTE RECORDER

£8995

- Wide Scope Switch For Extra Stereo Dimension
- Two 3" Wide Frequency Speakers

SALID

REALISTIC SCR-2. The versatile stereo music system that you can afford to take wherever you go! Enjoy pre-recorded cassettes, tune AM, FM stereo, record your own tapes off-the-air or 'live'. Auto-Level sets recording volume for you. Tone and balance controls, bans selector and high/low volume speaker monitor switch. Stereo headphone jack, plus jacks for external mikes and speakers, battery/mains operated. Requires 6 'D' batteries. AM/FM and FM Stereo. 14-805

|||||| STERE() |||||||



SUPER SAVINGS OFFER ON TAPES

Get one 60 minute tape, value 49p for only 1p with any recorder with this symbol.





CASSETTE RECORDERS FROM TANDY—UNBEATABLE VALUE



POCKET RECORDER

Pefect for Dictation, Meetings, or **Lecture Notes**

REALISTIC MICRO MINISETTE II.
Operate the Play, Record, Rewind buttons and volume control with just a thumb and forefinger. sensitive built-in mike. Auto-Level recording. LED record/battery waring light. Jacks for external mike, earphone and AC adaptor. Only 131 x 68 x 26 mm. With case and wrist strap. Requires 2 'AA' batteries £44.95 14-815



Mini-Cassette 30 Minutes total playing time from a Matchbook Size tape. 44-633 £1.99

Auto Level with Pause

REALISTIC CTR-48. Pause makes for easier editing. Auto-Stop. LED Battery/Record level indicator. External jacks for remote control mike, earphone or speaker, 108 mm x 171 mm x 51 mm. Requires 4 'AA' batadaptor. £39.95 or mains 14-802

Mains Adaptor. 14-9854

£3.95



£4495

TAKE-ALONG **HANDY RECORDER**

W FO

81 TAND

LED Record Indicator

REALISTIC MINISETTE-8. Rewind/ backspace lets you replay a passage without pushing stop. Auto-Level, pause, Auto-Stop. Jacks for remote mike, earphone. Size: 16.6 x 11.27 x 45 mm. Requires 4 'AA' batteries or external AC, DC adapter.

£44.95 14-807

BUDGET PORTABLES – ONLY FROM TANDY



LOWEST-PRICED RECORDER £1995

- Auto-Level
- Auto-Stop

REALISTIC CTR-52. Built-in condenser mike, Auto-Level, Auto-Stop, and volume con-trol Jacks for remote control mike, aux, earphone. Requires 4 'C' batteries or external edaptor. 14-804 f19 95



MAINS/BATTERY **PORTABLE**



- Push Keys For All **Functions** Slide-Away Carry
- Handle

REALISTIC CTR-53. Take It. Along Anywhere! Rotary Volume Control, Semi Auto Volume Control, Semi Auto Stop, Jacks for Remote, Mike Aux, Earphone. AC opera-tion or 4 'C' batteries (not incl.) or external D.C. £25.95

14-811



RECORDER WITH CUE-REVIEW



- Auto-Stop and
- Cue/Review

REALISTIC CTR-41. Features Auto-Level circuit, Auto-Stop, built-in mike, hi/low tone switch. Earphone, aux, remote mike with DC adaptor. With £39.95 mains cord. 14-841



RECORDER WITH DIGITAL COUNTER £2995

Tape Auto-Stop Auto-Level Recording

REALISTIC CTR-40B. Fea-Battery/Record Auto-Level for tures LED indicator. perfect recordings. Tape Auto-Stop. Digital Tape Counter, built-in mike, jacks for aux, earphone and mike. Mains operation or requires batteries. 14-818 £29.95

FEATURE PACKED RECORDER

- Cue/Review Key Battery/Record Level
- Meter

REALISTIC CTR-51. Select Auto-Level for voice or adjust record level manually for music. Built-in condenser mike, battery condition/record level meter, jacks for aux, input, remote mike, external speaker/earphone. Mains operation or requires 4 'C' batteries, 14-813 £49.95



REALISTIC CASSETTES — GREAT SOUND, GREAT VALUE

SUPERTAPE METAL CASSETTE - RIVALS OPEN-REEL PERFORMANCE

Coated with fine-grain metal particles - not oxide - Supertape Metal's improved magnetic properties give greater output at both high and low frequencies and unbelievably low noise levels. This means you can record solid bass and soaring highs that really sparkle for music reproduction that is virtually indistinguishable from open-reel tape. Supertape Metal has the sound you've always wanted from a cassette tape. For recorders with metalbias switch position 44-960 £5.95

SPECIFICATIONS

Coercitivity (Hc) (Nominaal): 1100 Oersteds; Retentivity (Br) (Average): 3200 Gauss; Dynamic Range: 68 dB.


- 68 dB Dynamic Range
- Playable on any cassette deck
- Reproduction that rivals open-reel tape



PROFESSIONAL QUALITY FERRICHROME CASSETTES

Totally new formulation produces the high end performance of chromium dioxide tape with no compromise at low end frequencies. Dual costing on stretch resistant polyester backing combines the qualities of chromium dioxide and ferric iron oxide. Sealed cassette housing with stainless steel guide posts for uniform tension and tape motion. With hinged storage case.

Cat. No.	Туре	Total Recording Time	1-11	Each 12-23	24-499
44-9214	C-60	60 minutes	£1.59	£1.75	£1.29
44-9215	C-90	90 minutes	£1.99	£1.79	£1.59




- Improved Response
- Performance comparable to reel to reel tape speeds Stretch resistant polyester base



SUPERTAPE GOLD - PREMIUM QUALITY TAPE

Better-than-ever recordings without special bias settings! SUPERTAPE GOLD cassettes bring you results that are nothing short of spectacular. More headroom for higher recording levels without saturating the tape. The result is the ultimate in frequency response, dynamic range and freedom from noise from a standard bias tape. Five-step calendaring process cuts "dropouts" to an absolute minimum.

Cat. No.	Туре	Total Recording Time	1-11	Each 12-23	24-499
44-920	C-45	45 minutes	£1.19	£1.09	.95
44-921	C-60	60 minutes	£1.39	£1.25	£1.10
44-922	C-90	90 minutes	£1.69	£1.55	£1.35
44-923	C-120	120 minutes	£1.99	£1.79	£1.59




- Extended Response
- **Greater Headroom**
- 5-step calendaring process cuts dropouts



SUPERTAPE CHROME CASSETTES - WIDEST DYNAMIC RANGE

State of the art! High bias formula for ultra high-fidelity with lowest noise levels ever! It captures the softest and loudest passages without overload distortion. Brings out the best from any recorder equipped with CrO2 bias switch. Head cleaning leader tape removes foreign matter for finest audio every time!

Cat. No.	Туре	Total Recording Time	1-11	Each 12-23	24-499
44-930	C-60	60 minutes	£1.99	£1.79	£1.59
44-931	C-90	90 minutes	£2.59	£2.49	£2.10



- More High-Frequency Headroom
- Head Cleaning Leader Tape.
- Stretch resistant base
- Great performance, low



IMPROVED REALISTIC LOW-NOISE CASSETTES

These all-new general-purpose cassettes feature Hi-FLUX density oxide, a TANDY exclusive that delivers high output, extended range and frequency response, low noise and distortion at moderate cost. Special housing has double-flanged idler rollers with stainless steel pins to reduce wow and flutter. Extra-durable tensilized polyester tape base resists stretching and breaking.

Cat. No.	Туре	Total Recording Time	1-11	Each 12-23	24-499
44-601	C-30	30 minutes	.89	.80	.70
44-602	C-60	60 minutes	.99	.89	.79
44-603	C-90	90 minutes	£1.19	£1.09	.95
44-604	C-120	120 minutes	£1.59	£1.45	£1.29

Specifications

Peak Bias ● 1 kHz: -0.85 dB

Frequency Response: 333 Hz
0.00 dB. 1 kHz 0.00 dB. 6.3 kHz
-3.20 dB. 10 kHz -5.20 dB.

Range: 54.60 dB. Dynamic Range: 54.6 Reference Tape: MTT-501

- **Exclusive Hi-Flux Density** With Hinged Plastic
- **Storage Case** Durable tensilized polyester base



REALISTIC® — THE BEST IN OPEN-REEL RECORDING TAPE



SUPERTAPE — PREMIUM QUALITY RECORDING TAPE

- Oxide Coating with Superb Linear Response!
- Fewer Dropouts, Super Sensitivity. Minimum Head Wear!
- Wide Dynamic Range Resists

Overload Distortion!		to numici
Specifications Operating Bias: Frequency Response:	+ 2 dB	Cat. N
1 kHz	0 dB	
10 kHz	+ 0.5 dB	44-18

+ 1.3 dB

Supertape brings out superb sound from any recorder, without special bias settings! High output reduces hiss and distortion. Our carefully controlled coating process produces smaller oxide particles and therefore a smoothness which minimizes tape and head wear, reduces recording "dropouts", provides superior sensitivity and produces a flat, uniform response. Mylar base with extra resilience and resistance

Cat. No.	Size	Length m	Recording Time each track at	Pri	ce Each	(£)
			9.5 cm/sec.	1-5	6-9	10 up
44-1872	13	270	45 minutes	2.59	2.49	2.39
44-1878	18	360	60 minutes	3.49	3.34	3.19
44-1877	18	540	90 minutes	3.99	3.74	3.49



REALISTIC TAPE – DURABLE AND ECONOMICAL

- Extended High Frequency Response
- Splice Free!

Freque 1 kHz 10 kHz 15 kHz

20 kHz Dynamic Range: Reference Tape 3M-207


Available in 7 Lengths

High quality, reel-to-reel recording tape for music or voice. Excellent fidelity. Uniform oxide coating assures extended high frequency response and improves signalto-noise ratio. Tandy special formula coating (plus a friction-reducing lubricant) increases tape life, reduces head wear. Tensilized Mylar base resists breaks and stretching, is unaffected by age and humidity. Made in USA by Tandy.

Specifications Operating Bias: Frequency Response:	- 0.7 dB
1 kHz	0 dB
10 kHz	-0.7 dB
15 kHz	- 1.9 dB
Dynamic Range: Reference Tape 3M-207	61.1 dB
Reference Tape 3M-207	

Cat. No.	Size	Length	Recording Time each track at	P	rice Each	1 (£)
	CIII	m	9.5 cm/sec.	1-5	6-9	10-499
44-760	8.2	180	30 minutes	1.29	1.15	1.05
44-753	13	270	45 minutes	1.79	1.60	1.45
44-754	18	540	90 minutes	2.99	2.69	2.39
44-9002	15	360	60 minutes	2.79	2.50	2.25
44-9003	15	540	90 minutes	3.49	3.15	2.79
44-758	18	730	120 minutes	3.79	3.40	3.05
44-766	18	1080	180 minutes	5.29	4.79	4.29

£549





£179 • All-Purpose Recording Tape Super Strength Polyester Base

> Great for voice and all generalpurpose recording work at a low cost. Particularly suitable for off-the-cut recordings. Tough polyester tape base resists stretching and cracking. Extra-wide response maintains true fidelity of your recordings. 540 metres (1,800 feet) of tape on 18 cm reel. Suitable for all machines.

> £1.79 44-1018

Pri	ce Each	(£)
1-5	6-9	10 up
£1.79	£1.70	£1.62

SPECIAL RECORDING TAPE



Extra-large reel: 27 cm!

Extra-long tape: 1,098 m!

Tandy give you the quality and size of professional tapes for less money! Classic, three-cornered central fastener, uniform oxide coating, heavyduty base to resist breaking and stretching yet give you extra-wide response. Back of tape treated with anti-static. With storage box.

44-9004

HIGH QUALITY CASSETTES AT LOW PRICES



Cat. No. Type Total Each 3-pack Recording 1-11 12-499 Time 44-606 C30 30 minutes 1.29 1.15 44-607 C60 60 minutes 1.39 1.25 44-613 can 90 minutes 1 99 1.79 44-614 C120 120 minutes 2.59 2.29

CONCERTAPE SINGLE PACKS 44-605 C60 £0.49 44-620 C90 £0.69

MICRO CASSETTES 30 Minutes Fach Side




MINI-CASSETTES £199



Ideal for dictation, memos, voice, notes Fits rim-drive recorders such as Realistic's own Minisette II, Norelco, Dictaphone

TANDY HAS EVERYTHING IN TAPE EQUIPMENT AND CLEANING ACCESSORIES



SUPERTAPE 8 TRACKS

Prices from • 20-18,000 Hz frequency response

Special oxide for super linear response!

Extended dynamic range, low noise!

Lab-standard tape cartridge. Super sensitive. Flat response within 2.5 dB from 20-18,000 Hz) high signal to-noise ratio reduced "hiss". Less head wear, fewer "dropouts", free moving too. Tough Polyester base resists stretching and breaking.



8-TRACK HEAD AND CAPSTAN CLEANER

> Improves tape performance

ns tane heads, the other One end clea end cleans capstan rollers. For any 8 track car or home unit. Non-abrasive. Removes all deposits.

44.208

€1.59

Cat. No.	Total Recording		Each	
Cat. No.	Time	1-11	12-24	25-499
44-842	45 minutes	£1.89	£1.70	£1.50
44-843	90 minutes	£2.39	£2.15	£1.90

CARRYING CASES TO ORGANISE YOUR TAPE LIBRARY





This attractive walnut finished 3 drawer unit will hold 36 cassettes, protecting them from dust and scratching, rubber studs on the underside will allow non slip stackability. Each individual drawer holds 12 cassettes. £14.95

44-8007

CASSETTE CARRYING CASE



f2²⁹

quality carrying for 12 cassettes. case for and top opening separations and carrying handle ather-grain finish 44-9012 £2.29

DE-LUXE CASSETTE CARRYING CASE

£389

To hold 36 cassettes in individual slots. Padded brown leather-grain finish with matching colour 44-9019 £3.89



CASSETTE BAR



f 269

LOW COST

Smartly styled "lazy susan" holds up to 32 cassettes, dust free and ready to hand. Orange coloured plastic.

44-9016

DE-LUXE CASSETTE TAPE CARRYING CASE

£2.69

CARSETTER CASSETTE CARRIER

Organize and

Protect Your

Tapes

44-9017



£249

CAR CASSETTE HOLDER

f150

0 dB -0.7 dB -1.9 dB

61 1 dB

Specification

Operating Bias: - 0.7 dB Frequency response: 1000 Hz:

10,000 Hz 15.000 Hz:

Dynamic range: Reference tape 3M207



Keep up to 5 cassettes free from dust and dirt. Can be easily installed almost anywhere in the car. Build up the system to grow with your 1.7 cm high 44-9018 £1.19

Smoke-tinted cover protects tapes against dust — lifts off for easy access. Holds 15 cassettes. 7.9 x 31.75 x 11.43 cm. 44-665 £3.19



• Felt lined interior • Protects your tapes

CASSETTE STAND

Pack contains two units which interlock and can hold 6 cassettes each. With or without storage box. Sturdy plastic racks. 89p

44-667

Holds 30 cassettes. The perfect way to protect your tapes when you travel and to organize your tapes at home. Extra-secure spring-loaded catches. Two-piece moulded case and handle. Felt-lined interior. 8.8 x 25.4 x 38.7 cm. Only 8.8 cm High — Fits Under Car Seat. £14.95

CASSETTE DOUBLEHEADER

Attaches under dash. Bracket makes storage case into a handy portable, holds up to ten cassettes.



CASSETTE **HEAD CLEANER**

CASSETTE DEMAGNETIZER AND CLEANER



£169 • Extends tape life 79p • Completely non-abrasive

after each 10 hours of equipment use.

£299 • Extends tape head life

Protect your tapes and recorder Eliminates built-up oxide residue and magnetism. Prevent distortion and volume loss. Just insert and "play" for 60 seconds. Non-abrasive.

€2.99

ELECTRONIC CASSETTE DEMAGNETIZER



· Demagnetizes in Less Than a Second

Reduces Noise Level and "Hiss" Prevents Loss of High Frequency Response

Demagnetizes the heads of your cassette recorder just as easily as loading a cassette! Ideal for "slot load" and hard to reach auto cassette players as well as portables and car Completely automatic, with LED





Restores fidelity and extends tape life by Removes oxide deposits. Insert for 10 seconds removing harmful oxide deposits from tape heads. Keeps capstans clean for trouble-free 44-1162

€1.69

44-9210

79p

44-1165 £10.95

TAPE EQUIPMENT CARE AND CLEANING ACCESSORIES
















Improves recording and reproduction. Includes two angle combinations, felt pads and 30 cc of tape head cleaning fluid. 44-9209 £1.09



6" wood sticks with cotton tops for cleaning in hard-to-reach places. 44-1093 £0.69

Thoroughly cleans heads, guides, rollers, all metal parts. 2 oz. 44-1010





Easy to use

Extension norzle reaches anywhereto" spray away" build-up. 44-1011

44-1009 Minimizes wear and removes oxide deposits. Ideal for recorders and

65p

Extends

Head Life





Improves Tape Performance

Stops slippage. For idler wheels, pulley belts, cords. Fast drying, 2 oz. 44-1013

ON-OFF FOOT SWITCH

f109



Great for dictation or transcribing tapes. Plugs into remote control jack of recorder. 44-610 £1.99

ON/OFF SWITCH

For Cassette Recorders



£139

79p

Remote start/stop without adjusting controls. Insert sub-mini plug fits remote control jack. 44-777 £1.39

PLASTIC CASSETTE MAILERS



Mail cassette "letters". Durable plastic box. Conforms to 1st class postal regulations. With mailing labels. 44-608

PRECISION TAPE SPLICERS



Includes Roll of Splicing Tape

Repair or edit your own tapes. Chromed cut/ trim lever makes diagonal cuts, adjusts to trim away excess splicing tape.

44-214 £3.99

CASSETTE FAST-WIND



Fast-wind tape by hand while listening to 44-9211 £1.59

others. Winds a C-90 cassette in just 60 seconds - faster than most recorders do!

TELEPHONE PICK-UP COIL



For convenience recording of phone-calls. Suction cup fastens phone. With cord 18 mini-plug. 44-533 £0.99

CASSETTE TITLE



Find your Favourite Tape Quickly

20 self-stick cassette labels and ten co edge labels . 44-621

CASSETTE INSERT LABELS

Replace old labels for writing dow

44-623

Pkg. of 20 69p

gs. Labels fit standard tape boxes



CASSETTE STORAGE BOXES

See-thru plastic door 44-611 £0.69

ECONOMY CASSETTE MAILERS



voice letters". Heavy-duty card rd. Conforms to 1st class postal plations. With mailing labels. 44-632 £0.49

CASSETTE REPAIR KIT



Lets you transfer cassette tape from a damaged or defective housing to a new one. With 24" leader tape and instructions. 44-626

A FULL RANGE OF ACCESSORIES FROM TANDY

EMPTY METAL REELS

From **£3**49



A. Won't crack, split or warp. Brushed, anodized aluminium finish. With storage box.

44-280 £3.49

B. Designed for professionals. Each side is indexed. Slotted to fix end of tape. Rugged aluminium construction.

44-9028 £6.79

LIBRARY BOXES

Keen your tapes safe and dust free Clin together for easy access. Buy enough to store your entire tape library!

200	
13 cm	£1.29
15 cm	£1.79
18 cm	£1.89
27 cm	£4.39
	15 cm 18 cm

EMPTY TAPE REELS WITH BOXES



As	Low	As	17p	
1	-	-	_	

Cat. No.	Reel (cm)	· Land	Price Each	1
		1-5	6-9	10 up
44-273	7.5	19p	18p	17p
44-1000	8.2	19p	18p	17p
44-278	13	69p	65p	55p
44-9020	15	79p	70p	65p
44-279	18	£1.19	£1.10	95p

TAPE SLICER



Reel to reel splicer makes diagonal cuts. Dispenser with roll of 9.5 mm splicing tape. 44-212 £3.99

MYLAR BASE SPLICING TAPE



2.5 metres of strong secure splicing tape in 3 different widths

39p

Cat. No.	Width (mm)	Each
44-1125	6.3	39p
44-1126	9.5	45p
44-1127	12.7	49p

METALLIC SENSING TAPE £119

Stops or reverses recorders having electronic switching controls 2.5 m

44-1155 f1.19

COLOUR-CODED LEADER TAPE



99p

Two 7.5 cm reels of 45 m tape - one red, one white. Ideal for indexing and cueing. Splice into tape ends to protect or extend tape. 44-1053 99p



KLEEN-TAPE KIT £189

Allows quick and efficient cleaning of record and erase heads, tape guides, etc. Kit contains fluid and two 7.6 cm reels: one empty and one with cleaning tape. 44-9208 £1.89

TAPE REEL HOLDERS



Press over spindles to keep reels seated and wobble free. Durable rubber. 44-1068 49p

TAPE HEAD DEMAGNETIZER



Works with any cassette, 8-track or reel-to-reel. Reduces hiss and distortion, maintains high frequency response. Takes just seconds to completely demagnetize unit. 44-772 £3.89

MICRO/MINI CASSETTE TAPE ERASER

- For all Mini & Micro Cassettes

 Cordless – No **Power Required**
- Removes recorded material on all micro and mini cassettes in 2 seconds. No outside power or batteries required. Ideal for home or office use. 44-230 £3.95





MAGNETIC BULK TAPE ERASER f1795

Mains Lead Supplied

The fastest and best way to erase tapes! Not only erases, but reduces noise levels below recorder's own erase head level. For open-reel, cassette, 8track tapes and computer floppy discs. Hi-impact moulded housing. On-off switch conveniently located on side of handle. Not for metal tapes. Mains operation. 44-210 £17,95





AC MAINS ADAPTOR £395

Converts standard 240 V AC mains to 6 V DC 300 mA. Suitable for most battery-operated radios and cassette recorders. Supplied with coax, power plug on 1.7 m cable 14-9854 £3.95



Play your recorder in your car! Adaptor has selectable 6 V or 9 V output. Plugs into car cigarette lighter - save money on batteries! Coax, power plug. 14-844 £3.95


HEAVY-DUTY CARRY STRAP £349

For portable Radios and Tape Players

Durable nylon web carrystrap makes portables easy to carry. Fully adjustable, with sturdy metal clasps for easy "snap-on" attachments. 44-690 £3.49



ARCHER® TOOLS HELP DO IT YOURSELFERS DO IT BETTER



LABELMAKER KIT £469

Protect your Valuables by Marking them

Makes self-sticking, raised-letter, waterproof labels. Just dial character, squeeze handle to print A-Z, O-9, punctuation. With 6" tapes in assorted colours.

64-526

£4.69

ALL PURPOSE

TOOL

• Crimps all Terminals

Cuts, strips wire

and slices bolts.

Unlimited nossi-

Easy to

insulated

bilities.

use with

grip" handle

64-405

CRIMPING

With three rolls of tape.

Extra Tape. Two 3/8 x 144" rolls 64-527

CRIMPING

Crimps terminals,

slices bolts. De

signed for use on

either insulated or

non-insulated type

of terminal or con-

nector: Slices sizes of bolts.

64-9268

Slices 6

64 99

Cuts and Strips

ALL PURPOSE METRIC

TOOL

Wire!



DIAL-TYPE STRIPPER CUTTER

. Dial the Gauge you want to Strip!

£239

Spring leaded stripper and cutter has plastic cush ioned grips, flush cutting action. Easy to use and safe with its in-sulated handle.


64-9517 £2.39

SOLDERLESS LUGS

5 Popular Styles Pkg. of 100

Twenty of each style of most-popular lugs, including ring, spade, hook, tongue types.

64-406



16 cm needle nose pliers. Sheffield Steel. Easy to hold insulated handle grips. £2.19 64-1844 16 cm diagonal wire cutters. Long life Sheffield Steel. Insulated grips. £2.39 64-9524

16 cm all-purpose pliers. AC cord divider nut wrench stripper, cutter and crimper. Insulated grips, drop 64-1847 D. 11 cm diagonal Ideal for wire Work in hi-fi's £2 19 64-1841

E. 11 cm long nose. Perfect for those delicate electronic jobs. £2.19


NIPPY CUTTERS

Flush cutting design lets you cut leads close to PC

64-1843


HIGH PRECISION HARDWARE SETS

SCREWDRIVER SET



Six precision screwdrivers in width from 0.8 8 mm in a fitted plastic case. Hardened and tempered rustproof blades, chrome plated brass handles, swivel tops for one hand operation


64-1948



NUT-DRIVER SET

with swivel tops and chrome plated brass handles. One hand operation for delicate jobs. Supplied in fitted plastic case for easy storage. Size: 3, 3.5, 4, 4.5 and 5 mm


64-1957



CROSSPOINT AND HEX KEY SET

and three hex key wrenches (1.5, 2 and 2.5 mm) Chrome plated brass handles and swivel tops.

64-1958



COMBINATION SCREWDRIVERS

Six precision screwdrivers. Two crosspoint and four regular. All with swivel tops.

64-1959

£2 79

PRECISION SCREWDRIVER SET

Three high precision screwdrivers for delicate jobs. Nickel plated handles and strong blades.

64-1982

£1.09

MINIATURE PRECISION TOOL SET

Includes 3 different standard screwdrivers (1.5, 2.5, 3.5 mm), a crosspoint (3.5 mm), a scriber and handle. Made from hardened and tempered steel. Plastic stand keeps tools in place. 64-1981

4-IN-1 MINI TOOL KIT



Pocket sized kit contains bradawl, two regular screw drivers and a Phillips screw driver. Rustproof hardened and tempered steel. coded handles

64-1819

MINI TOOL KIT

Includes a bradawl, two standard screwdrivers (one with wire stripper), a crosspoint screwdriver and a gimlet. Handy plastic case.

68-1003

6-PIECE CUSHION GRIP SCREWDRIVER SET

£499

Full formed cushion grip prevents hand from slipping. Nickel plated steel for added rust prevention. Hardened and tempered steel. Oil, moisture and acid resistant. 'Hang-Pack'' for any flat surface

64-9515



8-PIECE NUT-DRIVER SET



Insulated, colour-coded drivers fit into master "power handle" for real torque. Tempered steel, rustproof sockets. Sizes: 4.5, 5, 5.5, 6, 8, 9 and 10 mm.


64-9080



Includes 3 standard screwdrivers, 1 bradawl and 1 gimlet. Each handle fits into a master handle. Tempered rustproof

64-1835

€2.29





boards. Add a pair to your workbench.

56

QUALITY TOOLS FOR YOUR HOME AND WORKSHOP

DOUBLE-SIDED FOAM TAPE STRIPS



£139

1 x 3" strips instantly fasten pictures to walls, radar detectors to dashes, smoke alarms to ceilings.

64-2344 £1.39 HOOK-AND-LOOP FASTENER STRIPS



f149 for 4

3" strips with adhesive backing for attaching items to car dash, grille cloth to speakers, pictures to walls.64-2345£1.49

1"DRIVE METRIC RATCHET HEX KEY SET



SOCKET SET £749

Includes, 135 mm reversible raschet handle, 130 mm flexible handle, 150 and 50 mm extension and cross bar and 11 hexagonal £7.49 sockets. 64-9096

£139 toolbox. Short arm sizes: 1.5. 2, 2.5, 3, 4, 5, 5.5 and 6 mm Made of hardened steel. Safely fixed to retaining ring

64-9531 £1.39

PRECISION FILE SET



Three 15 cm long precision files with insulated handles. Popular file sizes. Extra rugged material. 64-1834



99p

FILE SET FOR



Available in most popular file sizes Ranid cutting pouch. 64-1838 £1.19


WIRE BENDING JIG

ELECTRONIC SOLDERING **TWEEZERS**



Nickel plated forged steel tweezers with blunt, self enclosing serrated points for extra holding power. Ideal length (17 cm) for getting into tight corners. 64-1915

NON-CONDUCTIVE **TWEEZERS**



Won't short out components. Nonmetallic, with serrated tips. Tops for delicate jobs. 115 mm long.

64-1914

65p

HEX KEY SET



PRECISION KNIFE SET



Ten multi-purpose interchangeable pre-

cision ground steel blades for delicate cutting operations, scraping, cutting tape, layout work, more. With fitted plastic case. 64-1801

£4.99

39p

LOCKING POCKET KNIFE





A precision cutting blade, a combination scraper-screw driver with safety lock. 64-2136

Folding Hex Key Tool. Fits the six most popular hex key sizes. 99p 64-1839

EASY TO USE



For all cars with 6 or 12 V electrical systems. Isolated clips. Complete with cable and test probe. 64-9085 £2.19

TELEVISION ALIGNMENT TOOL KIT

spirals, etc. 64-1960

Dozens of practical and decorative

applications. Bends eyes, curves,



Each tool has 2 working ends: the 13 cm long K-tran has 1 hex end and 1 undercut end to reach bottom-mounted cores. The other is 15 cm long and has 3.9 mm Delrin tip and a 3.2 mm metal tip. 64-223 89p

MINIATURE UTILITY KNIFE



£1.09

Perfect for all cutting, timing or scoring jobs. The retractable blade locks in four positions. Extra blades are stored in metal handle. Con pact: 6.5 cm long. 64-1852 £1.59

RETRACTABLE UTILITY KNIFE



3-position positive stops for extending or retracting reversible blade. Completely retractable. Safe to carry in pocket or purse. Spare blade included. 64-1959

METRIC CONVERTER RULE



59n

Converts: Miles to Kilometers, Inches to Centimeters, Fahrenheit to Centigrade, Dunces to Kilograms, Fractions to Decimals. 68-1031 59 p

CERAMIC MAGNETS





25 x 19 mm Rectangular 64-1885

Cat. No. Each 10-25 26-95 100 up 64-1885 64-1875 12p

INSULATION TAPE



Superior quality tape for all electric and electronic uses. Resistant to high temperatures 15 mm x 4.5 m 64-9031 39p 15 mm x 10 m 64-9032 59p

SILICONE RUBBER

PVC ELECTRICAL TAPE



Ideal for colour coding. Use it for practically any job. Each roll 19 mm x 3.6 m. Colours: Black, blue, red, green, yellow. 64-9530 £1.49

INSTANT **BONDING GLUE**

99p

All-purpose adhesive bonds non-porous mate-Plastic nozzle tip.

rials easily, in seconds. 64-2308 99p

ELECOLIT 340 ELECTRICALLY CONDUCTIVE SILVER PAINT £349

Can be painted on to metal. ceramic, glass, rubber, plastics. . . Solvent evaporates leaving the silver bonded to the surface by means of the lacquer.

64-9025

corrosion, restores electrical efficiency and mechanical performance. Ideal for electrical equipment and motors, cables. ignition distributors, relays 95 gr. 64-9027 £1.29



seals, caulks. Applies evenly, quickly. Moisture resistant. Ideal for antenna installation. With applicator tip. 64-2314 £2.99

64-2321

ROSIN **FLUX REMOVER** £139

Removes flux deposits from electrical, electronic circuits. 6 oz.

64-2324 £1.39

ELECTRONIC CONTACT CLEANER

For maintenance and cleaning of electrical and electronic equipment. Special for any micro-direct or high frequency currents. Non-flammable, nontoxic, non-corrosive. Safe on plastic, rubber, paints and metal. 95 gr.

£1.59

64-9026



ELECTRO CLEANER

Cleans and protects against



COMPONENT COOLER Finds Intermittents

Spray on resistors, capacitors to chill them and spot thermally defective part. 6 oz.

£1.39

SILICONE LUBE


£129

Spray lubricates mating surfaces of most materiincluding nonmetals. Fights corrosion. No harmful residue. 6 oz. 64-2310 £1.29

GIVE YOUR PROJECTS THE PROFESSIONAL TOUCH

PRECISION MINIATURE DRILL SET

- Ideal for Jewelry, PC Boards, Sculpture!
- Accepts Drill Bits from 0.2 to 2.5 mm!
- Operates on Batteries or AC Adaptor!



DRILL SET AND ACCESSORIES Complete with 30 attachments for the drilling, machine



CARRYING CASE
The complete set is stored in a rugged plastic case.



Thousand and one uses . . . Use it anywhere! A portable, precision power tool that can be used for countless hobby projects! This small (only 125 mm long) and light (160 g) device is perfect for all delicate jobs such as polish, mill, drill, saw . . . Requires power supply, 9-14 V DC (not supplied). Complete with three drill colleto ensure a precise centring of drill bits. 64-9033

VERSATILE VICE

- 2 Rotative Jaws!
- Suction Cup Base!

£699

Helps to sit up where the work is. Made from rugged specially selected steel. **64-9083** £6.99



'HELPING HANDS'' HOLD WORK IN PLACE

£695

Six ball joints and two nickelplated alligator-type clamps adjust to any angle — really simplifies work. Solid cast iron base.

64-2093 £6.95



SI TAND

PORTABLE MINI-VISE **£1**49

Handy for holding parts during on-the-spot soldering, glueing and drilling. Positive vacuum attachment for instant mounting and easy removal from any smooth, non-porous surface. Just flip lever to attach or detach. 64-2094

ACCESSORIES FOR ABOVE DRILL SET

A. 6 saw blades, 22 mm, 0.5 mm thick (Ref G) and support. 64-9036 £1.69

B. Milling tools, 2.4 mm (Ref V. W. X).64-9037 £1.6



DRILL STAND

The three-point hanger avoids any torsion, lever allows you to lower the drill 25 mm.

64-9034 £8.99



C. Drills, 1.2, 1.5 and 2 mm (Ref. R). 64-9038

D. Drills, 3 x 1 mm (Ref. R). 64-9039

£1.69

FLEXIBLE

Complete with inter-changeable drill collet. Length: 55 cm. **64-9035 £6.49**



FAST- CUTTING NIBBLING TOOK **£7**99

Hand-cut sheet metal quickly and easily. Cuts holes to any shape and size in up to 18-gauge steel (1.3 mm); copper, aluminium and plastic up to 1.6 mm thickness. Made of hardened, tempered steel.

64-823 £7.99



SCRIBE-ETTE BATTERY POWERED ENGRAVER



- Cordless Ideal for arts and crafts!
- Scribe on metal, wood, plastic, nameplates anywhere!

Makes it easier than ever to engrave almost anything. Light weight, comfortable to hold. Marks anything from jewelry to bicycles. Molded case. 170 mm long. Requires just two "AA" batteries. 64-2177 £1.69

AUTOMATIC SCREWDRIVER



Just push up or down the three-position slide switch, and the blade is rotated in the desired direction. Complete with 6 blades (2 standard screwdrivers, 1 nutdriver and 3 gimlets) that fit into the handle. Length: 26 cm. 64-9082 £5.29



SH THE SHAPE

UNIVERSAL AC ADAPTOR £495

Power source for battery operated transistor radios, cassette players, etc. from any 220/240 V AC supply. 3 range voltage selector switch for output of 3-4.5-6 volts at 300 mA. 1.7 m cord with connection, submin power jacks, 9 V battery clips. Also charges rechargeable batteries if polarity is reversed.

●Use House Current and Save Batteries.


270-9538

£4.95

TRANSFER-SYMBOLS FOR PC BOARDS

For Ultra-Precise Transfer of the Circuit on the PC Board!

The symbols, points and lines can be directly transferred on the copper side and are each resistant against ferric chloride solution. Each sheet includes several 1 mm and 1,5 mm wide lines; 2, 3 and 5 mm diameter points; 1 and 1.5 mm 90° curves, transistor sockets and Dual-in ½ Line IC socket, 5 sheets. 64-9030 £1.75



JOIN WITH THE BEST ARCHER SOLDERING SUPPLIES







64-9019 Replacement tip for above





DESOLDERING **VACU-BULB**

£189

Teflon Tip! Safe and Fast!

Takes up solder easily and leaves your work 64-2086

PRE-CUT TAPE SOLDER

99p Melt With Match

Wrap tape around twisted wires, heat with match or candle and get a good connection every time 64-010



"SOLDER-UP" REMOVER WICK

£129

The fastest and safest way there is to desolder anything from micro circuits to large lugs in conjunction with your soldering iron. Available in 170 cm

CLEAN-TIP SPONGE



Removes excess solder, keeps your soldering tips clean for more efficient heat transfer, doubles tip life. 64-2087

SOLDER CREAM



f159

 Just Squeeze On And Heat!

Instantly joins copper, brass, tin, iron, steel, stainless steel, nickel, zinc and silver. Ensures permanent bright joints. 64-011 £1.59

DESOLDERING TOOL



Spring-Loaded

Makes desoldering a snap - just set the plunger and you're ready for instant, powerful desoldering. Easy, one-hand operation helps even large solder connections come clean in a hurry. 64-2085 £4.99

"MINI" DESOLDERING **VACUUM PUMP**

rolls. 64-2090



One-Hand Action

The "Snortini" pump makes it easy to desolder and rework miniature and microminiature circuits. 64-2091 £3.99



Stainless Steel Solder £199 Suited to all solder jobs with stainless steel. 64-9201

Saybit Solder £199

A solder for general rk on all metals 64-9202 £1.99



ROSIN CORE ELECTRONIC SOLDER

Choose standard, light duty or the special solder required for PC work. Meets QQ-571D Federal specifications.

	Cat. No.	Quantity	In mm	Use	Price
	64-001	2.1 m	1.29	Standard	79p
	64-002	5.5 m	1.29	Standard	£1.59p
	64-004	15.2 m	1.29	Standard	£2.69p
diam	64-005	15.2 m	1.02	Light Duty	£2.49p
	64-006	15.2 m	0.81	PC Work	£1.99p
	64-007	230 gr	1.29	Standard	£4.99p
		Under Service and			

A MICRONTA MULTITESTER FOR ANY PURPOSE



DUAL FET MULTITESTER 26 RANGES

£2995

Ohms Range Doubler 10-Megohm Input

Dual FET input for accuracy and minimum loading—even when testing critical circuits. 11.5 cm mirrored scale to prevent parallax errors. DC Volts, 0-1-3-10-30-1000 uA; 0-3-30-300 mA; Resistance 0-30-300-3k-30k-1 megohm; 0-100-1k-10k-100k-3 megohms; Sensitivity: DC Volts, 10 megohms (33 megs for 1000 V range); AC Volts, 10k ohm per volt. DC urrent 300 mV; Accuracy, 4% AC volts, 3% all other ranges. Requires 9 v battery. 3% all other ranges. Requires 9v battery. 22-209 £29.95

50,000 OHMS/VOLTS **43 RANGES**

'Range-Doubler" Circuit! Overload Protected Meter!

Range doubler provides more accurate Range doubler provides more accurate readings on both current and voltage reat for low voltage transistor servicing. 11.4 cm meter has colour-coded mirrored scale. Ranges: DC volts, 0-250 mV, 2.5-10-50-250-1000 at 50 k ohms/volt, 0-125 mV, 1.25-5-25-125 both at 25 k ohms/volt; AC volts 0-10-50-250-1000 at 10 k ohms/volt, 0-5-25-125-500 at 5000 mA, 10 A at 50 k ohms/volt, 0-25 vA, 2.5-25-250 mA, 5 A at 25 k ohms/volt; Resistance, R x 1, x 10, R x 100, R x 1000, R x 10,000 (10 centre scale), dB, —20 to 62 in 8 (10 centre scale), dB, -20 to 62 in 8 ranges, Accuracy, ±3% DC, ±4% AC. With leads, instructions. Requires 1 "AA" and one 9v battery.

£24.95





nc-Ω

150 mA

KΩ

1000 OHMS/VOLT **AC/DC 8 RANGES**

Compact Size! Two Colour 5 cm Meter! Thumb-Set Zero Adjustment

Handy multitester for home and work-shop. Easy-to-read two colour 5 cm meter, pin jacks for all 8 ranges. Reads AC and DC volts: 0-15-150-1000 DC current: 0-150 mA. Resistance: 0-100,000 ohms, Accuracy: ±3% full scale on DC ranges. ±4% on AC ranges. Mirrored scale. Uses precision 1% tolerange resistors. Hyperbolic 1% tolerance resistors throughout. Enclosed in ultra-compact black bakelite

case. Complete with leads, instructions. Requires 1 "A" battery. 22-027

20,000 OHMS/VOLT 18 RANGES

Low-priced and Full-Featured!
 Practical Rotative Selector!

Low-priced VOM with expensive model Low-priced VOM with expensive model features. Single-knob range selector with separate "off" position, 7.6 cm meter with easy-to-read colour-coded scales. Pin jack connections. Ranges: DC volts, 0-5-25-125-500-1000 at 20 k ohms/volt; AC volts, 0-10-50-250-1000 at 10k ohms/volt: DC current, 0-50 mA, 0-250 mA, Resistance, R x 1, R x 10, R x 1000 (2) centre scale): Decibels, —20 62 in 4 ranges; Accuracy, 3% of DC ranges, 4% on AC. With lead instructions. Requires 1 "AA" instructions. Requires 1 battery. 22-201 £1 £12.95





20,000 OHMS/VOLT 25 RANGES

Rotative Selector!

Highly sensitive, full-range multitester with single-knob range selector and easy-to-read 10 cm meter with coloureasy-to-read 10 cm meter with colour-coded, mirrored scales. Pin jack connections. Ranges DC volts, 0-0.6-3-15-60-300-600-1200 at 20 k ohms/volt; AC volts, 0-15-60-150-600-1200 at 10 k ohms/volt; DC current, 0-60 uA, 3-30-300 mA; Resistance, R x 1, R x 10, R x 100, R x 1000 (24 centre scale); Decibels, -20 to 63 in 5 ranges; Accuracy ±3% DC, ±4% AC. Complete with leads, instructions. Requires 1 "AA" battery.

£1.69

30.000 OHMS/VOLT 27 RANGES

Polarity Reverse Switch! Mirrored Scales!

Highly accurate precision tester for labs, servicemen, technicians. Colourcoded 10 cm meter, banana jack connections, polarity reverse switch.

Ranges: DC volts, D-0.3-1-3-10-30100-300-1000 at 30k ohms/volt; AC volts 0-10-30-100-300-1000 at 10k volts 0-10-30-100-300-1000 at 10k ohms/volt; DC current, 0-100 uA, 3-30-300 mA, 10 A; Resistance, R x 1, R x 10, R x 1000, R x 10,000 (10 centre scale): Decibels, —10 to 62 in 5 ranges; Accuracy, ±3% DC, ±4% AC. Compact and rugged with carry handle. Test leads, instructions included. Requires 1 "AA" and one 9v battery.

22-203 £19.95



TESTER CARRY CASES

469

Protects Your Test Equipment View Meter Scale Without **Removing Case**

Organises and protects your valuable test equipment. You can carry the tester, test leads, manuals and extra batteries. Tough, stain resistant vinyl case. Meter not included. 22-153 £

Detects one-shot, low repetition rate, narrow pulses Nonsymetrical duty cycles of less than 30% light Lo-LED over 70% light Hi-LED. Minimum detectable pulse width 300 nanoseconds. Over voltage and reverse polarity protected. With 91 cm power lead. 22-300 €19.95

90-500 Volt Tester spots grounded lines. shorts opens. 272-201 79p

5-50 Volt Tester for checking car wiring, door chimes, filabatteries. €1.59 272-202

£1995

AC/DC CIRCUIT TESTER LIGHTS

DIGITAL IC LOGIC PROBE



Tandy. The international Electronics Experts

MICRONTA TESTERS - PRECISION YOU CAN RELY ON



31/2-Digit LCD Auto Range Multitester



£6495

You select the desired function Volts, AC Volts, K-Ohms or DC miliamps - it selects the correct range and polarity, automatically! Exclusive range-hold overrides auto-range when desired. Measures up to 1000 volts DC, 500 volts AC, 200 mA DC, 20 megs resistance. Low-battery and over-range indicators. Size: 15.24 × 9.60 imes 4.01 cm. With lead. Requires 9V battery or AC adapter.

£64.95

31/2-Digit LCD Multitester

- 20 Ranges
- 10-Megohm Input
- Compact size and weight

£4995

Digital multimeter features easy to read liquid crystal display, automatic polarity and zero adjust, over-range and lowbattery indicators. Reading ±1.999. AC and DC volts: 2-20-200- 2000 (500V max. on AC, 1000V max. on DC) AC and DC current: 2-20-200 mA Resistance 200-2K-20K-200K- 2M-20 Mohm. Complete with leads and manual. Requires 9V battery or optional AC adaptor £49.95

22-198





Dynamic Transistor Checker


£995

Shows current gain and electrode open and short circuit. Tests low, medium or high power PNP or NPN types. Go/No-Go test from 5-50 mA on power types. "Quick-check" sockets, clip leads for in circuit checks. 159 × 76 × 57 mm.

22-024 £9.95 Low Cost 3½-Digit **LCD Multimeter**

13 Ranges 10-Meg Input

Easy to read LCD display with 6.3mm high digits. Features automatic polarity and zero adjust, over-range indicator. AC volts: 200-2000 (500V max.). DC volts: 2-20-200-2000 (1000V max.). DC current 2-20-200 mA. resistance 2K-20K-200K-2M. Requires 9V battery or AC adaptor. £39.95



Easy to Use and Accurate

£279 Signal Injector

For RF, AF circuits, Tube or Solid State. Quick and easy troubleshooting of each stage from antenna to speaker. Signal on/ battery condition indicator. Requires 2 "AA" batteries.

22-4033



Circuit Tester

LED indicates continuity and voltage with two brightness levels. Accuracy in 1-300 volts ranges. Detects DC polarity. Overload protected. Requires 2 "AA" batteries. £1.99

Microwave Leakage Detector

Microwave-frequency leakage from the door seals of faulty ovens can cause serious and permanent even health problems. Protect yourself and your family with this microwave monitor. Easy to use - move detector alongseamsandmeter indicates the relative amount of any microwave energy. Requires no AC power or batter ies. $3 \times 4.5 \times 11.5$ cm. **22-2001**



Test Lead Kits & Clips for Quick, Convenient Testing

£125

A. "Flexi" Test Leads. "Flexiprobes" with moulded strain relief to eliminate wire breakage. Fit most testers.


£1.25



C. 1-3m Test Leads with Banana Plugs. Nickel-plated solderless brass tips. Moulded

278-746

£1.75




B. Coiled Cord Test Leads. Colour-coded Solderless 12-5cm test probes at one end, banana plugs at other. Coiled cord extends to 1.8m Fits any multitester.

278-750

278-740

£2.79




D. Mini Clip Test Leads. Miniature clip at one end, banana plug at other. Gold-plated tip conductors. 5.5cm long.

278-1160


2 for £2.19



TANDY'S MOST POWERFUL UHF AERIALS!



DO IT YOURSELF... SAVE ON PRICE & INSTALLATION





The stylish control cabinet features a "moving light" that's synchronized with your aerial and shows the exact aerial direction in 3° steps. The powerful motor is lifetime lubricated, has positive worm-drive and high-strength aluminium housing. Will accept masts from 31 to 52 mm. 220/240V AC

£59.95 Heavy-Duty High-Torque Motor Turns Aerial 360° in less than a minute! Disc Brake Prevents

The ideal aerial for the short stop . . . fitted in seconds. 7 element all-channel UHF aerial with anodized elements and weatherproof cable junction unit. Mounting brackets for permanent or no-hole fixing included.

15-9335 £8.99






ARCHER FM AERIALS GUARANTEE SUPERB SOUND QUALITY

Present day technology is capable of giving sound quality on radio which is superior to anything you may have heard on tape or record. However, this performance is largely dependent upon the level and quality of the signal fed into the FM tuner. FM stereo, for example, needs up to ten times the level of signal required for mono. And so for the first-class results you need a first-class aerial.

Overshoots!



High-quality Archer 3 and 4-element FM aerial in extruded aluminium alloy. Both are easily mounted on the roof or in the attic. Strong double J-bolt mast attachments fits any size mast.


15-9310 3-element, 5 dB gain £8.49


15-9270 4-element, 7 dB gain £16.95


Specially designed elements and dipole give high gain over the entire FM band. High directivity cuts out unwanted signal reflections which cause distortion. Use with a rotator or add it to your TV mast. Elements snap into position for easy assembly.

15-9311 4-element, 6.5 dB gain £10.49

15-9271 6-element, 9.5 dB gain £22.95







TANDY INDOOR AERIALS - VISIBLY BETTER

OUR MOST POPULAR SET TOP



Suitable for all UHF Reception

Compact and elegantly styled in cream white and gold. Easy adjustment for best reception. £6.99

15-9234 Group A 15-9235 Group B 15-9236 Group C/D

£6.99 £6.99

TOPTENNA SET-TOP AERIAL



Covers All UHF Channels 21-68

Distinctively styled and ready to plug in Covers all channel groups A, B, C, D, E. Electrically isolated for safe handling. Easily adjustable for optimum results £4.9!

V AERIAL FOR IMPROVED FM RADIO RECEPTION



Specially designed for FM radio (Band 2). Two-arm aerial in cream and gold £6.49 finish. 15-9214

FM STEREO SUPREME MULTI-POSITION AERIAL




Cuts FM drift and noise, improves signal reception and selectivity. Multi-position fine tuning knob. 15-1820



£1795 UHF AERIAL AMPLIFIER Triples Incoming Signal Strength

Covers all UHF TV channels for sharper picture. Equally effective for colour or black and white. Styled to blend with your home, it is safe to leave on for long periods. Just fix to wall with screws provided: 15-9344 £16.95 £16.95



FM DIPOLE AERIAL


Get better FM reception the easy way! Quick-connect lugs attach to your antenna terminals for fast and foolproof installation. 300 ohms 42-2385 £1.39



EXTRA SET BOOST

Operates Two Sets From One Aerial

Designed to overcome the problems of operating two TV sets from one aerial. Eliminates splitter and cable losses. Suitable for colour or monochrome across all UHF channels. Connects to aerial and set by standard TV plug. 15-9343 £17.95



TV-GAME ADAPTOR


Quick and Easy to Install

Allows you to connect aerial and TV-videogame to your TV-set. 15-9137



TV/FM DISTRIBUTION

An ultra-wideband VHF/UHF amplifier that supplies signal input to two or three TV receivers and an FM tuner from one aerial installation. Input/Output impedance: 75 ohm. Output gain: 2 dB. 220/240 v 50 Hz operation.




TV/FM OUTLET

To separate TV and FM signals in a common downlead at the receiver. With special built-in diplexer. Complete with screws for mounting. Can also be used to combine TV and FM aerials if required, 15-9306 £2.99

ARCHER WALL, SURFACE & FLUSH MOUNT OUTLETS, FLYLEADS



A. Flush mounting single coaxial outlet box. Screw terminals. VHF/FM/UHF all suitable. Use with pattrebox (15-9297) below. 15-9295 £1.99



B. As above, but with 2 cable inputs and 2 coaxial socket outputs. Perfect for TV and FM use.

15-9292

C. Pattrebox. 28 mm deep in durable white thermoset plastic. For surface or in-wall-mounting of flush outlet



D. Single Surface coaxial outlet box. Screw terminals, single coaxial socket output. High impact polystyrene with 2 mounting holes. For TV or FM.

15-9296

£1.19




E. Double surface coaxial outlet box. As above but for two cable input, two coaxial socket output.



F. Flylead. To connect aerial socket (as above) to receiver input. Coaxial plugs both ends. 1.8 m long. Fully insulated. 15-9294 £1.49


ARCHER DIPLEXER, SPLITTER, AERIAL SWITCH, FM TRANSFORMER



A. Low Loss Combiner/Splitter. Combines or divides any combination of TV and FM signals. Low-loww and ultra-wideband. Ideal for combining two UHF aerials £3.59




B. Splitter Unit. Divides signal from single aerial to drive 2 TV sets or one TV set and one FM set. Standard coaxial plug input, screw terminals and braid clamp outlets £2.49



C. Aerial Switch. For switching TV or FM tuner from aerial to another or to switch one aerial dowlead from one receiver to another. Screw mounting holes. £3.49

E. 75/300 ohms Transformer. For matching 240/300 ohms input FM receivers to standard 75 ohms coaxial cable. Input for coaxial cable output 300 ohms flat lead. 15-9298 £3.49

ARCHER ACCESSORIES MAKE AERIAL INSTALLATION EASY



ARCHER AERIAL CONNECTORS & CLIPS

A. Coaxial Aerial Plug. Suitable for standard or low-loss coaxial cables for TV or FM. Design to BS3041. 15-9287. 59p

cables for IV or FM. Design to BS3041. 15-9287

B. Coaxial Cable Socket. Suitable for standard or low-loss coaxial cable for IV or FM. Bright zinc plated steel. "C" spring for strength. Designed to BS3041. 15-9291

C. Coaxial Cable Adaptor. A back-to-back socket with nickel-plated brass body, polypropylene insulation and bright zinc-plated steel. For TV and FM. With "C" spring. Designed to BS3041. 15-9286

64p

D. Extension-Piece. Extension piece for coaxial plugs and coaxia

jacks. 15-9138

59p
E. AM/FM Aerial Plugs. One DIN 45315 IEC plug for AM and one DIN 45316 IEC plug for FM. 15-9120
F. Coaxial Cable Nail-In Clips. Plastic body fits 7 mm cable. For indooor or outdoor use. Box of 20. 15-9262

59p



IN-LINE ATTENUATORS Used to reduce signal to your TV set, which becomes necessary when a close station provides too strong a signal for your aerial. FM, VHF or UHF.


15-9288 18 dB attenuation £1.69 15-9289 6 dB attenuation £1.69 **15-9300** Group B, 14 dB gain **15-9301** Group C/D, 11 dB gain **15-9302** VHF/FM, 15 dB gain £15.95 £15.95 £15.95 15-9303 Power unit for above amplifiers £17.45

1 - 10 m	11 - 25 m	More than 25 m		
35 p/m	34 p/m	33 p/m		

LOW-LOSS UHF COAXIAL CABLE

Highest quality, low-loss cable for UHF and FM installations. Copper screen covered. 7 mm diameter, 75 ohms. Attenuation per 100 meters: 7dB at 100 MHz, 22 dB at 600 MHz. 39p

15-9260




3-CONDUCTOR ROTOR CABLE

3-core control lead. Each core is colour-coded to enable you to install it easily yourself. Conductors are $0.5~\text{mm}^2$ each and are insulated in 6mm diameter PVC. 15-9263

1 - 10 m	11 - 25 m	More than 25 m
34 p/m	33 p/m	32 p/m


EASIMOUNT For loft or surface mounting of outdoor UHF and FM aerials 15-9304 £1.69




This lightweight mast attachment clamp is adaptable for max. 25.4 mm dia. boom/extension mast and max. 50 mm dia. mast. 15-9322 79p



15.2 cm wall bracket for masts up to 32 mm in diameter. Complete with V'-bolts. Offers secure mounting for your aerial. 15-9331 £1.99 reliable. 15-9321 £6.49



30.5 cm Stand off heavy duty wall




LOFT MOUNT

With a swivel bracket for wall or joist mounting, this is an ideal base for mounting your aerial in the loft. Takes masts up to 25.4 mm in diameter.

15-9249


COMPLETE CHIMNEY LASHING KITS



dia. masts. 15-9327

SINGLE CHIMNEY LASHING KIT

Single chimney lashing kit lightweight aerials. Securely holds masts up to 32 mm diameter. Kit is supplied complete with cable, galvanized mount, corner plates and 'V'-bolts. 15-9250 £4.49



DOUBLE CHIMNEY LASHING KIT

For masts up to 50 mm diameter. Safely keeps mast away from chimney. Easy to set up heavy-duty kit with 2 mounts, cable, corner plates and 'V'-bolts. 15-9251 £8.95




'V' Bolt $\frac{3}{8}$ " x $2\frac{1}{2}$ " centre. With nuts. 15-9323

'V' Bolt 5/16" x 134" centre. With nuts. centre. V 15-9324 29_D



5.10mm (17 ft) coils $\frac{7}{18}$ " gauge wire for perfect aerial installation. 15-9325 £1.39

GARDEN MAST EQUIPMENT







3-Hook segment mast collar with bolts for 38-50 mm For connection 50 mm dia. masts. Galvanised £1.49 15-9328

HEAVY-DUTY AERIAL MASTS

- Only Heavy 16 and 18-Gauge Used!
- For Firm Support!

AS LOW AS 1

Easy to install antenna mast ideal for perfect TV and crystal-clear FM reception!

15-9247 1.85 m 15-9248 3.65 m £3.99 £9.95

QUANTITY BUYERS...

GET DISCOUNT PRICES ON ANYTHING IN THIS CATALOGUE

Discount prices up to 33% off catalogue 79/80 "each" prices are available to quantity buyers.

Our terms: cash with order, FOB TANDY store or warehouse nearest you. Great for premiums and sales promotions

MUNICIPALITIES ● SCHOOLS ● CHURCHES ● CLUBS ● FACTORIES ● LABS ● BUSINESSES ●

Page	Description	6-11 of one item	12-49 of one item	50-499 of one item	500-up of one item
78, 81	Aerials and Accessories	5%	10%	15%	20%
1-15	Audio Components (Receivers, Amplifiers, Tuners, Changers)	10%	15%	17%	20%
16, 19, 46, 47	Audio Components (Speakers, Headphones)	10%	15%	20%	25%
44, 45, 76, 77, 84, 85	Audio Accessories (Microphones, Cables, Raw Speakers)		15%	25%	30%
104, 105	Batteries (Radio Shack/Tandy Brand	A STREET OF STREET	10%	20%	25%
105	Batteries (Other Brands)	5%	7%	10%	20%
111	Books	10%	15%	20%	33%
70 71 72 73 123 124 125	Calculators, Electronic Car Tape Players, Radios	5%	10%	12%	20%
74, 75, 76	Accessories	7%	12%	17%	20%
122	Clocks	5%	7%	10%	20%
126-132	Computer/Peripherals (Hardware)	See Store	Manager		If it is the time to the time
128, 131	Computer Software/Books	10%	15%	17%	20%
68, 69	Electronic Parts	- 50	N THE REST OF STREET A.	25%	30%
114	Intercoms	7%	12%	15%	25%
92, 94, 101-110	Kits (Science Fair and Archer Kits)	5%	10%	15%	20%
37, 38, 39	PA Equipment (Amplifiers)	10%	15%	20%	25%
21, 89	Phonos – Portables and Audio Compacts	5%	10%	12%	20%
116-121, 72	Radios	7%	12%	17%	20%
80, 81	Scanning Receivers	10%	15%	20%	25%
115	Security Devices	- 7%	12%	20%	25%
2, 26-29, 48, 50	Tape Recorders, Players	10%	15%	.17%	20%
		THE RESIDENCE		200/	250/
51-53	Tape, Blank Recording Tape Accessories		10%	20%	25%
112,113	Telephones	7%	12%	17%	25%
60-61	Test Equipment, Meters	7%	12%	17%	25%
70-71	Timers, Electrical Accessories	5%	7%	10%	20%
56-59	Tools	7%	12%	17%	25%
107	TV Games	5%	10%	12%	20%

Prices and terms optional in franchise and dealer stores

YOUR NEAREST TANDY STORE:

ACCRINGTON	
- 37 Union Street	
ALDERSHOT	
- 10 Union Street	

ALDRIDGE - 15 Central Area De

ASHTON-UNDER-LYNE eigh Way*

BARNSLEY

Market Street

BARROW-IN-FURNESS

BASINGSTOKE

BATH

Computerama Limited, 5 Cleveland Place East, London Road* Lewhay Radio Ltd., 28 Shaftesbury Rd., Oldfield Park*

lio (Bedford), 30 St. Loyes St.*

BIRKENHEAD

ve Centre, Woodchurch Rd.

BIRMINGHAM AREA

23A Hurst Stree ZJA Hurst Street, Birmingham B5 4BB N. H. Field Hi-Fi, Z3A Hurst St., B5 4BB* BULL RING SHOPPING CENTRE.*

528 Bridge Link CITY CENTRE, 57-58 Dale End

80 Corporation Street
EDGBASTON CENTRE, Hagley Road**
ERDINGTON, 218 High Street
HALESOWN, 5-7 Queensway
NORTHFIELD, 749 Bristol Road South
PERRY BARR, 20 Lynton Square

Shopping Centre SHELDON, 2268 Coventry Road

Solihull
SMETHWICK, 44-46 Cape Hill
WARD END, 887 Washwood Heath Road
WEDNESBURY, Bilston Road
(Off Holyhead Road)

BLACKPOOL

17 Whitegate Drive, Blackpool FY3 9AA*

Micro-Chip Shi 197 Waterloo i arts Radio, 2-4 Caunce Street

BOSCOMBE

church Road

BOURNEMOUTH

132-134 Commercial Road

RRADFORD

BRIGHTON

- 70 London noad

BRISTOL AREA
- BISHOPSTON, 13 Gloucester Road
- CLIFTON, 146 Whiteladies Road
- DOWNEND, 5 Badminton Road
- COLSTON CENTRE, Colston Ave*

KNOWLE, Broadwalk Shopping Centre YATE, 4 North Parade

BROMSGROVE

BROWNHILLS

BURY (Lancs)

CAMBOURNE (Cornwall)

CAMBRIDGE

CARMARTHEN

Bernard Rees (Studio) Newtown Shopping Centre*

CHESTER

ve Centre, Sealand Road/

COVENTRY
- 4 Hales Street (Off Corporation Stre

CRAWLEY (Sussex) - C.T.M. Ltd., 18 The Martletts

Supabeam 4 Broadfield Barton*

CREWE - 12 Market Street

CROYDON - 49 St. Georges Walk

DARLINGTON

DERBY

33 Victoria Street

DIDCOT (Oxon)

John E Lay Ltd., 103 Broadway*

DONCASTER

32-34 Kingsgate, Waterdale Centre DUBLIN

Tandy Techasonics 26 Bachelors Walk Dublin 1*

DUDLEY
Trindle Road Roundabout

EASTBOURNE

- Langney District Shopping Centre

EXETER

FAREHAM (Hampshire)
- W. F., Waite T.V. Ltd.,
27 Stubbington Green*

FILEY (Yorks)

Rosedale Garage (Rosedale Radio Shack), Hunmanby*

FLEETWOOD

Micro-Chip Shop, 190 Lord Street Lancashire

GIBRALTAR

GLAMORGAN

Tele Electrical Services (Bridgend) Ltd. 3-5 Caroline Street, Bridgend

Victor Morris (Audio Visual) Ltd., 340 Argyle Street, G.2* GLOUCESTER

re Clarence Stree

GRIMSBY d Centre, Victoria Street

GUILDFORD nt Ltd., 3 Bridge Street

HARROGATE

HARROW — Macca Travels, 111 High St.,

HASTINGS

HAVERFORDWEST

re, 39 High Street*

Loosemore, ou HEREFORD — Wallis (Hereford) Ltd., Sunbeam Corner, Fign Street*

HINCKLEY (Leics)

– Elect. Organs Hinckley, 31 The Lawns

HODDESDON (Herts)

- Rosscott's, 42 Ware Road*

HUDDERSFIELD

16 Kirkgate, Packhorse Shopping Centre

s City, Clough Road

ILFRACOMBE (N. Devon)
 Rodds Electrical, 27 High Street:

Sagittatius Audio 23 Kennedy Way, Immingham, Nr. Grimsby*

IPSWICH

- 40 Westgate Street, - Marshions Electronics, 366 Spring Road*

ISLE OF MAN

Douglas, Island Music Centre

ISLE OF WIGHT

Scott Jackson Electronics, 72 Union Street,

22 High Street

KIDDERMINSTER

LEAMINGTON SPA

LETCHWORTH 25 Commerce Way

LEEDS

- 30 Easgate, - 72 Merrion Centre

LEICESTER Market Street, Leicester Electronic Market Ltd. Unit 64, Haymarket Centre, Belgrave Gate*

LICHEIFLD (Staffs)

Christophers (Ph 31 The Precinct* LINCOLN - 332 High Street

LIVERPOOL AREA IVERPOOL AREA
ALLERTON, Classic Cinema Centre,
Allerton Road, 8
BOOTLE, 46 Medway, New Strand

OLD SWAN, 648 Prescott Road St. John's Precinct, 168 Market

LONDON AREA

- ULU SWAN, ISB Prescott Road
St. John's Precinct, 168 Market Way
LONDON AREA
- Audio Electronics, 301 Edgware Rid. W. 2*
- BARKING, B. 10 North Street
- BARYSWATER, The Colonnades,
Porchester Rid., Queensway, W. 2*
- BECKENHAM, 144 High Street
- CATFORD, 23 Catford Broadway, S. E. 6
- CHESHLINT, 92 Turners Hill
- CHINGFORD, 3 Hall Lane E. 4
- CLAPHAM, 84 Clapham High Street,
S. W. 4
- CROUCH END, 42 The Broadway, N. 8
- DOGENHAM, 297 Heathway
- EALING, 6 New Broadway, N. 8
- EDGWARE, 128 Burnt Oak, Broadway
- Audio Electronics,
301 Edgware Road, W. 2*
- Suttronics Limited,
404-406 Edgware Road, W. 2*
- Suffection Creen Shopping Centre, N. 9
- Electrosonic Products, 43 Grafton Way;
- Car Radio Station, 299 Edgware Road, W. 2*
- ENFIELD, 10 Colman Parade,
- A09 North End Rd.
- Libam, W. 144
- HAMMERSMITH, 142-144 King Street
- HENDON, 21 Sentinel Square,
- Brent St., N. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, N. W. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. Y. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. 4
- Henry's 404-406 Edgware Road, W. 2*
- BHIST, S. W. 4
- Henry's 404-406

Penge Electronics, 49 High Street,

Penge*
Radio Shak Ltd., 188 Broadhurst
Gardens, N.W.6*
ROMFORD, 27 Collier Row Road
1/2 Seaccal Lane,
Ludgate Hull, E.C.4
STREATHAM, 254 Streatham High

STREATHAM, 254 SUGAR Road, S. W. 16 TOTTENHAM, 455 High Road, N. 17

Tottenham Court Road, 100**
WALTHAMSTOW, 123 High Street, E.17
Walworth, 139 Walworth Road, S.E.17

S.E. I7 WANDSWORTH, 107-109 Wandsworth High Street, S.W. 18 WELLING, 7 Embassy Court WEMBLEY

5 Park Lane Wemble WIMBLEDON, 124-126 The Broadway.

LUTON
- 157 Dunstable Road MANCHESTER AREA

MANCHESTER AREA
BRAMHALL, 14-15 The Centre
CHADDERTION, The New Chadderton
Shopping Centre, Middleton Road
CHEADLE, 67 High Street
30 DEANSGATE*
HYDE, 4-8 The Mall Shopping Centre
RADCLIFFE, 25 Blackburn Street
SALE, 13-15 The Mall Shopping Centre
CITY CENTRE, Unit 71 Annable Centre
STRETFORD, The Arnable Centre
Desester Road
Desester Road

MIDDLESBROUGH

NEATH (Glamorgan)

— Briton Ferry Colour TV Centre,
95 Neath Road, Briton Ferry* **NEW MALDEN, Surrey**

NEWARK (Notts)

- Bruce and Chambers Ltd.

17 Middlegate*

NEWBURY

NORTHAMPTON

NORTHWICH Pools (Electronics) Ltd., 59-63 Station Road*

NOTTINGHAM AREA

ASSIGN 126-128 Front Street

- ARNOLD, 126-128 Front S - BEESTON, 30 The Square NUNEATON

ONGAR (Essex)

— Brundish Audio, 123 High Street: OXFORD ent's The Plain 9-10 St. Clement's, The Plain
 HEADINGTON, Foreways Services

19 Old Street PAIGNTON

PLYMOUTH Parade

PORT TALBOT

PORTSMOUTH RDS Electrical (Portsmouth) Ltd., 157/161 Kingston Road, PO2 7EF

PRESTON (Lancs)

– Electra Centre, 58 Lancaster Ro READING Butts Shopping Centre

RUGBY rch Street RUNCORN n Shopping City

SALISBURY (Wiltshire) SANDY (Beds)

ns 6 Park Road

SCUNTHORPE SHREWSBURY

SITTINGBOURNE SLOUGH nh Street SOUTHAMPTON

ST. HELENS - 82 Hicher Part St.

STAFFORD

STOKE ON TRENT

SUNDERLAND

SUTTON (Surrey) SWANSEA

Radio Suppliers (Swansea) Ltd., 90 Gower Road, Sketty* SWINDON

Canel Walk, Brurel Centre Microwave & Hi-Fi Centre, 44 Havelock State **TAMWORTH**

20a George Street TORQUAY

TYNE & WEAR AREA

NEWGATE, 23 Newgate Centre
BYKER, 184-186 Shields Road, Byker
WASHINGTON NEW TOWN, Unit 63. The Galleries Shopping Centre

UTTOXETER td., 48 High Street*

Kay Jays Co...

WAKEFIELD

96 Kirkgate, Kirkgate Shopping Centre

Saddlers Centre,

WALLASEY

- 3 Liscard Way, The Precinct,
Wallasey WEYMOUTH

Dorset Radio Suppliers 28/29 Walpole Street* WHITHAVEN (Cumberland)
- R. L. Brooks, 97 Duke Street*

WHITSTABLE (Kent)

- Technocraft Ltd., 143 Tankerton Road,
Tankerton* WHITTON (Middx)

- Sound & Micro, 122 High Street*

WILMSLOW (Cheshire)

- The Hi-Fi Centre, Green Lane* The Hi-Fi Le.
L. A. Hobbs,
38 Watling Street,

Wilnecote Nr. Tamworth* Microchip (Winchester) 66 St. George's St., Winchester,

WITNEY (Oxon)

- Witney Audio, 29 Corn Street*

WOLVERHAMPTON Market Street
 WOLVERTON (Bucks)
 Hi Vu Electronics, 38/40 Church Street*

WORCESTER las Street WORKSOP

YORK 5 Church Street
 These Stores may not have every item


immediately available.
 Tandy Computer Centres

	ALL SEASON	MANY DESIGNATION		一、中国、全国、中国			
PRODUCT II	NDEX	CASES	0.7	M		Stands	
I HODOUL II	ADLA	Display		agnetic Cartridges	22	Switch	
A		Tape		agnifiers		Wires	
Approach to the factor	44	CASSETTE TAPE		atrix Boards		Splicers, Tape	
Acoustic Insulation		Cassette Accessories	, 55 Mi	egaphone		STEREO EQUIPMENT	
AC	103	CHANGER, Record23-	-20	eters, Panel		Stopwatch	
Audio	89, 90	Chemicals	000	Accessories		Strobe Light	
DC Car	77	Cleaning Accessories	55	Elements	103	SWITCHES	
Mike Stand	36	CLOCKS	IVI	ixers	NAME OF TAXABLE PARTY.		
AERIALS Amateur/SW	79 01	Alarm		Microphone		T	
Car	75 176	Auto	122	Disco/Stereo		TAPE	
Camping		Modules	177	ULIIIESIENS	00, 01	Accessories	54, 55
Electronic		Stopwatch1		Vilatina N		Blank Recording	51-53
FM		COMPACT MUSIC CENTRES 41-		S VOICE PRINTS ST	102	Electrical	68
Indoor		COMPUTER		on Lampsbbling Tool		TAPE EQUIPMENT	-
TV		Hardware		et drivers		Cassette Car Players	70
AERIAL ACCESSORIES	02, 01	Connectors				Portables	
Adaptors	64	Contact Cleaner		0		Record/Play Decks	
Amplifiers		Crimping Tool		gan Kit	110	Record/Play Systems	
Attenuators		Crossovers	. 64 Os	cillator, Code		Open-Reel Deck	
Brackets		Cutters, Wire	, 65 Ou	tdoor Speakers	37	TELEPHONES	
Cables						Accessories	
Connectors		D				Terminal Boards & Strips TEST EQUIPMENT	
Lashing Equipment	65	DC Power Supply	.27 Pe	rf boards	95	Kits	
Masts	65	Demagnetizers, tape head 54,	. 55 Ph	one Plugs & Jacks		Test Leads & Probes	61, 88, 101
Outlets	65	Digital Readouts	100 Ph	ono Plugs & Jacks		Timer	
Rotator	64	Digital Watch		ono Accessories		TOOLS	
Splitters		DIN Connectors		otocell		Torches	
Alarm Systems		DIP Switches		LUGS		Transformers, Chassis	
Alarm Clock/Radios		Disco Light		tentiometers		TRANSISTORS	
Alligator Clips		Disco Mixers	.35 Po	wer Meters, Audio	30	Transistor Checker	
Amateur Receivers		Drill Sets		wer Supplies, AC-DC		Treasure Finder	
AMPLIFIERS		I maked the same of the same o		eamplifier		TUNERS	
Aerial				RINTED CIRCUIT EQUIPMENT		TURNTABLES	
OP Amp IC's		Earphones		ROJECT BOARDS UBLIC ADDRESS EQUIPMENT		TV AERIALS	
PA		EDUCATIONAL LAB KITS 108-1	110	DELIC ADDRESS EQUIT MEN		TV Games	107
Audio Cables		Electrical Accessories		R	al tele		-0.23m
Audio Furniture		Engraver		ADJOS 40.13		The second second	
Audio Power Meters		Equalizer, Audio Frequency		ADIOS Aircraft	117	UHF Aerials & Scanners	80–81
Salara de Salara de Caración d		Extension Cable		AM, AM/FM Portables	117	v v	
В				Kits			
Banana Plugs & Jacks	58, 88	A PLITTING FOR COLUMN		Car		VHF/FM Aerials	
BATTERIES	104, 105	Face Plates		Clock		VHF Scanners VIDEO GAMES	
Battery Checker		File Sets	56	Headphone		Voltages Regulators	
Battery Holders		Frequency Counter		Multiband		VOM's	
Rechargers	105	Fuses	102	Stereo			
Binding Post	88	Fuse Holders		C CARS		W	
Blood Pressure Tester		G G	RI	ECEIVERS		Watch, Digital	122
BOOKS		Sign of the Attack which we		Amateur/SWL		WIRE AND CABLES	- Martine
Booster - Car Audio		Glue		Scanners		Aerial	
Booster – FM		Grille Cloth		Shortwave		Audio	
Bulbs		H Transco Street		Stereo/Hi-Fi		Coaxial	
Buzzers	103		Pe	ectifiers		Hook-up	
C		HEADPHONES	,4/ Pa	el-to-Reel Tape		Intercom	
CARINETO		Accessories	103 RI	ELAYS	90	Speaker	
CABINETS Hi-Fi	20	HI-FI SPEAKERS	-19 RI	ESISTORS	99, 100	Wire Cutters & Strippers	
Metal			Torris .	S		Wireless Intercoms	
Parts/Plastic						Х	
CABLES		Inductances		ws		X	
CALCULATORS	123-125	IC Logic Probe	60 31	CANNERS, UHF/VHF		Xenon Flash Tube	103
Capacitors	99, 100	INTEGRATED CIRCUITS 96, 97, 1	100 30	CIENCE FAIR KITS		z z	
CAR EQUIPMENT	70	INTERCOMS1	114	rewdrivers		of the difference of the state	
Aerials		Insulation Tape	.5/ 51	MICONDUCTORS		Zenner Diodes	96, 100
Boosters		Inverter, Voltage77,		ortwave Receivers			
Audio Power/Equalizers		J	Si	gnal Tracer and Injector	61		
FM	76			MOKE ALARM			
Cables		JACKS 88-		OCKETS8			
Cassette Players		K		olar Cells			
Connectors			Co.	ound Level Meter			
Four Channel Synthesizer		Keys, Code	. /0 01	PEAKERS	21		
Inverter		KITS	67	Accessories			
Noise Suppressor		Knife	.57	Car	74, 75		
Points Tester	77	Knobs		Crossovers			
Radios	72	algent respectance of the basis	No.	Enclosure Kit			
Radio/Cassette Players		LAR VITE	110	Grille Cloth			
Speakers		LAB KITS		Hi-Fi			
Transistar Innitiae Contra				Outdoor			7
Transistor Ignition System		LED/LCD 86 94 1		Uutuuor			
CARTRIDGES		LED/LCD		P.A.			
			-45 .57		37		

のするの

ENGLISHED STATES

HIGH QUALITY ELECTRICAL ACCESSORIES



7 DAY TIMER SWITCH


Simple to Operate plugs straight into socket

Time Switch is simple to use and requires no special installation. Accepts and controls domestic electrical appliances up to 3.1. KW at 240 Volts. Complete with setting pins protective covers. £18.95



untidy and sometimes dangerous installations. Mains Distribution Units are a neat and safe solution. Uses industry standard miniature 6 amp mains connecting system. 61-9141 £16.95

Makes up adaptor leads to make with 6 amp mains plugs. Easy to connect screw terminal connection. Internal cable grip. 61-9142



STANDARD 13 AMP **ELECTRICAL PLUGS**

rubber plug. BS1363/A 61-9133 A. 13 amp, square 3 pin

B. 13 amp square 3-pin plug. BS1363/A. 61-9106 59p



TRAILING SOCKET OUTLETS


 Safe Rubber Construction A. 13 amp 1 Gang resilient trailer socket. Internal cable holder. In white. 61-9127 £1.69

B. 13 Amp 2 Gang resilient trailing socket. Internal cable

holder. In white. 61-9128

81

£3.59



10 AMP PLUG ADAPTORS

A. 13 amp 3-pin adaptor takes 2 x 13 amp square pluas

61-9108

B. Multiplug adaptor, 13 A square pin, with inputs for 3 x 13 amp plugs.

61-9107 £1.69

81 in white 61-9125 81

13 AMP SWITCHED OUTLET SOCKET Gang 13 amp switched

£2.99

5 AMP SURFACE SWITCH

Moulded white case 5 amp A.C. to BS3676 61-9126 £1.99



CEILING ROSE

JOINT BOX

5 terminals. 20 amp.

2 terminals and earth with integral backplate. White B567 where applicable 61-9130

RAZOR ADAPTOR



Will accept 2-pin razor plugs to British, American and Continental standards. For use in 13 amp square pin sockets. Complete with spare fuse. 61-9111 99p

AMERICAN 2-PIN PLUG



Allows you to connect American outlets with any other device (turntable, recorder, etc.).

49p



SWITCHED SOCKET OUTLET

Double Pole Switched Socket outlet. 1 gang. A.C. only. B51363. White. **61-9134** £2.39



Moulded Box B5 1363 fixing 1 gang 29 mm deep White. **61-9135 79**



LAMPHOLDER

Cord grip lampholder. Small B.C. In white. 61-9132

BATTEN LAMP HOLDERS



3 terminals and earth Heat resisting tails to a 4-way terminal block. Home office terminal

shield. White. 61-9129 99p

13 AMP HANDIREEL EXTENSION



13 Amp Extension cable **£** in moulded plastic carry case incorporating power warning light. Nylon plug and socket. 61-9131

€17.95

EXTENSION LEADS



5 Amp Extension cable £695 ideal for Hi-Fi: With nylon

plug and socket. 61-9123

£6.95 13 Amp Extension cable with nylon plug and socket. 61-9124 £8.95 £8.95

DIMMER SWITCH



Continuously Variable Wall Light switch from off to 600 watts. B.S. approved antiinterference circuit.

61-9122

MAINS INTERFERENCE SUPPRESSOR



Plugs directly onto domestic appliances. Up to 1500 watts, 6 amps. With 65 cm lead and standard 13 amp fittings

61-9120 £18.95

FUSES



British made to BS 1362. Bubble packs containing 4 fuses. 61-9100 5 amp 35p

61-910113 amp 35p

FUSE WIRE



61-9136 Handy pack of fuse wire. 5, 15-30 amp ratings.

FUSE WIRE KIT



Useful kit to keep in the house. 5, 13, 15, 30 amp fuses with fuse wire. 61-9137 £1.19

INTERNATIONAL TRAVEL PLUG ADAPTOR Lets You Use Appliances Anywhere!

£11.95

95

B.S. Approved

Can be used with portable electrical appliances right across the world. It can be made into a plug, a socket or be fitted into a lamp socket. Suitable for 120/240V max, 2 amps 2 pin earthed. 61-9118



& Africa



68

Deluxe Metal Detector

Search for valuables of all kinds - coins, relics, lost jewellery, keys, hardware. The ferrous/non-ferrous control optimize circuit for detecting magnetic or nonmagnetic objects. Separate volume and sensitivity controls, built-in 2" speaker and earphone jack for audible detection. Visual indicator. Requires 6 "AA"

batteries. 63-3001* £24.95



Micronta Electronic Blood Pressure Tester

No Stethoscope Required


Visual/Audible Readings

HIGH PRECISION ACCESSORIES FROM TANDY

Easy One-Hand Operation

Micronta BP-1. Sphygmomanometer makes it simple to check your blood pressure. You get instant readings on the large scale, from 20 to 300. Red flashing light and "beeper" indicate systolic (upper) and diastolic (lower) blood pressure. Includes charts for keeping a record of blood pressure and a case for the tester. Built-in microphone transducer takes the place of the stethoscope. Automatic release valve. Requires 9V battery. 63-660* £39.95





Indoor/Outdoor **Thermometer**

- All-Electronic Operation
- Dual-Range Scale


18⁹⁵

Push a button for indoor or outdoor temperature readings - tronically! Big 4½" scale reads - 40° to +120° Fahrenheit, -40° - to +50° Celsuis. Simulated walnut finish. Outdoor sensor may also be placed in another room, aquarium, even a freezer. Requires 9V battery.

65-651*

£18.95

20 - Drawer Storage Cabinet



 Ideal for Organizing Parts, Hobby Accessories, Anything

Don't lose small items - this versatile bin makes them easy to find. Steel frame, baked enamel finish, clear plastic drawers. 63/4 x 13 x 61/4"

64-2028

£8.95



From 89p

Cat. No.	Size	Sections	Each
64-552	8½ x 4¾ x 1½"	6 - 18	£2.19
64-553	43/8 x 25/8 x 1"	6	.89p
64-554	111/4 x 61/2 x 23/8"	5 - 15	£3.99






2.5 cm main lenses!

For reading maps, small type or close electronic work. Focuses light exactly where you need it. Requires two "AA" cells

63-848

£2.99



A Low Cost 2 Cell Torch. Two tone moulded body. Requires 2 "D" cells.

69p 68-2624*

B Powerbeam Torch. Powerful 450m light beam, non-breakable moulded case, hanger ring. Requires 5 "D" cells. £1.59

68-1001 C Power Beam-4. Lantern with modern styling thumb switch, built-in carry handle.

Requires 4 "C" batteries. 68-1034*

D Pocket Flashlight. Compact size fits into pocket or purse. Durable moulded plastic body. Requires 2 "AA" batteries. 68-1026*

E Hand - Held Quartz - Halogen Spotlight. Projects a sharply focused 4 to 5 times brighter than car high beam. beams. With lens cover, hanger book Compact and lightweight. Plugs into lighter socket

61-2649*

£7.95

REALISTIC CAR STEREO – A MOVING SOUND EXPERIENCE



HIGH-POWER AUTO EJECT CASSETTE PLAYER



Triple Normal Power — 24 Watts Total

 Switchable Loudness for Improved Bass Response

Brings the wide dynamic range of home stereo into your Low distortion sound quality even at full volume. Loudness enhances bass response at low volumes. Independent bass, treble, volume and balance controls. Single control for fast forward, eject and rewind. 50-10,000 Hz response. Not to be used with equalizer/booster. Under dash mounting. 12-1809

£59.95

SUPER MINI STEREO CASSETTE PLAYER VOLUME MAX BALANCE -TONE PEALISTIC

 End of Tape Auto Stop with Indicator Lamp Locking Fast Forward and Eject Control

The ideal player for today's compact cars, only 40 x 130 x 134 mm small. Simply insert cassette and player starts. Tape run indicator and tape Auto-Stop indicator flashes at tape end. Single locking control for fast forward and eject. Separate slide action tone, balance and volume controls. 12-1803 £24.95



Automatically Finds Music Selections

Push Button Fast Forward, Rewind and Eject

2 x 8W

Realistic's new Auto Search system senses the 'silence' between music selections during rewind and fast forward. You can advance to the start of the next selection or replay at the touch of a button. LED indicator. Sliding volume, tone and balance controls. End of tape Auto-Stop. 12-1805 £44.95

WFO STEREO CASSETTE WITH FULLY AUTOMATIC EJECT TANDY EALISTIC VOLUME BALANCE TONE

- Ejects at Tape End in All Modes Locking Fast Forward and Rewind

Auto Eject disengages cassette and turns player off at end of tape in rewind, fast forward and play modes. Easily adjusted slide action volume balance and tone controls. LED "ON" indicator. The small player with the big 8 watts/channel sounds. 12-1806 £39.95



- End of Tape Auto-Stop
- LED Tape Run Indicator

Great stereo sound and compact good looks need no longer be expensive. Locking fast forward/pushbutton eject control. No need to take your eyes off the road with easy to adjust slide action volume, tone and balance controls. End of tape auto stop in play mode with indicator. 12-1804 £29.95

REALISTIC CAR STEREO FOR MORE DRIVING FUN!

- Automatically Reverses at End of Cassette and Plays the Other Side
- Motorized System Pulls in Cassette, **Smoothly Lowers it to Play Position**

Available October 31

Deluxe player with auto-reverse. Cassette music, AM, and superb FM stereo through its low-distortion amplifier. 12 watts total output. Motorized system loads cassettes, push button changes tape direction instantly. You can find selections on either side of a cassette quickly, witout ejecting. Cassette ejects auto-matically when ignition is shut off. Shafts adjust 13.15 to 16.02. Size: 18.23 x 44.45 x 13.15 cm. 12-9174

£99 95



- Auto Eject Automatically Ejects Cassette at Tape End or When Ignition is Turned Off
- Locking Fast Forward and Rewind Controls

Quartz accuracy for tuning and time. Built in clock displays time while you listen to tapes and frequency when listening to radio. LED display has adjustable dimmer for night driving. Mono/Stereo button. 14 watts total output. Mounting hardware supplied. Size: 17.78 x 4.44 x 12.73 cm. 12-1889 £99.95



Tape Plug and FM Stereo Indicators
 50-10,000 Hz Frequency Response

£6995

Available October 31

Full feature in-car entertainment centre. Concentric On/Off Volume and Tone control and Tuning/Balance control. Separate pushbuttons for wave band selection. lluminated tuning scale. Pushbutton Fast Forward/Eject. At tape end motor is automatically stopped and unit changes to audio reception. Mounting hardware and speaker cables supplied. Size: 17.8 x 4.4 x 13 £69.95



MO-ST

LW/MW/FM STEREO RADIO/CASSETTE

Illuminated Radio Dial In Cassette Door Tape Auto-Stop

£4995

Designed for ease of operation. Inserting a cassette starts this player and it stops automatically at end of tape. Pushbutton for locking fast forward and eject. AM/FM switch for the best FM reception. Rotary volume, tone, tuning and balance controls. Shafts adjust 12.7 to 165.1/40.6 cm. 8 watts total ouput. Size: 17.78 x 4.44 x 11.43 cm.

12-1880

£49.95

PUSH-BAL



AM/FM STEREO/CASSETTE FOR DASH MOUNTING

- Tape Auto-Stop Mounts Vertically or Horizontally
- £5995

2x8W

Available October 31

Everything's supplied for easy mounting—horizontally or vertically. Pushbutton locking Fast Forward and Eject. Stereo/Mono switch for superior FM, tape and FM stereo. LED indicators and illuminated radio dial. Shafts adjust 4 %" or 5%" **Size:** 5.5 x 16.2 x 11.8 cm. **12-1892** £59.95



REALISTIC CAR RADIOS FOR GREATER DRIVING FUN!



De-luxe 3 waveband radio means you can receive a variety of broadcasts no matter where you're driving. Easily fitted in or under dash in most European Cars. Safety conscious 5 pushbutton waveband selection, for simple, precise tuning and clear sound reproduction. Complete with mounting hardware and connecting cables.

12-9163

£54.95



Superb 2 waveband radio with 5 pre-set pushbuttons. 2 stations AM and 3 on FM. Rotary volume and tuning dials. Built-in noise suppression circuits aid clearer sounds. Complete with full fixtures and fittings for in-dash or under-dash mounting. Size:

12-9162

160 x 44 x 116 mm.

£44.95

REALISTIC PUSHBUTTON MW/LW CAR RADIO

• Five Pre-set Station Pushbuttons

• 12 Volt Positive or Negative Earth Operation

£2495



Solid state designed, this MW/LW auto radio will meet the demands of value conscious music lovers! Simple operation with smooth controls and 5 pre-settable pushbuttons to give you instant tuning of 3 MW and 2 LW stations—Rotary tuning control over-rides pre-set selection. Illuminated tuning dial. Operates on any 12 volt negative or positive earth system. Complete with universal mounting brackets and hardware. Size: 48 x 108 x 159 mm.

12-9161

£24.95

REALISTIC MW/LW MANUAL TUNING CAR RADIO

Easy In or Under Dash Mounting
 Reliable Solid State Circuitry

£1595



Gives you 'Factory installed' quality at a fraction of the price. Fits in or under the dash of most cars, with removable facia panel for a really professional finish. Works with any positive or negative earth 12 volt system. Features illuminated dial, rotary tuning and volume controls and slide switch waveband selector. All mounting hardware and power cable included. Size: 50 x 120 x 160 mm.

12-9160

£15.95

POWER BOOSTERS & EQUALIZER FOR BETTER IN-CAR SOUND

40 WATTS EQUALIZER/BOOSTER WITH POWER METERS

Lighted Power Meters

Super-Low Distortion
 5 Band Frequency Equalizer

£4995

The equalizer booster for discriminating listeners! Enough power for superb hi-fi sound in cars, vans or any 12VDC neg. ground vehicle, and only 1% Total Harmonic Distortion (THD) at 30 watts. Equalizer lets you 'customize' frequency response to suit your personal tastes and match vehicle acoustics. Fader control balances 4 speaker systems and Tape / Radio switch lets you select either source without wiring changes. Easy plug-in connections. Under-dash mounting, all hardware included. Size: 50 x 187 x 139 mm. 12-1879





10 segment LED power indicators for each channel

Add to your car stereo for greatly improved dynamic range and tone. Only 1% total harmonic distortion at 30 watts. Seven slide action controls boost and cut 12 dB at 60, 150, 1000, 6000 and 15,000 Hz for complete tonal command. Front/ Rear fader, push button on/off. LED 'on' indicator. Size: 51 x 140 x 152 mm 12-1862




Front/Rear Fader balances 4 speaker-systems

Multiplies the audio power of your present system and also increases dynamic range. 5 bands of \pm 12 dB slide action control at 50, 250, 1000, 3500 and 12,000 Hz for sound just the way you like it. Only 1% THD at 30 watts. Push-button on/off switch. LED 'ON' indicator. Size: 51 x 130 x 152 mm. €44.95



Ideal for small cars with only two speakers

Plenty of audio power here plus the flexibility of 5 adjustable audio frequency bands!
Get plenty of power plus the flexibility of 5 adjustable audio frequency bands! Boost or cut response as much as 12 dB at 60, 250, 1000, 3500 and 10,000 Hz to suit your personal taste, compensate for your car's acoustics. Low 1% total harmoni Size: 51 x 134 x 152 mm. 12-1863 nonic distortion at 30 watts. Push-button on/off LED 'on' indica



Improves the performance of any audio source!

695

40 watts per channel from your tape or radio source. Gives your car the "Big Sound" at a small Solid state reliability in a compact, rugged case. 100-10,000 Hz frequency response. All mo small price mounting £16.95 fixtures supplied. 12-1860





It's easier than ever to have superb-sounding stereo music in your vehicle...

just add a Realistic Audio Power Booster or Equalizer Booster to your present autosound system and start hearing what you've been missing! With a booster you'll have the power needed to overcome road, wind and engine noise. The additional power also increases dynamic range — you'll hear more music, more accurately reproduced, at all volume levels

An equalizer/booster increases power too — and gives you the added benefit of 'custom-tailored' sound. You can adjust the response of 5 separate audio-frequency bands to suit your personal tastes, match the acoustics of your vehicle - even eliminate tape 'hiss'.

NOTE: These units are rated in total watts RMS output — left and right channels included. Four 8 ohms speakers with the required power handling capacity give best results. For the 40 watts unit, 4 speakers (each rated 10 watts RMS or higher) or 2 speakers (each rated 20 watts or more) should be used. Boosters and Equalizer/Boosters operate from 12 VDC negative ground only. They cannot be used with common ground (3-wire) speaker wiring or in conjunction with high power stereo players, 4 channel adaptors and speaker switches

IN-CAR HI-FI SPEAKER SYSTEMS FROM TANDY



2-WAY HI-FI SPEAKER SYSTEM

• Matched Pair, Fit Any Car • Wide 120 — 18,000 Hz Response



£3495 Use these speakers with high-powered equipment for true hi-fi sound in your car. Surface mount on rear shelf or other suitable surface. Features 133 mm woofer and 50 mm tweeter individually mounted under open mesh grilles. Electronic crossover network. Sturdy moulded housings. With mounting

hardware.12-1853

DE-LUXE 'MOBILE' MINIMUS 7 SPEAKERS £2995 Each

- Diecast Aluminium Enclosers
- Full 50 20.000 Hz Response

Amazing sound from a mini speaker system that is ideally suited for both in-car audio and full size home hi-fi systems. The system includes a heavy magnet, large excursion woofer for rich 50 Hz bass, and a soft dome tweeter for wide dispersion and crisp 20,000 Hz highs. Complete with fully adjustable mounting brackets. 40-2030

Black £29.95

Silver £29.95 40 Watts

BRACKETS FOR MINIMUS 7 SPEAKERS

Mount Speaker Anywhere

or in-car, wall or ceiling mounting. 40-2031 Pair



3-WAY HI-FI SYSTEM





60 Watts Power Handling Capacity



High-powered sound! 51/4" air-suspension woofer with 20-oz magnet. 1" voice coil — 2" midrange. 1" horn tweeter. Electronic crossover, snap-on metal grilles, mtg. hardware. No retainer rings required. 12-1856 £29.95



SLIM SURFACE

£34.95

- 7 Watts/ Channel
- With Rain Guard

Slim 130 mm door speakers with power handling up to 7 watts. Wide frequency response. Complete with rain guard. Luxurious black finish grilles. 4 ohms impedance. Includes fitting hardware. 40-9161 Pair £8.25



HIGH **POWER** DOOR SPEAKERS Pair

 Attractive Moulded **Enclosures**

 20 Watts/ Channel

Superb Performance from 2 x 20 watt flush mount speakers. Use with high power quality car radios and cassette players. Complete with cables and hardware. Just fit and listen! 40-9162 Pair £19.95

DE-LUXE FLUSH MOUNT

Pair

- Ready to Fit
- 9 Watts/ Channel



Pair £12.25

De-luxe 140 mm stereo speaker system, superb power and performance combined with ultra-good looks. 4 ohms impedance. Moisture protection. Complete and ready for fitting, 40-9117

ULTRA THIN DOOR **SPEAKERS**

£1495 Pair

• 20 Watts/ Channel



High power ultra-thin 133 mm speakers ideal for door mounting of where space is at an absolute minimum. With moisture seal. No retainer rings required. 8 ohms impedance. Attractive finish metal grilles. 12-1855 Pair £14.95

REALISTIC FOR BETTER SOUND VALUE

TANDY'S RANGE OF SURFACE MOUNT SPEAKERS

MINI SURFACE-MOUNT SPEAKERS

DE LUXE SURFACE-MOUNT SPEAKERS

£1595

DUAL CONE SURFACE-MOUNT SPEAKERS



Our lowest cost and smallest surface-mount speakers. 77 mm speakers with large 76 gram ceramic magnet in attractive moulded enclosure. Mount without cutting or fitting. Transfer easily to your next car. Extend only 71 mm from mounting surface 95 x 116 mm wide at base. 12-1852

Pair £5.99

133 mm speakers with big 227 gram magnets give high performance car stereo. Acoustic suspension speakers with whizzer cones and cloth-roll construction. Good looking moulded housings mount anywhere in your car. Add prestige sound to any car. 12-1849 Pair £15.95

High-quality 133 mm surface-mounts with dual cones. Wide response for impressive car stereo!
Big 120 g magnets, whizzer cones, cloth roll
construction. Moulded housings mount anywhere-easily! 12-1844 Pair £9.95





REALISTIC SURFACE MOUNT SPEAKER KIT

£995

Ready to install

Measuring 95 x 155 mm, these speakers give wide response for fine stereo. 8 watt output power. 4 ohms impedance. Good-looking moulded housings. Complete and ready for rear shelf installation.

40-9113 £9.95 SPHERE HI-FI SPEAKER SYSTEM

Rear shelf mounting. Crisp reproduction over a 90-18,000 Hz range. 10 watt RMS (15 watts IHF). 4 ohms impedance. Black finish. 1.5 m cable. 40-9126





SWIVEL GLOBE **SPEAKERS**

- Ready to surface mount
- 7 watts power



SPEAKER


GLOBE

HI-FI CAR

 Ideal for rear shelf mounting



Two Deluxe speakers, spherical shaped for powerful car stereo 7 watts power. 4 ohms impedance. Surface mount. Easily transferable. Complete ready to install. Really great value! 40-9125 £10.95 Super high performance, 15 watts IHF. Max (8 watts RMS) wide frequency response. 8 ohms impedance. Complete with cables for easy installation. 40-9129 £8.79



REALISTIC CAR SPEAKERS AND GRILLES

A. 100 mm Auto Speaker. 20 mm voice coil. 100-12,000 Hz, 7 watts, 4 ohms. 40-9100 £3.25

B. Universal 130 mm Speaker. 100-12,000 Hz, 7 watts, 4

C. Rear Deck Speaker. Wide range. 8 watts, 4 ohms. 95 x 155 mm. 40-9102 £3.59

D. Replacement Speaker. For mono or stereo. 8 watts, 4 ohms. 105 x 155 mm. 40-9103 £3.89

E. Extra Slim 130 mm Speaker. Total depth only 40 mm.100-10,000 Hz, 6 watts, 4 ohms. 40-9106 £3.59

F. Universal Extra-Flat 140 mm Speaker. 40 mm total depth. 7 watts, 4 ohms. 40-9107 £3.89

Complete ready-to-mount grilles. Non-glare charcoal finish. Factory installed look.

A. 12.7 cm Moulded Grille, Door panel or rear deck fitting. Com-plete, just install. €1.35

40-1291 B. 100 mm, 130 mm Loud-speaker Grille. (For use with Realistic speakers Cat. No. 40-9100, 40-9011 or 40-9106). 40-9108

C. For 105 x 155 mm or 100 x 180 mm Speakers. (Use with Realistic speaker Cat. No. 40-9103). 40-9110 £1.85

D. 140 mm Loudspeaker Grille. (Use with Realistic speaker Cat. No. 40-9107). 40-9111 £2.09

E. For 95 x 155 mm Speakers. (Use with Realistic speaker Cat. No. 40-9102). 40-9112 €1.79





COME TO TANDY FOR AUTO-RADIO ACCESSORIES



Sensitive Car Aerial with Built-In Amplifier!

Six section stainless steel 390 mm aerial. Receives all bands. With drilling template (two holes required), and 2.2 m aerial cable. Completely iterproof. Folds down for car wash. Mounts on any flat surface


BETTER PERFORMANCE WITH FM BOOSTER



195

● Improves VHF and VHF Stereo in Fringe Areas!

Over 6 dB amplification. Captures more VHF stations with greater clarity. Doesn't affect AM reception. With hardware and instructions. Easy plughookup, 12 V positive or negative earth, 12-1873



A. Mast. Fits over ''stub'' of broken antenna. 31" long, stainless steel, ideal for FM stereo. With locking screws. 12-1316 £2.69 **B.** Antenna. One-piece stainless steel. 31" long, ideal for FM or stereo. 48" cable included.

C. Mast. Fits over "stub" tions extend to 223" to 53". Stain-

less steel, with locking screws

D. Heavy-Duty Aerial mounts anywhere! 3-section stainless steel mast extends 25" to 60", adjusts to any position. Chromed swivel base, tapered shock spring. With mounting screws and 84" lead. 12-1319 £8.99 E. Heavy-duty, 4-section mast extends from 162" to 57". Chrome plated brass. 35° angle adjustment. Big base, 54'' cable with plug included 12-1302 £5.99

F. Universal ''8 ball''. 3 sections extend from 21½" to 55". Sta steel. Adjusts a full 35°. 12-1306 £4.99 G. Stainless steel spring, swivel ball mount. 3 sections extend from 25% to 55". Agjusts a full 90°. With 48" low-loss cable. 12-1307* £5.99

H. 4-screw hole mounting. One-piece stainless steel 31" long mast

With 72" cable, 12-1305

1. 24" Inline Extension. Male connector at one end, female at other 12-1312 99p 24" Male/Male Extension Cable 12-1314 £1.3 J. 12 ft. Inline Extension, Built-i £1.39 apacitor. 12-1311 £3.49

K. Universal 3-way connector connects 2 antennas to 1 radio input or 1 antenna to 2 radios.

12-1313

UNIVERSAL CAR AERIALS

TELESCOPIC AERIALS

Four sections - stainless steel top sections with 1.20 m cable.

A. Universal. 36 mm dia.

12-9071 £3.99

B. Universal. 30 mm dia. 12-9072 £3.99

C. Aerial for Volkswagen cars, 30 mm dia. £3.99 12-9073

D. Aerial for Golf cars, 21 mm dia.

> 12-9074 £3.99

DELUXE AERIAL £499

Telescopic, 5 sections, black, 100% weatherproof, Length: 95 cm with 1.20 m cable. Easily interchangeable second base (supplied)

2 interchangeable bases: one of 30 mm ø and the other of 36 mm ø. 12-9075 £4.99



Length: 110 cm, 36 mm. Adjustable inclination up to 45°. Stainless steel rod with 1.20 m cable. 12-9076

B. GUTTER **MOUNT AERIAL** $\mathbf{f2}^{69}$

Screw to gutter over window, enter lead at top of window. Easy to install: no holes. Whip, 80 cm, folds flush with roof. Lead is 170 cm. 12-9061

EXTENSION CABLE £199

m extension cable 12-9060 £1.99



SPEAKER CONTROLS

Speaker switch control selects sound from front, rear or both speakers. Under-dash mounting. 40-540 £1.09

> SELECTOR **SWITCH**

Allows car radio and separate tape player to use the same 270-045

CONTROL

STEREO FADER 270-047

SPEAKER

RADIO/TAPE

speakers. Under dash mounting. Screws included.

£139

£389 Speaker selector switch for separate stereo radio and tape player. Fader control for volume from front and/or rear speakers 270-046


HI-POWER STEREO FADER 270-048



SNAP-IN RADIO MOUNTING PANEL

Fits Most European Cars

Mount car radio or tape-player to metal bracket and facia plate and then snap-fit into dash-board aperture. 40-9160 £2.89




UNDER DASH MOUNTING PANEL

With all Mounting Accessories

Accepts most makes of car radios. Mounts unit under the dashboard. Moulded high impact A.B.S. finish. Complete with swivel bracket, screws, etc. 40-9123 £2.95 £2.95





Complete with Spacing Rings

Oversize panel can be easily trimmed to size to give in-dash radio mounting a professional finish. 40-9174

HIGH-INTENSITY





SPEAKER

£109

Speaker fader control gives continuously variable sound

from front, rear or both speakers. 40-550

CONTROLS

£1.09

AUTO

4-SPEAKER

SELECTOR

SWITCH



PORTABLE AIR COMPRESSOR -MAKES HAND PUMPS OBSOLETE!

Plugs Into Your Car's Cigarette Lighter Socket!

£1995

Inflates tyres, rafts, beach balls, and sporting equipment quickly, easily. Use it to pressurize water circulation systems in boats and recreation vehicles. Delivers up to 80 lbs of air pressure! Comes complete with 28 inch air hose, 9 foot power cord and plug, plus 2 accessory nozzles. 61-2647 £19.95



Get Help Fast Day or Night A pulsing flash 300 times brighter than ordinary flashlights. Weather sealed and compact. Wrist strap. Requires 2 "C" batteries. 61-2644

VERY USEFUL ACCESSORIES FOR YOUR CAR

12 VOLT POWER

SUPPLY

12 VOLT DC POWER SUPPLY

Operate Car Equipment at Home!

Use this 12 volt power supply to run or test your car stereo equipment at home. 1.7 amps continuous 12

DWELL-TACH-POINTS-TESTER



£1295

Indispensable for routine tuneups. Reads rpm-0-1200 for 8 cylinder, 0-1600 for 6 cylinder, 0-2400 for 4 cylinder; Dwell 0-45 for 8 cylinder, 0-60 for 6 cylinder, 0-90 for 4 cylinder and points resistance good/bad. Colour-coded leads, insulated clips and high impact case. For all 4-6-8 cylinder cars, 6 and 12 V negative earth systems. 22-1641 £12.95

V DC output. 5 amps surge. Input 220/240 V AC, 50/60 Hz. Fuse protected. For easy connection to tape player, use 270-014 connector cord (below).

Charges Batteries Top

12 VDC AUTOMATIVE/INSTRUMENT CLOCK MODULE

Large, easy to read 7.6 mm display features leading zero suppression, blinking colon and auto dimmer circuit. Display blanks automatically to minimize battery drain when ignition is off £ 1795 Reverse polarity protected 12 volt neg. ground. Includes £17.95

UNIVERSAL CAR POWER **ADAPTOR** Converts 6 V

DC input to 12 V DC Output!

Converts 12 V positive to 12 V Negative!



Most tape players are 12 V negative earth only. If your car is 6 V negative, this adaptor will supply 12 V negative to a tape player or radio. If your car is 12 V positive, it will supply 12 V negative. Rated 3 amps. fuse protects. 22-129 £15.95

DC AUTO ADAPTOR-**REDUCES 12 VOLTS** TO 6 OR 9 VOLTS

Includes four different

type output plugs Power portable equipment from your car, truck, RV, or boat. Four different plugs fit almost all equipment with a DC power input jack. 6/9 V switch, reversible output polarity. Delivers up to 300 mA current cord plugs into lighter socket. For 12 V DC negative ground only



CAR PANEL SWITCHES

22-9127




A. Flip type toggle switch. Contacts rated 5 A at 12 E DC. Screw terminals. Flexible 25.4 mm lever handle.

65n **B.** Dashboard switch. Featuring control light 5 A at 12 V DC. Ready for fitting. **275-703** £1.49

SPST 12 V DC 3 A illuminated switch. 275-706

99p **D.** Auto-Switch Bracket. Double panel for under-dash mounting with hardware. Two 11 mm openings. 38 x 73 x 15 mm overall. 275-705

TRANSISTORIZED IGNITION SYSTEM



 Increased Mileage per Gallon! For all 4 and 6 Cylinder 12 V Negative Earth

Get the most from your car by adding this transistorized ignition system! Get quicker starts even in winter, better acceleration, complete combustion for increase mileage, correct ignition timing, reduced wearing of the interrupter contact and spark plugs. Easy to install. Switchable to normal ignition operation. Includes connecting/plug and mounting instructions. 270-9111 £24.95

CAR LIGHTER PLUG

Lets you power DC accessories directly from the car lighter

socket. Lighter plug 274-331 69p

AUTO EXTENSION CORD



29

£16.95

10ft. For accessories. 8 amps 270-1536 £3.89

HEAVY DUTY LIGHTER PLUG



With coaxial power connector, 2 A fuse. 270-1534 £2.99

12 V OUTLET

81



69

Add to RV, van or boat for portable radios, TV's accessories. Rated 15 A with hardware 270-1537 £2.69

LIGHTER PLUG WITH CORD



Lighter plug with 2.5 m cord 270-021 £1.2

AUTO LIGHTER PLUG ADAPTOR



accessories simultaneously. 270-1538 £6.99

CAR STEREO



Universal 4/5 pin plug and cord set. Changeable contacts makes up 5 different 4 and 5 pin plugs.

5-pin plug/5 metre speaker cords Ideal for using tape at home or in second car. Push on terminals.

PACK OF 10 ASSORTED **AUTOMOTIVE LUGS**



Insulated automotive lugs for terminal connections. 4 different types. Perfect for almost any connection in your car. Quick to disconnect 270-9201

UNIVERSAL SUPPRESSOR KIT

59° **HIDE-AWAY KEY HOLDER**



Hide an house or car key. Powerful magnet riveted to case holds it on any reliable metalio surface. 49-050 29p

£3.29

RADIO NOISE FITTERS Noise eliminator kits. Each includes filter choke, capacitor and instructions

Standard Kit 270-020 Heavy Duty Kit 270-030

£2.29

£2.99 box. 40-9155

plug suppressors Contains 4 distributor lead suppressor, one 0.5 Mfd suppressor for the coil, one 2.2. Mfd for the curr, or regulator for alternator or regulator £2.59


DELUXE AUTO NOISE FILTER



Rated 5 amps Deluxe filter. Two L-X sections. Attentuates noise and interference ignition and alternator. Suitable for most in-car stereo equipment

Tandy has everything for the motorist

MULTIBAND RECEIVERS BRING THE WORLD INTO YOUR HOME



Fine Tuning Separates Closely Spaced Signals

Variable BFO for Receiving Single Sideband and Code
 Large Illuminated Main Tuning Dial and Signal Strength Meter

£7995

REALISTIC DX-100L. The perfect introduction to a fascinating hobby. This easily operated 5 band receiver brings you exciting global listening at a very affordable price. Tunes 150 kHz to 30 MHz in five bands. Variable-pitch BFO for single sideband (SSB) and code (CW) reception. Automatic Noise Limiter reduces impulse-type interference. Ceramic IF Filler cuts signal interference on crowded bands. FET front end captures even the weakest stations. Front speaker gives clear sound. Headphone jack, Power requirements 220/240v AC 50 Hz or 12v DC External source. **20-9206** £79.95

Specifications

Frequency Coverage: LW 150 — 400kHz; MW 520 — 1620 kHz; SW 1.55 — 4.5 MHz; SW2 4.5 — 13 MHz; SW3 13 — 30 MHz IF Frequency: All Bands 455 kHz **BFO** Pitch range: - kHz (at 7 MHz) Antennas: Bands A/B/C ferrite rod built-in, plus Telescopic antenna for Bands B/C/D **Power Output:** (8 ohm) 750 milliwatts (10% THD) **Size:** 120 x 300 x 251 mm.



- Frequency coverage from 150 kHz to 30 MHz
- Illuminated Drum-Type Tuning Dials
 Low-Noise MOSFET RF and Mixer Stages

£15995

REALISTIC DX-200. This feature-packed receiver has calibrated bandspread for easy tuning of the 60-49-31-25-19-14 and 13 meter international broadcast bands, the 80, 40, 20, 15, 10 meter Ham bands and 27 MHz. Built-in quartz-referenced 500 kHz calibrated makes tuning precise. RF gain control adjusts receiver for optimum sensitivity. Aerial trim provides best reception. Variable-pitch BFO and Fast/Slow AGC control gives outstanding SSB performance. Switchable Automatic Noise Limiter for AM. Front speaker and IC audio stage for clear sound. Jacks for headphones, and external speaker, terminals for earth and aerial. 20-205 £159.95

Specifications

Sensitivity: 1 uV for 10 dB S/N ratio. Selectivity: \pm 4kHz, - 6 dB; \pm 8 kHz, - 40 dB. RF Gain Control Range: 80 dB at 7 MHz. Receiving System: Single conversion, 455 kHz IF. Calibrator Accuracy: 20 ppm. Power Requirement: 220/240v AC, 50 Hz.

OUR BEST DIGITAL READOUT COMMUNICATIONS RECEIVER



- Triple Conversion Quartz Locked Circuit For "On The Nose" Tuning Accuracy
- **LED Frequency Display**
- **Dual-Gate MOSFET Mixers For Low Noise, High Sensitivity**

£25995

REALISTIC DX-302. Our finest and most versatile! Operates on AC, 12 VDC or internal batteries. and a bright 5-digit LED readout lets you tune directly to stations — no calibration is required! A tunable 6-band preselector, with LED band indicators and lighted dial, assures peak sensitivity. To help separate closely-spaced signals, the "302" has six and nine-element ceramic filters, controlled by the wide/narrow IF selectivity switch. RF gain control and 3-step RF attentuator prevent strong signal overloading. Function switch selects lower sideband, standby, AM and AM-ANL (automatic noise limiter) modes. Variable-pitch BFO for easy CW and SSB tuning. Up front speaker and headphone jack. Rear panel jacks let you connect an external speaker, a code key, tape recorder or amplifier. For portable operation, there's even a conserve batteries. 15.24 x 36.83 x 25.40 cm. The receiver that has it all - and lets you enjoy it anywhere! Includes whip antenna and 20-page manual. 20-220

£259.95

Specifications

Sensitivity for 10 dB Signal-to Ratio: AM, 30 uV at 50 kHz, 1 uV at 900 kHz, 0.5 uV at 3.1 MHz, and above. SSB, 15 uV at 50 kHz, 0.5 uV at 900 kHz, 0.3 uV at 3.1 MHz and above. Selectivity: Wide, ± 3.5 kHz, -6 dB; ± 6 kHz, -60 dB. Narrow, ±2.5 kHz, -6 dB, ±4.0 kHz, -60 dB.

Frequency Stability - Within 1 kHz per hour after 60-minute warm-up

Power Requirements: 220/240 V or 12 VDC neg. gnd. or 8 internal "C" cells (not incl.).



CODE OSCILATOR MODULE

Fully wired, just connect to key. PM speaker, 1.5 V battery, full instructions.

20-1155

£1.84



Perfect for morse code. Includes buzzer, adjustable spring and contacts, headphone jack. Needs one D cell. 20-1087 £3.49



BRASS HAND KEY Fully Adjustable

Adjustable spring and contacts. Ball bearing pivots. 20-1084 £2.99

SHORTWAVE ANTENNA KIT



£669

Complete outfit for long-distance reception: 75' copper antenna wire, insulated lead-in, standoff and "egg" insulators, under window-feedthrough. 278-758



COMMUNICATIONS HEADPHONES

Adjustable headband and padded earcushions for comfortable listening. Monophonic. 4-16 ohms. Std. 1/4" plug. 20-200 £5.45

MOBILE AND TABLE TOP SCANNING RECEIVERS



- Four Bands VHF Hi/Lo, UHF Hi/Lo
- **Channel Lockout Switch**

Realistic PRO-53. An economical scanning receiver that brings you all the action! Scans VHF - Lo, 68-88 MHz; VHF Hi, 144-174 MHz; UHF — Lo, 450-470 MHz; UHF — Hi, 470-512 MHz. Scanner seeks and locks in on each active channel, resumes scan when transmission ends. Individual channel lockout switches with skipper circuit for efficient scanning of any or all 8 channels. With built-in antenna, headphone and external speaker jacks. 220/240V AC 50 Hz. Requires up to 8 crystals. 20-122

Crystals

A range of crystals is available from your Tandy Store.

- Four Bands UHF Hi/Lo VHF Hi/Lo
- **Automatic and Manual Scanning Modes**

Realistic PRO-47. Scan up to 10 crystal-controlled channels and listen to exciting, up-to-the-minute action and news. Scans 10 channels per second, automatically locking onto any active channel. Delay circuit waits 2 seconds for a return call. If there is none, scanning resumes. Lockout switch skips unwanted channels. LED channel-scan indicators, built-in speaker, external speaker or headphone jack. Scans 4 bands -UHF Hi/Lo and VHF Hi/Lo. Requires up to 10 crystals. Complete with AC and 12V DC neg. ground power cables and mounting bracket. 20-142



Compact enough to slip

- Two Antennas for Optimum Results Anywhere
- Two Bands, 68-88 MHz VHF -- Lo 144-174 MHz VHF - Hi

£6995

Realistic PRO-20. The scanner that lets you monitor the action wherever you go! Fits in your pocket, purse or clips on your belt. Scans up to 4 channels on VHF - Lo - Hi. Features scan-delay to catch call responses, channel lockout, variable squelch, built-in speaker, jacks for earphone, antenna, external power and charger. With earphone and batteries. 165 x 73 x into your pocket 38mm. Requires up to 4 crystals. 20-101 £69.95



Realistic PRO-2008. With this 6-band programmable scanner, you're not limited to a few crystal-controlled frequencies. Simply enter the frequencies you want on the Keyboard. Scans up to 8 channels, locks in on active ones. DELAY key holds channels for 2 seconds. OUT key temporarily locks out selected channels. Full-time monitoring of a single channel is provided by MAN key, ENTER key helps reduce incorrect entries. Bright 8-digit readout. For channel number, frequency and status. Headphone jack, detachable whip antenna and external antenna jack. Special circuit powered by 9V battery (not incl.) holds memorized frequencies in event of power failure or accidental unplugging. 220/240V AC 50 Hz. 20-9111 £199.95 95

Frequencies: VHF Mid 68-88 MHz. VHF Hi 144-174 MHz. UHF 410-512 MHz.

REALISTIC SCANNING RADIOS — THE PROFESSIONAL CHOICE




No Crystals Needed! Direct Keyboard Entry of 20,480 VHF, UHF and Aircraft Channels

REALISTIC PR0-2002. You can't buy a better or more exciting scanning radio! With it, you enjoy continuous, automatic reception of any 50 channels on UHF and VHF for all kinds of real-life action and drama. You can "personalize" your listening — the digital keyboard lets you punch in actual frequencies for monitoring, storing, or just exploring. Search Direction buttons make it easy to find new or unpublicized channels — just enter the lower and upper range limits and select the search speed. You can search all frequencies or in any of 5 sets. The rest is automatic, because the 2002 will search across all bands. When you find an interesting channel, simply read its frequency off the big 6-digit display, and insert it in the microprocessor memory using the ENTER button. Zeromatic assures accurate signal tuning. 20-9116

Features automatic or manual scanning, scan-delay, electronic individual channel lockout for temporarily bypassing unwanted channels, and variable squelch control. Built-in 9V battery (not incl.) backup maintains memory during power failures or when you unplug the scanner. Built-in speaker, plus jacks for headphone, externs speaker and tape recorder. Band Coverage: VHF Lo: 68–88 MHz; Aircraft (AM): 108–136 MHz; Amateur: 138–148 MHz; VHF Hi: 148–174, Amateur Radio/Gov: 410–450 MHz; UHF Lo: 450–470 MHz; UHF Hi: 470–512 MHz.

220/240V AC 50 Hz or 12V DC Negative Ground.



SCANNER ACCESSORIES

A. Coax Adapting Connector. Adapts standard PL-259 connector to Motorola-type plug. Push/screw-on lock, 278-208 €1.09


B. 65-520 MHz Omnidirectional, vertically polarized aerial for the PRO-2001 Scanner. Includes SO-239 50 ohm connector.

20-9001 £24.95

C. Indoor VHF - Hi/Lo Plug-in Aerial. Whip extends 40-100 cm. Centre-loaded. Motorolatype plug. 20-161 £3.69

- D. Indoor UHF Hi/Lo Plug-in Aerial: 52 cm long. Motorola-type plug. 20-451 £4.79
- E. VHF Hi/Lo, UHF Hi/Lo Magnetic Mount Mobile Aerial. Secure even at speed! Motorolatype plug. 4 m cable. 20-018 £15.95
- F. Base Station Coax Cable Assembly, 12.7 m of RG58/U 52 ohm polyfoam dielectric cable with PL-259 connectors factory-installed on each end. 278-970 £12.95

TANDY'S TRANSMITTERS/RECEIVERS TAKE YOU FURTHER



PLL Frequency Synthesizer

- Digital Channel Indicator
- Outlet For PA Connections

22 CHANNELS FM. TRANSMITTER/RECEIVER

REALISTIC TRC-720. Listen through up-front speaker, headphone jack or add an optional extra speaker. Public address capability. PLL Frequency synthesizer for stability on each of the 22 channels. Lighted S/RF meter, ON THE AIR and Modulation indicators. Supply voltage 220/240V AC 50/60 Hz. 21-9016

NOT AVAILABLE IN UK



Includes Dynamic Microphone

Works on 12 VDC

NOT AVAILABLE IN UK

REALISTIC TRC 613: Famous for value! Deluxe compact has the features you want most. Squelch control, easy to read S/RF meter and LED channel readout. Change over switch. PA/CB. 21-9014

Mobile 12 CHANNELS AM TRANSMITTER/RECEIVER



Phase Lock Loop for Precise Stable Frequencies

5 Watts Output

REALISTIC TRC-612. Compact mobile with PA facility. LED Channels indicator. Crystal and ceramic filter for extreme selectivity. Automatic Squelch. Bracket, hardware included. Works on 12 V DC Negative or positive ground. 21-9012

NOT AVAILABLE IN UK



Switchable PA/CB

LED Channel Indicator

REALISTIC TRC-620. Compact CB has all necessary features for efficient performance. Volume regulator, CB/PA Switch. Channel 9 priority switch. Sensitivity for 20 dB S+N/N: 0.5 mV, Channel Rejection 80 dB. Built-in noise suppression. 12 V DC positive or negative ground. 21-9013

NOT AVAILABLE IN UK

KEEP IN TOUCH WITH TANDY

BASE STATION WITH BUILT-IN NOISE LIMITER



Not available In UK

Realistic TRC-712. Loaded with features! Dual ceramic IF filters give you superior selectivity and adjacent channel rejection. Adjustable Squelch compensates for fading to reduce signal 'chopping'. LED Modulation indicator and digital channel readout. S/RF meter, Up-front speaker, jack for external speaker and headphone. AC operation 220/240 50/60 Hz. 21-9015

Tandy—a 60 year tradition of value for money in electronics



REALISTIC WALKIE-TALKIES

A. Realistic TRC-502. Our versatile walkie-talkie with a large capability of 2 W and automatic noise suppression. 21-9002 Not available in UK.

12 Channel **LED Display**

Headphone

Jack

B. Realistic TRC-501. channels CB, with channel 9 quartz. 1.5 m long telescopic aerial. Complete with case. 21-9001 Not available in UK.

C. Realistic TRC-500: 1 watt solid state CB Walkie-Talkie. 3 channel. Regulated noise suppression. Battery test button with LED indicator. Telescopic aerial 1 M long. **21-9000**

Not available in UK.

D. Realistic TRC 301. Just right for scouts, young outdoor men who want to keep in touch. Compact, lightweight plus Great Features and quality for the money. 100 MW Transmit power. Requires 9 V battery. 21-9020

ACCESSORIES FOR AN EVEN MORE VERSATILE

Whip Loaded Antenna. Suitable for most CB's. 21-919 Not available in UK.

A

B

Flexible Rubber Antenna. Fits on most portable CB's and walkietalkies. For loaded and standard antennas. Clamps with one screw. 21-980 Not available in UK



Battery Charger. Charges 12-18 V nickel cadmium battery pack at a ratio of 40 milliamps per hour. 21-516 Not available in UK



3

Nickel Cadmium Batteries Pack 2 23-125 £2.99

CB TRANSMIT AND RECEIVER CRYSTALS

Not available in UK.

PRECISION made and tested in our own USA factory. Pack of

	CAT. NO	CAT. NO
A CERT	21-1201	21-1215
71111	21-1202	21-1216
1/1/0	21-1203	21-1217
	21-1204	21-1218
	21-1205	21-1219
	21-1206	21-1220
	21-1207	21-1221
UU	21-1208	21-1222
	21-1212	21-1223
	21-1213	21-1224
	21-1214	21-1225

SHOP TANDY FOR EVERYTHING IN CB ACCESSORIES

%-WAVE ANTENNA

- Omnidirectional
- Beta-Matched for Very Low SWR

High performance and efficiency! Three 108" quarter-wave radials, plus 108" quarterwave radiator (vertical element). 'U' clamp fits masts up to 1" dia. Static discharge arrestor. Accepts PL-259 plug. 21-901 Not available in UK



1/2-WAVE ANTENNA

- 3.75 dB Signal Gain
- Omnidirectional Pattern

Multiples effective radiated power for greater transmit range, cleaner reception. Five-section aluminium radiators, three 52" radials. Fits up to 1%" dia. masts. Accepts PL-259 connector. 21-902 Not available in UK



64 – Wave Antenna

For maximum-range all-directional transmission and virtually static-free reception. Five-section vertical radiator is over 22' long, and four 9' radials provide maximum electrical performance. Vertically polorized for maximum noise reduction. Delivers the strongest signal and the lowest radiation of any comparable antenna we know of. Fully moisture protected loading coils for years of trouble-free service. Triple 'U' clamp bracket fits masts up to 1%' diameter. Accepts PL-259 plug. 21-964 Not Available In UK. Delivers 4½ dB Gain in All Directions



COAX STATIC DISCHARGE UNIT

Reduces static build-up. PL-259 plug. SO-239 connector. 21-1049

Not Available In UK

ANTENNA TUNER



Matches CB sets to any 10-10,000 ohm antenna. 500-watt RF capacity. 21-513 Not Available In UK

TV INTERFERENCE FILTER



Be a good neighbour! Attenuates 25 dB to reduce CB interference on TV & FM. 21-512 Not Available in UK

DUMMY LOAD ANTENNA



Non-inductive 52-ohm lead for testing up to 5 watts. PL-259

plug. 21-628 £2.69

AC FILTER

For FM/SW Receivers 21-9500 Not available in UK

PRE-AMP BASE CB MIKE



BASE STATION CABLE ASSEMBLIES



Feet	Туре	Cat. No.	Each
2	RG58/U	278-968	2.69
50	RG8/U	278-970	12.95

12-VOLT DC POWER SUPPLY



- Operate Car Equipment at Home!

Use this 2-volt power supply to run or test your car stereo equipment at home. 1.7 amps continuous 12V DC output. 5 amps surge. Input 220/240V AC, 50/60 Hz. Fuse protected. For easy connection to tape player, use 270-014 connector cord (below). 22-9127 C16.95

MAGNETIC MIKE HOLDER

Keeps your mike in place no matter what the terrain. Magnetic — easily attaches to car, boat, truck — no holes to drill or hardware needed. 21-1130 39p





DYNAMIC MIKE

Shielded coiled cord with DIN-type plug. Replacement for Realistic CB sets requiring a dynamic mike, and many other brands. €14.95

PRE-AMP NOISE CANCELLING MIKE



Cuts road, engine, background noise. Built-in pre-amp for 100% modulation. Push-to-test battery button with LED indicator. Works as regular dynamic mike without battery. For Realistic, many other. DIN plug. Requires battery below. 21-1175 C16.95

FIELD STRENGTH/SWR METER



Helps you operate your CB with maximum efficiency. Measures SWR forward and reflected power to 1 kW. Covers 2-30 MHz. 52 ohms. 1% x 63/16 x 21/2". 21-525

2 for £1.85

Each 89p


Each 99p

2 for 49p

Each £2.65

COAX CONNECTIONS FOR HAM USE

Standard UHF type connections for HAM and CB use with push screw-on type lock. Amphenol-type.



A. PL-259 plug 278-205
B. SO-239 for chassis 278-201
C. PL-253 coupler 278-1369

UG-175/U reducer - for RG58/U 278-206 E. M-368 'T' adaptor; UHF type screw-on lock. 278-198

F. M-359 andgle adaptor. UHF type screw-on lock. 278-199

Each £1.69 G. Coxial connector adaptor. Specially designed to adapt the UHFtype coxial connector to the Motorola-type standard pin plug. 278-208

COAXIAL CABLE




Extra low loss, ideal for amateur radio or CB use. RG58/U. 52 ohm. 278-1326

59p



polyethylene Low-loss dielectric. With tough outer jacket. RG 8/4. 52 ohm. 278-1325

CUSTOM MANUFACTURED IN TANDY'S OWN FACTORIES



B. No-Hole Boot Mount Antenna. Mount it on center or either side of boot lid and secure it with just two set-screws. Easy cable entry. Has base-loading coil and stainless steel shock spring and whip. With 16' coax cable connector.

CB maximum signal range. Features adjustable dual chains, bracket for mounting and a chrome-

plated shock spring. With mounting hardware.

Not Available In UK 21-908

Not Available In UK. 21-927

C. Twin Truckers-II Dual Antenna. Two matched antennas for a stronger signal pattern from ahead and behind. Stainless steel, adjustable tip rods. Oversize mounts for easy attachment. With 18' dual phasing coax harness, connector.

Not Available In UK. 21-942

D. Fiberglass-Whip No-Hole Boot-Grip Antenna. Whip won't rust — ideal for coastal areas and other corrosive environments. For center or either side of boot lid. Stainless steel shock spring. Solid brass adapter allows one inch of whip adjustment. PVC coil housing has triple chromeplated brass top, bottom fittings to prevent corrosion. With 16" coax cable, connectors. 21-926

E. Base-Loaded Magnetic Mount Antenna. No holes to drill! Mounts on any flat magnetic surface. 17.7 type stainless steel whip is hardened to take punishment in its stride. Heavy-duty stainless steel shock spring provides stability at speed and the right amount of give under sharp stress. Coil is sealed for added protection. With 16' of coax cable, connector. 21-940 £19.95

F. CB/FM/AM Disguise Antenna. A combined car radio and mobile CB antenna made possible with a passive coupler device. Mounts in standard aerial mounting hole, or wherever you choose. Tapered stainless steel whip. Improves radio performance. With coax cable splitter, hardware, instructions.

Not Available In UK. 21-990

G. Stainless Steel Roof Mount Antenna. Whip adjusts for lowest SWR and maximum RF output. Snap-in for easy installation, solderless connections. With coax cable, connector.

Not Available In UK. 21-904

H. Gutter Clamp Antenna. Great for temporary use — easy car-to-car transfer. The heavy-duty shock spring provides stability at speed with just the right amount of give under sharp stress. Center-loaded, stainless steel whip and spring, chrome-plated support tube. Adjustable top whip. With coax cable and connector.
Not Available In UK. 21-909



A. Co-Phase Harness. Connect 2 antennas to 1 transmitter. For Archer and other base loaded or whip antennas.

Not Available In UK. 21-935

B. Mobile Cable Assemblies. 20° of RG58/U cable. PL-259 Plug to Lugs. **278-966**

PL-259 Plug to Both Ends. 278-967 Not Available In UK.

C. Gutter Clamp. For most antennas requiring 3/8 diameter hole. Not Available In UK. 21-911 D. Mobile Antenna Matcher. Reduces SWR. Matches any impedance. 10 to 1,000 ohms. Not Available In UK. 21-924

E. Noise Eliminator Kits. Each includes filter choke, capacitor and instructions. Standard Kit, 270-020 Heavy-Duty Kit, 270-030


F. Noise Filter for suppression of interference and vehicle noises. 21-507

G. Rated 5 Amps. Deluxe filter. Two L-C sections. Attenates noise and interference from ignition and alternator. Suitable for most in-car stereo equipment. 270-050 £8.49



Underdash Mount. Fémale half attaches to transceiver and slides on or off nylon guides of male bracket, mounted under dash of vehicle. 21-566 £9.95

Extra Mount for above. Use the same CB in 2 vehicles.





Hide It In Trunk
When Not In Use

Use with trunk or roof mount- antenna slides off bracket in seconds. Complete with all hardware.

Not Available In UK. 21-530

UNIVERSAL CAR POWER ADAPTOR

 Converts 6 V DC Input to 12 V DC Output.

 Converts 12 V positive to 12 V negative!

f1595

Most tape players are 12 V negative earth only. If your car is 6. V negative, this adaptor will supply 12 V negative to a tape player or radio. If your car is 12 V positive it will supply 12 V negative. Rated 3 Amps, fuse protected. 22-129



£2.29

£2.99

£1.69

FOR THE WIDEST RANGE OF PARTS-SHOP TANDY

B

LED SINGLE DIGIT READOUTS

- Mount directly on to circuit board!
- Bright red display!
- Easy to read!
- I.C. Compatibility!

A. 0.6" 7-segment display. Fast switching; great for multiplexing.

B. 0.3" Left and right decimals. Light output 0.25 med at 10 mA

Cat. No.	Fig.	Dig. Size	Dig. Function	Drive	Price
276-056	Α	0.5"	В	Common Anode	£2.19
276-053	В	0.3"	8	Common Anode	£1.69

LED VU METER





Utilise sophisticated logic control circuit.

Operates on 4-12 V DC. 82 mm long, 54 mm high. Ideal for output levels. 270-9608 £14.95 Available December '80

MINI AND DIFFUSED LENS LEDS

High brightness!

Low power drain!

Wide angle view!

GaAsp (Gallium Arsonide Phosphide Light Emitting Diode). Subminiatures and Dif-fused Lens LEDS for a wide range of applications, solid state, long life light sources.

Cat. No.	Size	Colour	Fwd V at mA	Price
276-032	Submini	Clear	1.6 at 20	4 for 69p
276-033	Mini	Red	1.6 at 20	2 for 49p
276-034	Mini	Green	1.6 at 20	2 for 64p
276-026	Mini	Red	1.6 at 50	3 for 99p
276-041	Jumbo	Red	1.75 at 20	3 for 79p
276-042	Submini	Red	1.5 at 20	3 for £1.05
276-045	Submini	Green	1.6 at 20	3 for 79p

RECTANGULAR LED LAMPS

● Ideal for Bar Graph Displays

High brightness. Can be stacked vertically or horizontally. Maximum forward current: 30 mA. Typical forward voltage: 2.5. Choice of three colours. 5 x 2.8 mm.

276-070 276-071

2 for 69p Green 2 for 69p 2 for 69p Yellow

LED PANEL LAMP HOLDERS

276-072

Chrome finish

● For T1 3" Jumbo LEDs

Pack of 2 Chrome LED panel lamp holders to give your projects that professional finish. Mount in 4 mm holes. 276-080 Pack of 2 for 69p

TRI-COLOUR LED

Colour varies on supply voltage, red on DC, green on reverse DC nd yellow on AC. Uniform 6 mcd output. Forward voltage : 2.2 V DC. Max. current: 25 mA.

RED FLASHER LED



Works from 3 to 5V DC, no dropping resistor needed. Pulse rate: 3 Hz. Reg. 20 mA at 5 V DC. 276-036 79p

79p

PRECISION PANEL METERS



A



Wide-angle meters let you monitor critical circuits and give projects a professional look. Accuracy $\pm 5\%$ full scale. All 70x57x31 mm. f5 49

A. 270-1751 0.50 μA DC 270-1752 0-1 mA DC

£4.99 B. 270-9053 VU Meter -20 to +3:

20-20 kHz ±1 dB: '0' VU = 0.8 V rms £5.49 270-9054 0-15 V DC (internal Rectifier) 4.000 ohms £5.49

PANEL LAMPS AND ASSEMBLIES



A. Panel Lamp Indicators. 1 red, 1 green. With connecting leads, mounting clips. 22.2 mm long. Mount in 9.5 mm holes. 12 V, 50 mA.

2 for 99p 272-322 B. Miniature Panel Lamp Assembly. Two assemblies 35 mm long. Require 6 V screw-in bulbs 12.7 mm mounting holes. With hardware. 2 for 84n

272-323 C. "Mini" Rectangular Lamp Set. One assembly with 2 rectangular lenses. Takes screw-in lamp. Requires 11.1 mounting hole. 25.4 mm long. 272-327 2 for 99p

D. Neon Pilot Lamp Assemblies. 1 red, 1 yellow. With internal dropping resistors. Fully enclosed, 9.5 x.28.5 mm. Require 7.9 mm mounting holes. 240 V AC. 272-703° 2 for £1.19 E. Neon Pilot Lamp. Red colour, 40 mm long.

mm mounting hole. 220/240 volts, 50 Hz 272-1501

F. Neon Pilot Lamp Assemblies. 1 red, 1 yellow, with built-in dropping resistors. Fully enclosed, Require 11.1 mm mounting holes, 240 V AC. Square lens Circular lens 2 for 99p 272-705

G. Red Neon Panel Lamp. Rectangular for 220/240 V AC. High brightness. 272-706* £1.19

H. Square Lens Lamp Assembly. Standard bayonet socket with one red, one orange lens. Rebayonet socket with one red, one orange quires 17.4 mm mounting hole. 272-333* 89p

1. "Mini" Panel Lamp Assemblies. 1 red and green lens. Accept miniature-base lamps, Length 30.1 mm (less lugs). Require 15.9 mm mounting

272-324 For Screw-Base Lamps **84p 272-326** Like 272-324, but: 22.2 x 26.9 mm **89p**

B





















grip with numbers 0-10 etched on chrome plate. Silver inlay, set screws, 300 dial. 38 mm diameter.

22 mm deep. For 6.3 mm shafts. 274-392 3 for £1.25 274-391 Single line

fig. B 3 for £1.25 index type A/B. Communication Knobs. Same as above, but smaller. 28.5 mm diameter x 17.5 mm deep. Brass bushing for 6.3 mm shafts.

fig. A -414 Single 274-413 0-10 calibrated fig. B 2 for 89p C. Hexagon Instrumentation Knobs. Sturdy knobs for test and communication equipment. For nm shaft.

274-407 35 mm wide x 15.9 mm deep 2 for 59p 274-404 25.4 mm wide x 15.9 mm deep 4 for 89p D. Pointer Knobs. 5 black bakelite knobs with countless applications. 38 mm long x 14.3 mm deep. Brass inserts, set screws. For 6.3 mm shafts

4 for £1.19p 274-415 19 x 11 mm 274-416 25.4 x 14.3 mm 4 for £1.19p F. 19 mm Knurled Knobs. Six black, silver-inlaid knobs for radios, test equipment, experimental chassis of all kinds. Brass insert, set screw. Fits 6.3 mm shaft. 38 mm deep. 274-380° 6 for £1.25 G. Metal Knobs. Set of matched brushed aluminium knobs. To fit standard 6.3 mm shaft. Set

mm shafts. Brass insert and set screws included

274-379 25.4 x 15.9 cm. 2 for £1.49 H. Deluxe Knurled Metal Knob. All fit 6.3 mm shafts. With plastic underside and two set screws. Diameter: 25 mm. Depth: 19 mm **274-422 £1.19** 1. Slide Control Knobs. Snap-on knobs for potentiometer. Black plastic moulding with red indicator line. 15 x 10 x 10 mm.

5 for £1.29 2/4-9194
J. Deluxe Slide Control Knobs. Metal finish with black indicator line. Designed to fit slide potentiometers (Cat. No's 271-9001potentiometers (Cat. No's 271-9001-271-9006). 15 x 10 x 10 mm. 274-9055 £1.29

CADMIUM SULPHIDE PHOTOCELL

99p



Sensitive to yellow/green light. Resistance range 5 meg ohms to 100 ohms. . Voltage 1/6 V; max. power dissipation. 200 mW. 6.3 mm.

276-116

SILICON **PHOTOTRANSISTOR**

Similar to Fairchild type FPT 100. Wide sensitivity, minimal response timing. NPN Plamar low leakage, low power. TTL/DTL compatible. 276-130

INFRA-RED LED EMITTER/DETECTOR PAIR



Matched, ideal for experiments. Subminiature LED source rated 20 mA at 1.7 V DC. Uses photo transistor for high sensitivity Pair £1.49 276-142






Diecast bezel with lens featuring high contrast filter. Lens opening $3\frac{9}{16}$ " x 1". Mounting nuts and washers included, 270-301 £2.99

Plastic face plates, cut to fit 270-296 Green tint 270-297 Blue Tint 270-299 Red Tint

COMPLETE YOUR PROJECT WITH OUR CABINETS & ACCESSORIES



CR-150 19" RACK CABINET f3795

Really sturdy construction!

3 mm aluminium front panel, 480x150 mm. 1 mm aluminium back face. Chromed handles, rubber feet, Louvred for ventilation. (430x250x140 mm steel top, finished in grey). 270-9103 £37.95



For front panel, 2xM4 screw fixing, pack of 2. 270-9114 80x30 mm x8 mm. £1.69

FLEXIBLE HANDLE



Perfect for portable cabinets. Chromed attachment blocks, 152x25.5 mm.

£1.29 270-9106

PROJECT CASE



£199

Hinged Snap-Lock Cover

Easy-to-work reversible inner panel accepts a meter, readouts switches. 140x86x50 mm. 270-290 £1.99

ALUMINIUM FRONT PANELS

As Low As **£725**

3 mm thick, with louvres, for fixing into 19" rack cabinet.

270-9101 480x100 mm £7.25 270-9102 480x150 mm £8.99



WITH PANEL

STURDY METAL CABINETS



Two-piece design cover lifts off for easy access. Top is made from laminol steel, front and bottom are 20 gauge aluminium. With louvres and rubber feet.

270-251	
80x55x100 mm	£1.89
270-252	
100x50x150 mm	£2.49
270-253	
135x75x150 mm	£2.99
270-269	
200x145x89 mm	£6.69

"WOOD LOOK" ALUMINIUM



and practical too! Enjoy the best of both worlds - improve your project's appearance while shielding it from damage and dust. Simulated walnut

PROJECT CASES

grain finish. Rubber feet.

70-260	60x152x100 mm	£3.95
70-261	90x230x152 mm	£6.95

DE LUXE CABINET WITH CARRYING HANDLES



portable lab chassis!

995

Sturdy 2-piece construction. Top is made of 0.36 laminol steel, front and bottom of 0.52 thick aluinium. Louvred for ventilation. Cover lifts off for access to interior 130x240x170 mm. With rubber feet. 270-270

BAKELITE "MINI" BOXES

■ Give any project a sleek finish! ● Fantastic value!

Heavy duty!





Protect your project and keep it in place. Remov-able aluminium cover. 270-230


80x55x30 mm 270-231 270-233 270-627 200x110x60 mm £2.59

f2.59

High-impact plastic, with internal slots to hold PC boards. 270-220 101x50x19 mm £1.29 270-221 101x61x26 mm £1.29 270-222 120x63x30-mm 152x77x44 mm

190x109x55 mm

SLOPE FRONT CABINET



f799

Sloped Aluminium


Plastic cabinet with removable aluminium panel. Suitable for Mixer Kit (277-9227). Light Show Kit (227-9230) or any other project. 320x170x 85 mm. 270-9600 £7.99

SLOPE FRONT METAL CABINET

SW FO

81

270-224



"Hammertone" finish!

Sturdy 18 gauge steel construction. Protective, nonslip, rubber feet, 200x150x 70/35 mm

270-265

DIGITAL DISPLAY CASE



Moulded case for clocks, testers, counters. Built-in red lens allows up to four 0.6" or eight 0.3" LEDS. Removable mounting bracket, 46x98x113 mm. **270-285 £2.99**

MOULDED DISPLAY CASE



Digital display case for clocks or counters. Grey plastic case with red lens for up to four 0.6" LED. Ideal for self-made clocks or displays. 150x135x55 mm. 270-9601 £2.69

MA 1003 AUTO CLOCK CASE



Moulded case with bracket for in or on dash mounting. Accepts 3 pushbutton switches (not included) on front panel. With blue filter lens. Simulated woodgrain insert. 89x54x50 mm. 270-303

YOUR CHOICE IN DIN CONNECTORS, SOCKETS, PLUGS AND JACKS



3 pin 180°









N PLUGS AND JACKS



3 PIN CHASSIS

Cat. No.	Description	Angle	Price
274-9015 274-9017	3 pin DIN chassis socket 5 pin DIN stereo chassis	180°	2 for 45p
	socket	180°	2 for 59p
274-9018 274-9019	5 pin DIN chassis socket 5 pin DIN chassis	240°	2 for 59p
2/4-9019	headphones socket	2700	2 for 59p
274-9020	5 pin DIN chassis socket	240°	2 for 59p
274-9021	7 pin DIN chassis socket	270°	2 for 59p



10000		-
	-	MR
1915		1
		15
	_	

	Cat. No.	Description	Angle	Price
A	274-9001	3 pin DIN plug	180°	2 for 65p
	274-9003		180°	2 for 79p
	274-9004	5 pin DIN plug	240°	2 for 65p
	274-9005	5 pin DIN headphone plug	270°	2 for 59p
	274-9006	6 pin DIN plug	240°	2 for 65p
	274-9007	7 pin DIN plug	270°	2 for 65p
В	274-9008	3 pin DIN jack	180°	2 for 59p
1	274-9010	5 pin DIN stereo jack	180°	2 for 89p
	274-9011	5 pin DIN jack	240°	2 for 69p



METAL DIN CONNECTORS

Very resistant metal outer housing. Flexible plastic tube for protection against wire fracture. Solder connections.

Cat. No.	Description	Price
274-9038	3 pin male connector	89p
274-9039	3 pin female connector	99p
274-9040	5 pin male connector	99p
274-9041	5 pin female connector	99p

SPEAKER PLUGS



	Cat. No.	Description	Price
A	274-9025	DIN speaker jack, solder terminals	2 for 39p
	274-9026	DIN speaker jack, screw terminals	
В	274-9022	DIN speaker plug, solder	
	1 16	terminals	2 for 39p
	274-9023	DIN speaker plug, screw	
		terminals	2 for 75p
C	274-9024	DIN speaker plug, chassis plug	
		with flanges	2 for 59p
D	274-9028	DIN speaker jack, with flanges	2 for 39p
	274-9029	DIN speaker jack, with switch	
		and flanges	2 for 49p

DIN SPEAKER ADAPTOR



Connects a line between a speaker plug and a speaker jack. With fixing screws for easy mounting. Ideal for the connection of two or more speakers, in line or parallel. 274-9027 99₀

PROFESSIONAL DIN PLUGS AND JACKS

Lock washer with screw thread for better connection Metal outer housing that resists shock. Plastic inner housing for extra isolation. Metal tension spring, with two screws, for solid connection. Flexible plastic tube for protection against wire fracture







BINDING POSTS, BANANA PLUGS AND JACKS



274-9050

chassis

274-9051

274-725















A. Banana Jacks. One each black, white, D. Nylon Binding Posts. One black, one blue, green, yellow and red. Non-insulated red insulated type. Accepts phone tip plug, banana plug, spade lug, alligator clip or wire Pk 6/99p strand, Requires 7.9 mm mounting hole, Wrap-B. Banana Jacks. One each black, white, around solder terminal. blue, green, yellow and red. Insulated from

274-662

1 pair for 89p

E. 5-way Binding Posts. Two red, two black or jobs requiring an external connection. With solder, insulators, lug terminals

Set of 4 for £1.19p F. Banana Plugs. One each black, white,

blue, green, yellow and red. Screw connection 274-9052 Pk 6/99p G. Banana Plugs. One each black, white, blue, green, yellow and red. Side slot accepts another banana plug. Screw connection.

274-9053 H. Solderless Banana Plugs. One black

and one red plug with insulated handles. Fit standard banana jacks. Wire fits through body tip and is held by knurled collar. Overall length 50 mm.

274-721 1 pair for 69p

TIP PLUGS AND TEST PRODS



A. Flexible Solder-Type Banana Plugs. 6 cm overall length. Set of two; one red/one black with insulated handles. Fit standard tip jacks. 20 mm tip. 274-730 1 pair for 49p B. Solderless Phone Tips. Set of two: one

red, one black with insulated handles. Fit standard tip jacks. Wire fits through body and is held by knurled collar. Overall length 54 mm. 274-723 1 pair for 69p

C. 127 mm Solderless Test Prods. Plated tip plug fits standard phone tip jacks. One red and one black prod. Moulded plastic handles. 12.7 mm tip. 133 mm long.

274-720 pair for 69p





1 pair for 49p







B. 57 mm Clips. Use for screw connections. Open to 7.9 mm. Various colours 270-375 10 for 89p

Screw connection type. All steel jaws 270-347 10 for 99p

D. "Mini" Alligator Clips. 5 black and





A. "Mini" Clips. Kit includes 3 black, 3 red, 2 green and 2 yellow. Open to 4,8 mm. 32 mm long.

C. Banana Jacks. one black one red. Heavy duty insulated bakelite beads. Fits all standard

banana plugs. Requires 6.3 mm mounting

hole. With fibre washer, solder lug, mounting

10 for 54n 270-378 A. 35 mm Mini Clips. 6 black, 6 red plastic insulators. Jaw opens to 6.3 mm. Solder

12 for **79**p

C. 64 mm Clips. 5 red and 5 black clips.

5 red clips with sturdy steel jaws. Ideal for 5 red clips with story 300., close precision work. 35 mm long. A. 50 mm Slim Clips. Solderless type all steel with screw connections. 10 for 89p 270-346

B. "Mini" Alligator Clips. Requires soldering of wire to solder lug. 32 mm long. Jaw opens to 4.8 mm. Rated 1 Amp 270-380 12 for 79p

PUSHBUTTON TERMINALS



88

274-315 2 Ter-59p 274-621 2 Ter minals Lever



Spring loaded, push to connect terminals, plus ¼" phone jack

Max-rating 500V; 7.5A; 1,800 Watts



10 for 99p 2/0-3/4	10 101 69		12 101 73P
MULTI-CONDUCTOR O	ORD ANI	CHASSIS CONNE	CTOR
• Max-rating 500V; 7.5A; 1,800 Watts	Cat. No.	Description	Price
1,000 Walts	274-204	Male cord, 4 pin inline	£1.29
	274-207	Male cord, 4 pin inline	£1.29
	274-205	Female cord, 4 pin inline	£1.19
	274-208	Female cord, 6 pin inline	£1.29
	274-206	Chassis mounted, 4 pin inline	75p
	274-209	Chassis mounted, 6 pin inline	99p

ALL THE CONNECTORS AND ADAPTORS YOU'LL EVER NEED

PROFESSIONAL QUALITY ACCESSORIES



4-PIN MIKE CONNECTORS

- Screw-on Type Lock! Sturdy Construction!

Ideal for a secure connection of your microphone! Very handy, especially while recording

A. 4-pin connector (female) 274-001

B. 4-pin connector (male) for chassis mount.

274-002 69n






3-PIN AUDIO CONNECTORS

- The choice of Professionals!
- Easy to Mount!
- Sturdy Construction!

Use these 3-pin audio connectors to get greatest performance from your mikes.

	Cat. No.	Fig.	Туре	Price each
i	274-010	A	3-pin Audio Connector Jack	£1.99
	274-011	В	3-pin Audio Connector Plug	£1.89
	274-012	C	3-pin Audio Connector Chassis (Male)	£1.99
	274-013	C	3-pin Audio Connector Chassis (Female)	£2.59





IN-LINE AND CHASSIS PHONE JACKS

99p

A. Enclosed 6.3 mm Phone Jacks. Accepts 6.3 mm phone plugs. Versatile, panel or printed circuit mounting, for numerous applications. Solder lug terminals for positive connections. Complete with mounting hardware for quick, easy installation.

274-280 2-Conductor, Open Circuit 274-281 2-Conductor, Closed Circuit 49p 49p 274-282 3-Conductor, Open Circuit 49p

B. Enclosed 3.5 mm Miniature Phone Jacks. 2 for **49p** 274-296 Closed Circuit 2 for 49p 274-297 Open Circuit

C. 6.3 mm Phono Jacks. Accepts standard 6.3 mm phone plugs. With hardware for fast and easy installation in audio equipment.

274-252 2-Conductor, Open Circuit, mono 274-312 3-Conductor, Open Circuit, stereo 2 for 69p 2 for 99p

D. Enclosed 6.3 mm Stereo Phone Jack, 3-conductor, Double closed circuit. Strong, positive connection. Complete with schematic.

274-277

E. 2-Conductor Inline Miniature Phone Jacks. Accepts miniature 3.5 mm phone plugs. Strong, positive connection. 274-333 2 for 49p F. Stereo Inline 6.3 mm Phone Jack. Slim black plastic 3 conductor jack mates with any 3-conductor stereo phone plug. Lug terminal connections. Overall length 55 mm.

2 for 99p 274-141

G. 2-Conductor Subminiature 2.5 mm Phone Jacks. Accepts subminiature phone plugs. Closed circuit. Perfect for solid state microcircuit component connections.

274-292 2 for 59n

H. 2-Conductor Miniature 3.5 mm Phone Jacks. One third the size of standard 6.3 mm phone jacks. Mounts in 6.3 mm hole. For panels up to 3.2 mm thick. Strong, positive connections.

274-251 Open Circuit 3 for 69p 274-253 Closed Circuit 3 for 99p

PHONE PLUGS



A. 2-Conductor 6.3 mm Phone Plugs. Long slim type with 12.7 mm diameter black bakelite barrel. 75 mm long. 274-1536 2 for 89p

B. 2-Conductor 6.3 mm Phone Plugs. Double barrel. Ribbed plastic barrel handle takes cord phone tip or tips. 75 m long

274-1539 2 for £1.19 C. 2-Conductor 6.3 mm Phone Plugs. Shielded flat right-angle type. Ideal for space saving applications. 40

mm long. 274-254

2 for 74p |

D. Right-Angle 6.3 mm Plug. Black shell screwtype terminals. 2-conductor. 45 mm long.

69p 274-256

E. 3-Conductor 6.3 mm Phone Plugs. Slim line, with black bakelite barrel. For push-to-talk mikes, stereo headphones. 75 mm long.

274-139 2 for 79p

F. 3-Conductor Phone Plug. 6.3 mm. Shielded type Barrel. 41 mm long. Nickel plated. Solder lug terminals. 70 mm long.

274-285


G. 2-Conductor Miniature Phone Plugs. 3.5 mm. Solder

lug terminals. 40 mm long. 274-286 Black 2 for 69p 274-287 Red 2 for 69p 274-288 Shielded 2 for 69p

H. 2-Conductor 2.5 mm Subminiature Phone Plugs. Solder lug terminals, 35 mm long,

274-289 Black 2 for 49p

274-290 Red 2 for 49p 274-291 Tan 2 for 49p



PLUG AND JACK SETS

A. Standard 6.3 mm. 2 sets of slim phone plug and inline jacks. One red and one black for easy identification.

274-1241 2 sets for £1.39 B. Miniature 3.5 mm. One set black and one red for easy

identification. Includes slim phone plug and inline jack. 274-283 2 sets for 89p

C. 3-Circuit Plug and Jack. 6.3 mm open circuit jack and plug with black bakelite shell, solder lug terminals, mounting hardware.


274-323 1 set for 99n

D. Miniature 3.5 mm. 2 pairs of matching shielded phone plugs and shorting jacks. Use for remote speaker hookups, microphones.

274-336 2 sets for 99p

PHONO PLUGS





2 for 59p B. 2-CONDUCTOR PHONO PLUGS. Plastic insulated handles prevent crossover and short circuits. Complete with cable clamp for strong connections. Assorted

colours 274-321 8 for 85p accidental shorting. With cable clamps.


6 for 89p D. SHIELDED PHONO PLUGS AND JACKS, 2 sets

of plugs and jacks. Positive connections prevent resistive line losses. 9.5 x 23.8 mm

274-334

2 sets for 99p

PHONO JACKS



A. SHIELDED PHONO JACKS. Fits 6.3 mm mounting hole. Solder lug connections. Shielding reduces annoying 4 for 99p hum. 9.5 x 9.5 mm. 274-346

B. SHIELDED INLINE PHONO JACKS. Solder lug terminals. Mates with all phono pin plugs.

274-338 C. DUAL PHONO JACK. Interconnects audio equipment


whose existing connectors do not mate. 2 for 59p 274-332

WIDE SELECTION OF AUDIO ADAPTORS & CABLE CONNECTORS

SHIELDED PLUG ADAPTORS







A. Adapts 3.5 mm miniature phone plug to standard 6.3 mm phone plug.

274-325

59p

B. Adapts 3.5 mm miniature phone plug to 2.5 mm subminiature phone plug.

274-327

59p

C. Adapts 2.5 mm subminiature phone plug to 3.5 mm miniature phone plug.

D. Adapts standard 6.3 mm phone plug to 3.5 mm miniature phone plug.

274-047



STEREO/MONO ADAPTORS

A. DUAL JACK ADAPTORS. Stereo 6.3 mm phone plug. Adapts two stereo headphones to a single 6.3 mm stereo plug.

B. Mini 3.5 mm phone plug. Adapts two 3.5 mm miniature phone plugs to a single 3.5 mm plug. 274-310

C. 6.3 mm Stereo jack to standard 6.3 mm phone plug. 274-360

D. 6.3 mm Stereo jack to 3.5 mm miniature phone plug. 274-361 79p Combine both stereo channels of a 6.3 mm stereo headphone


jack to a mono jack for recording. All have a 6.3 mm stereo phone jack and the plug of your choice.

E. 6.3 Stereo plug to 3.5 mm jack. 274-363


F. 6.3 Stereo plug to phono jack. 274-365 99p

G. Phono plug to 6.3 mm phone jack. 274-389









A. Plug Adaptor Set. A handy kit for adapting 2.5 mm submini jack, 6.3 mm phone jack and phono jack to 3.5 mm jack. 274-359

3 for £1.49

B. Shielded "Y" Adaptors. 2 phono jacks connected in parallel to a phono plug each 89p

C. Dual Phono Jack Couplers. Allow 2 audio cables to be connected using phono plugs. Provide for a clean, strong, positive connection. 274-1553 2 for 69p

D. Stereo DIN Adaptor. Allows stereo 3 conductor plug to connect to a 5 pin DIN socket. 274-9054







85p

79p

99p

99p

A. 2-Pin Plugs and Sockets. Set of 6 in assorted colours — red, black and ivory. Plug size 19 x 12.5 mm. Receptical size: 12.5 x 12.5 mm. Insures that your projects are neat and professional.

B. Chassis Mount Power Connectors. One each 2.1 mm and 2.5 mm plug. Use with battery chargers, tape recorders, almost any electronic equipment requiring a power

C. Adaptor Power Jacks. One each, 2.1 and 2.5 mm internal diameter power jacks. **274-1551** 25 mm long. 5.5 mm outside dia **274-1550** 35 mm long. 4.9 mm outside dia 2 for 65p 2 for 65p





















Coaxial cable connectors

Standard UHF type connections for HAM and CB use with push screw-on type lock. Amphenol-type.

A. PL-259 plug 278-205

2 for £1.75

B. SO-239 for chassis 278-201

Each 89p

C. PL-253 coupler 278-1369

Each 99n

D. UG-175/U reducer for RG58/U 278-206

2 for 49p

E. M-358 "T" adaptor. UHF type screw-on lock.

278-198

Each £2.65

F. M-359 angle adaptor. UHF type with screw-on lock. Each £1.69

COAX CONNECT IONS FOR HAM USE





the Motorola-type standard pin plug.











2 for 59p

No special tools needed to join or extend coaxial cable. Positive contact maintains wire impedance.

G. For RG58/U cable 278-202

Coaxial connector adaptor. Specially designed to adapt the UHF-type coaxial connector to

Motorola-type plugs and jacks. Specially designed for use in auto radios, for connecting aerial.

274-711

278-208

Each 99p

£1.09

3 for 79p

J. BNC connector jack 278-9101

274-712

1. Car chassis connector

BNC connectors

Each £1.59

K. BNC connector chassis type 278-9102

Each £1.49


L. Type 1094 female BNC 278-105 Each 79p



SUBMINIATURE 5 V DC **DPDT DIP RELAY**

• Fits 16-Pin IC Socket with 100 x 300 Centres

Subminiature relay for use with TTL or CMOS circuitry. Contacts rated 1 A at 125 V AC. Coil resistance, 50 ohms NEW £3.29



MINIATURE SPDT RELAYS

Low Current Drain

Sensitive, lightweight, fully encased miniature relay with connecting leads. Contacts rated 0.5 A at 2.50 V AC. Only 22 x 15 x 19 mm

275-003 12 V DC; resistance 1200 ohms; current 10 mA 275-004 6-9 V DC; resistance 500 ohms; current 12 mA



MINIATURE DPDT RELAY

• 3 Amp Contacts!

 Includes mounting socket! Silver contacts for 220/240 V AC. Coil 12 V DC Resistance. 250 ohms; current, 50 mA. 31.7 x 25.4 x 19 mm. Soldering terminals, plastic housing hold-down

275-206 12 V DC

£2.99

HEAVY DUTY DPDT RELAY



220/240 V AC Winding

Encased in transparent plastic cover Silver contacts. Lugs for plug-in or soldering. Resistance: 5000 ohms. 275-9217



HEAVY DUTY RELAY SOCKET

• 10 Amp Contacts

Solder Lug Socket for 10 Amp Heavy Relays. (Cat. No. 275-217 275-220 £1.19




HEAVY DUTY DPDT RELAY

• 10 Amp Contacts • 12 V DC Winding

Encased in transparent plastic cover. Silver contacts. Lugs for plug-in use or soldering. Resistance: 160 ohms.

275-218 £3.99

YOU'LL FIND THE SWITCH YOU WANT AT TANDY



Lug terminals. Body 15.9 x 9.5 mm. 11.1 x 9.5 mm bushing. 275-603	99p
16. Lever type. 25.4 x 9.5 mm black lever. Rated 6 A at 250V, AC Bu 12.7 x 9.5 mm. Body 23.8 x 15.0 x 15.9 mm.	
	£1.09
275-652 DPDT	£1.59 £1.59
17. Subminiature type. Rated 10 A at 250 V AC. Solder lug terminals. bat handle. With 4 colour insulators for handles. 12.7 x 11.1 x 12.7. 275-324 SPST 275-326 SPDT	mm. 99p
275-325 SPDT neutral centre 275-1546 DPDT	£1.09 £1.19 £1.39 £1.49
18. Micro Toggle Switch 275-624 SPST 275-625 SPDT	79p
Sala I Sala Sala Sala Sala Sala Sala Sal	89p
	ntacts. £1.29 £1.59
275-664 DPDT centre off	1.89
10 075 000 0007	E1.19 E1.29
20. Compact Lever Switches. Rated 3 A at 250 V AC. Long terminals 13 x 18 x 14.5 mm with 22 mm lever.	. Size
	£1.09 £1.79
20	
21. Paddle Switches. Wide handled flip switched rated 6 A at 250 Mounting hole centre 10 mm. Size 30 x 20 x 8 mm. 275-642 SPDT Red	V AC.
275-643 DPDT Black	1.39
Pushbutton Switches	
22. Miniature Push-on/Push-off, Contacts rated 6 A at 250 V AC.	
Solder lug terminals. Requires 5.5 mm mounting hole. Screw-on blact 12.7 x 9.5 ×15.9 mm. 275-1551 SPST	knob. E1.49
23. SPST Miniature. Normally open momentary contact type. 6.3 mm	mount-
	1.39
	£1.59
24. Subminiature Push Switches, Pack of two, one red and one black.	
0.25 at 250 V AC. SPST momentary contacts. Normally Open. 275-1571 SPST	99p
25. 10 mm Square Push Switches. Momentary push switches rated 25 50 V. Normally Open. 275-9490 Yellow 5 for f	
2F 275-9491 Red 5 for t	1.99
25 275-9492 White 5 for 275-9493 Blue 5 for	1.99
275-9494 Black 5 for 1 275-9495 Green 5 for 1	1.99
5 107	1.55
26. SPST Push-on/Push-off. Requires 12.7 mm mounting hole. Rated 3	A at
275-011 Red button	79p
275-609 Black+red button	E1.19
27. Square SPST Push buttons. Moulded housings. Rated 3 A at 250 Require 12.7 mm diameter holes. Lug terminals. 275-617 Push-on/Push-off red	
275-617 Push-on/Push-on red 275-618 Momentary, black	79p 69p
28. Illuminated SPST. With snap action. 31.7 mm long bat handle. B 12.7 x 11.1 mm. Solder lug terminals. Contacts rated 10 A at 250 15.9 x 27 x 17 mm.275-670	
NUMERIC KEYPAD	



ASC II KEYBOARD

Drive yourself your microprocessor! Sturdy one-piece base construction, with all switches. Protected against dust and dirt. Complete package including all parts, except printed circuit board.



NUMERIC KEYPAD **f 9**95


Monolithic Keypad with 3 x 4 numbered keys. Springless magnetic return. Self-cleaning gold contacts.

275-9427

£9.95

BUILD AND EXPERIMENT IN ELECTRONICS AT LOW COST


STEREO MIXER



£6995

- Headphone Output for Monitoring!
- Separate Stereo Inputs!

Inputs: Microphone: 2 mV/100 ohms; Phono Ceramic: 100 mV/1 k ohm; Phono Magnetic: 5 mV/1 k ohm; Tape; 200 mV/50 k ohms; Switchable Output: 1,2 V/600 ohms or 30 mV/200 ohms. Frequency Response: 20-20,000 Hz; THD: Less than 0.1%. Connections for VU meters. 277-9227



STEREO AMPLIFIER 2 x 40 WATTS RMS

£3795

- Gain: 30 dB
- Input Sensitivity 600 MV RMS

Input impedance: 1 M ohm. Speaker impedance: 8 ohms. Normal output: 40 watts RMS/channel. Frequency Response: 15 Hz to 30 kHz – 1 dB, 10 Hz to 70 kHz – 3 dB. Signal to noise ratio: 80 dB. Maximum distortion: 0.2%. (Requires 4.2 V 3A

Transformer 273-9555) 277-9232

9232 £37.95

STEREO PREAMP




£2495

For building a controlled preamp complete with loudness control, with input for magnetic phono and auxiliary. Phono mag: Sensitivity — 3 mV at 1 kHz. Impedance — 47 k ohms. Aux: Sensitivity — 100 mV. Impedance — 47 k ohms. Tone controls: Bass ±17 dB at 50 Hz. Treble ±17 dB at 1 kHz. Adjustable output: 1.55 V at 1 kHz. THD: Less than 0.1%.

277-9223 £24.95

100 W POWER BOOSTER KIT



£25⁹⁵ • 2 Darlington
Power Transistors

Specifications: input impedance: 1 M ohm; Gain: 30 dB; frequency reponse: 15–45,000 Hz at 5 watts and 20–20,000 Hz at 50 watts; Max. distortion: 0.06% at 1 kHz up to 75 watts and 0.15% from 40 to 15,000 Hz; Signal-to-noise ratio: 80 dB with instructions, all components and heatsinks, 277–9222 £25,95

FREQUENCY COMPRESSOR-EXPANDER



f1895

For building a mono noise reduction system suitable for use with recording tape, etc. Input level: 1V max. Compression and expansion ratio: variable up to 2 dB. Switchable delay Output impedance: less than 1 kohm. 277-9224 £18.95

20 WATTS MONOLITIC AMPLIFIER KIT £1395




277-9204

£13.95

£9.95

THE FM TUNER KIT FOR YOU



£2195

Input: 75 ohms and Adjustable Output!

Thanks to its "strip line" conception, easy to assemble. Contains all components you need: 3 analog IC's, a FET oscillator and 3 ceramic filters. Add an aerial and an audio amplifier and you'll enjoy great FM sound!

77-9207 £21.9


ELECTRONIC 3-WAY SEPARATION FILTER **f 9**⁹⁵



Electronically separates signal from a tuner or preamp into 3 frequency bands for input into power amplifiers or light show. Frequency bands: Low: 20–400 Hz. Midrange: 400–4000 Hz. Power supply: 10–20 V DC. Input impedance: 10 kohms. Size: 75x50 mm. In-


cludes project board and components 277-9216 £

PRESELECTOR 4 STATIONS FOR TUNER £1699



Compatible to FM Tuner Kit 227-9207. Just connect output from front end of tuner. Selector 4 stations in sequence and calibrate. Kit contains all components needed. Requires external power supply 12 V DC. 277-9231

FM STEREO DECODER




£995

 Ideal for use with FM Tuner (277-9207)

Decodes FM stereo signals. Easy to assemble. Power: 8–14 V DC. Consumption: 13 mA, THD: Less than 0.3%. Crosstalk: 40 dB. Impedance: 50 k ohms. Dimensions: 80x36 mm. 277-9211 £9.95

TANDY HAS EVERYTHING FOR THE ELECTRICAL ENTHUSIAST

Touch Sensitive Switch with Dimmer



For lamps up to 1000 Watts

Two function touch plate switches on/off power and also dims light intensity. Variable sensitivity. Low consumption 220/240 volt operation. 50 Hz. Complete with circuit board and components. Size 55 x 40 mm. 277-9215

Logarithmic LED VU-Meter




This logarithmic LED VU-meter uses 2 analog integrated circuits and 9 LEDs. Rivals those in top quality audio equipment and its linearity and accuracy is superior to conventional VU-meters. Low consumption. Single power supply. Excellent readability. Compact size and logarithmic scale. Ideal for pre-amplifier, mixer or power amplifier. Power: 12V DC, 30 mA. Variable sensitivity: from 250 mV to 6 V. Dimensions: 80 x 40

Running Light Kit

- Perfect for Shop-Windows, **Dance Halls**
- 4 Channel!

The light 'runs' from the first to the fourth bulb in definite order and one by one. Specifications: power supply: 220-240 V; output: 220 V-1,000 waits per channel; adjustable speed; TRIAC semi-conductors. Contains all the components you need and a power transformer 277-9203

5 Channel Light Organ





£6995


Five channels from bass, bass/midrange, midrange/treble, treble and a reverse channel mode, active in the absence of input frequencies. Running light operates automatically or pulses to music. Dimmer control on all functions. Power up to 1200 W per channel. Sensitivity: ± 100 mV. Complete with all components, including heatsinks. Requires cabinet (270-9600). 277-9230

Sound to Light

£2995 Build in pre-amplifier. Add audio input. 8 channels at 1,000 watts maximum. Input impedance 850 linear. Input sensitivity 100 mV to 10V. Perfect for discos. Requires 9V AC 500 mA.

£29.95 277-9233 Available December 1980


Variable Power Supply 20 V-0-20 V DC



£1195

 Low ripple, stable regulation!
 Perfect for working with TTL Circuitry


Low ripple, stable, 1 amp, regulation — this Project Board provides 0-20 volts DC with plus and minus operation at 1 amp. Input Voltage: 2 x 18V (1 amp). Output Voltage: 20-0-20V DC (max 1A, 60 watts). With overload protection. Ideal for sensitive circuits. Dimensions: 75 x 115 mm.



Precision Digital Millivoltmeter

- Only 80 x 45 mm!
 Input Impedance: 10 M ohms!


The ideal basis to assemble useful test equipment. Features mV full scale, auto-zero, automatic polarity indication, overload indication, 12 mm LED displays. Requires a single power supply of 5 volts 250 mA. With transformer-circuit and all nents. 277-9208



Regulated Power Supply 5V-12V-24V £2495

Project board producing regulated 5 and 12 volts DC at up to 1 amp. Plus a variable supply from 2-24 volts DC (1 amp. max.). The total power available depends on the size of transformer (not included). Package contains circuit board

£24.95 £6.25 2 amp., 25-2V Transformer



50 MHz Digital **Frequency Counter**

Range from 0.1 Hz to 50 MHz!

All Solid State circuitry, ideal for audio and shortwave equipment. 7 digit display. Power: 12V, 30 mA & 5V, 200 mA. Input impedance: 1M ohm. Voltage: 50v max. Accuracy: better than 0.01%. Dimensions:125 x 60 cm. **277-9213** £69.95

Reverberation Unit





Easy to Assemble!

This reverberation unit with two coiled springs enables you to build your own reverberation-amplifier. Frequency response: 100-5,000 Hz. Input Impedance: 16 ohms; output impedance: 600 ohms. Size: 240 x 55 x 30 mm. To make the sound even

Low Distortion AF Generator



277-9225

£29 95



LET TANDY DISPLAY YOUR PROJECTS




Convert sunlight into electrical power. Delivers 0.45V at 1 amp. Use several in series parallel for higher voltages/current. Available December 80.

276-123

B. 90° Solar cell segment 0.5V — 150 mA.

£1.79 276-9128



PUSHBUTTON KEY PAD MODULE

f1099


 Great for Remote Control Circuitry or **Amateur Radio Auto Patching**

Twelve-button keyboard has 1.5 x 2" face. Requires 3-5Vdc at 16 mA £10.99

277-1010

Available January 81

4 DIGIT 0.5" LIQUID CRYSTAL DISPLAY



Reflective type!

• Direct drive!


Low power design!

0.5" Reflective type LCD display featuring snooze, alarm and PM indicators. Low power requirement. Direct drive design, 4-10V at 2uA. Wide operating temperature range -5 to $+60^{\circ}$ C. Complete with socket and data sheet. 276-1230

THERMOMETER/THERMOSTAT **ULTRA-PRECISE**

81

TAND



 Indication in Degree C

From -50° to -150°C

This thermometer kit measures temperature from -50° to 150°C. Perfect for measuring indoor temperature, Aquarium — Deep Fridge etc. Requires external power supply. 2 x 5 VDC stabilised. 2 x 6.3 VDC at 500 mA.

277-9235

Not available in U.K.

INFRA-RED EMITTER



Create a remote control unit which is not influenced by the doppler effect. Range: 10 to 15 metres. Power Supply: 7-9 VDC. Current in: 1 A. LEDS: 0.2A. Frequency: 30 kHz. Reflectors supplied. Used with infra-red detector (277-9218).

£10.95

INFRA-RED DETECTOR

£1495



Detects and amplifies the infra-red signals emitted by one or more emitters (277-9217). Power supply 12 VDC, 30 MA. Sensitivity: 5 microvolts. 12 V, 100 MA output for direct control of a relay, lamp, etc. 277-9218

4-DIGIT LCD TIMER/CLOCK MODULE




• Large Half-Inch LCD Display

Versatile, nine-function, crystalcontrolled timekeeper/controller module. 12 or 24-hour time format. Built-in backlight, dual time zones, stopwatch, sleep, and control timer functions. 24-hour alarm. 71 mm x 38 mm 1.5 VDC operation.

277-1007 £19.95

Available December 80

LED VU METER MODULE • Update Your Present Audio System • Fully Electronic for Fast Response



Replacement for conventional dial and pointer VU meters. Ten-element red LED display has moving-point or bar option. Includes application notes. Requires 12 VDC. 2 x 7/8 x 7/32". 277-1009

Available January 81

12 V DC AUTOMOTIVE DIGITAL CLOCK

• 4 Digit, 7.6 mm Green Display!
• Highly Accurate to ±0.5 sec/day! 88:88

Complete, just add switches. Monolithic MOS/LSI clock circuit, 4 digit green vacuum fluorescent display, 2.097 MHz crystal and all components for a 12 V DC Electronic Digital Clock. Zero blanking display and blinking colour activity indicator. Easy 6-pin connection.

276-9110 6-pin edge connector for 277-1003

£17.95

TIME/TEMPERATURE CLOCK MODULE

• Selectable Time/Temperature Display Modes Remote Temperature Sensing



Complete 12/24-hour clock features temperature display in degrees C. or F. Built-in beeping 24 hour alarm drives an 8 ohm speaker directly. 9-minute snooze and 59-minute sleep feature. Fixed or flashing colon. Dimmer circuit

277-1006 Temperature Sensor IC.LM334 276-1734 273-9521 AC Transformer

£14.95 £1.39 £2.29

LCD CLOCK MODULE



24 Hour Alarm Shows Time/Day/Date


Complete clock module — just add switches and battery. $6.3\,$ mm LCD display built-in backlight. PM alarm set and snooze indicators selectable 12/24 hour time display. US or European day/date display. 24 hour alarm output. Accuracy $\pm 30\,$ sec. month. Operates up to one year on a $1.5\,$ V battery.

277-1005

£17.95

TANDY'S UNRIVALLED SELECTION OF COMPONENTS

IC BREADBOARDING SOCKETS



A. Modular Breadboarding Socket. Standard 7.6 mm centre for use with DIP IC's or large IC's up to 40 pins. Boards snap together horizontally or vertically and accept 22 thru 30 solid hockup wire. 2 bus strips—labelled X and Y—with 40 tie points each and 47 rows of 5 connected tie points labelled A thru J for up to 550 connections. 44 x 150 mm overall.

B. Smaller version of above. Has 270 connections in two bus strips of 40 tie points each with 23 rows of 5 connected tie points. 55 x 90 mm overall. 276-175


C. Breadboard socket. 7.6 mm centre channel, non-modular. Perfect for 1 or 2 IC designs. 33 x 45 mm overall. 276-176 £3.19

DIP EXPERIMENTAL PERFORATED BOARD



Single Size, Board has copper-clad mounting holes. Perfect for experimental electronic projects etc 276-9001 99p

DUAL IN LINE IC SOCKET ADAPTOR



Set of 2 by

For 14 and 16-pin IC's 31 mm between mounting holds. Copperclad 54 x 38 x 1.6 mm.


276-024 Set of 2 69p

SPOT FACT CUTTER



Designed for accurate and clean breaking of copper strip on Archer boards. The tool can be used in 0.1" and 0.15" matrix boards. Best results are obtained when only light pressure is employed. 276-9207

KYNAR WIRE AND WRAPPING TOOL



 A new assembly method – no soldering required!

Wire wrapping tool. Ensures firm connections and good contacts. 276-1570 £4.65

14 pin IC socket for wire wrapping method.

276-1993 2 for £1.19

16 pin IC socket for wire wrapping method. 276-1994 2 for £1.37

1.25 m Wrapping Wir Kynar

278-501 Red £1.79 278-502 White £1.79 278-503 Blue £1.79

276-1980 Dip Header 99p



PC BOARDS

TRANSFER-SYMBOLS FOR

to the copper side and are resistant against ferric chloride solution.

PRINTED CIRCUIT BOARD PROCESSING KITS AND ACCESSORIES



A. Resistant Marking Pen. Black ink, fine point, etch resistant. Use it on copperclad boards. 276-1530



D

or miniature components

Breadboard or permanent

B. Etchant Solution. Special ferric chloride solution removes copper completely. Simple and efficient.

276-1535



CAT NO	DIMENSIONS IN MM	NO OF STRIP	HOLES PER STRIP	PRICE
276-9200	9.5 x 6.35	24	37	£1.09
276-9201	13 x 6.35	24	50	£1.29
276-9202	9.5 x 9.5	36	37	£1.59
276-9203	13 x 9.3	36	50	£1.69
276-9204	9.5 x 6.35	16	25	£1.09
276-9205	13 x 6.35	16	33	£1.29
276-9206	13 x 9.5	23	33	£1.69

PRINT CONNECTORS

CAT NO	STRIPS	PITCH	PRICE
276-9110	6	4 mm	69p
276-9111	10	4 mm	990
276-9112	18	4 mm	£1.19

UNIVERSAL PC BOARDS AND CONNECTOR

Maximum mounting flexibility for IC's. Boards have copper-clad mounting holes on 2.5 mm grid and are etched on both surfaces to accept a 22 pin connector (Cat No 276-1551). Only 114 x



€2.69

€2.79

€2.89



Standard edge-card board! For most circuit applications. Has 1295 mounting holes.

B. 2-voltage source edge-card board. For digital circuits. Has 1368 mounting holes. 276-154

3-voltage source edge-card board. For OP AMPS. Has 1368 mounting holes. 276-153

D. 44-pin edge-car connector. For 22 pin edge-card board. 44 solder ivey terminals. Insulated, non-corrosive contacts. 276-9182

PERFBOARDS FOR COMPONENT MOUNTINGS

For modular construction Pre-punched phenolic perfboards and solid copper-clad boards to make your own printed circuits. 1.58 mm thick.

GRID HOLE CENTRES	HOLE SIZE
A. 6.7 x 6.7 mm	A. 2.4 mm
B. 4.8 x 4.8 mm	B. 1.6 mm
C. 2.7 x 5.1 mm	C. 1.6 mm
D 1.2 x 1:2 mm	D. 0.25 mm

CAT NO	SIZE	TYPE	PRICE
276-1582	175 x 92 mm	PERFORATED A	79p
276-1586	150 x 75 mm	NON PERFORATED	89p
276-1587	230 x 150 mm	NON PERFORATED	€1.64
276-1390	145 x 115 mm	PERFORATED B	89p
276-1392	145 x 115 mm	PERFORATED C	79p
276-1394	114 x 152 mm	PERFORATED D	£1.39
276-1395	7A x 152 mm	PERFORATED D	£1.05p
		PERFORATED D	€1.85



box as etching tank. 276-1576

C. Printed Circuit Kit.

TANDY- A TREASURE TROVE OF THE FINEST DIGITAL IC's

LOW POWER STATIC RAM - 2102



1024x1 bytes of storage capability in a 16-pin package. Single 5 V supply. Read/Write, select, chip enable and tri-state outputs for easy use in memory arrays. Reliable NMOS technology

276-2501* £2.19

LOW POWER STATIC RAM - 2114



4096 bits in a 1024x4 array. Tristate design for input/output lines. Features chip select and separate read/write, enable pins. Identical cycle and access times eliminate timing problems. High-density 18-pin package, NMOS design. 276-2504° £11.95




4116. 16.384 × ¹ bits in 16-pin DIP. Access time of 250 nanoseconds, millisecond refresh. Requires + 5, - 5VDC. TTL compatible



8-BIT MICROCOMPUTER CHIP

Perfect for the experimentor who takes his hobby seriously - or the computer "pro" looking for a Chip he can rely on. 16-bit bus addresses up to 65 k bytes of memory AND up to 256 I/O ports. All buses - including the control - are TTL compatible. 40-pin DIP. 276-2510* £8.95



8080A SUPPORT IC's

Туре	Description	Cat. No.	Price each
8208	Bus Driver, Low power Schottky transceiver, 20-pin DIP	276-2508	£3.95
8154	128x8 Bit RAM I/O. Single + 5 V supply, 40-pin DIP	276-2511	£7.95
8212	Input/Output Port. Data latch and buffer, 24-pin DIP	276-2512	£3.49
8224	Clock and Generator Driver, 16-pin DIP	276-2524	£2.95
8251	Programmable Communication Interface, 28-pin DIP	276-2551	£8.45
8255	Programmable Peripheral Interface, 40-pin DIP	276-2555	£8.25

 Ideal for Computer Memories Under 450 nS Access Time
 New for 1981-Dynamic RAM

Dynamic RAM MM5290-055/

276-2505





MC14553 CMOS chin features three decade counters. three guad latches and a built-in display multiplexer all in a single 16-pin DIP! Can replace over 8 separate IC's in a digital display circuit. 276-2498 *£2.69



LM399. Compatible with all forms of logic. Single supply, 2-36 V DC 276-1712* 99p



temp, sensitive device source. With 10,000 to 1 range. 276-1734° £1.39

FULL-WAVE BRIDGE RECTIFIERS



A. Silicon. HD leads for easy mounting. 50 V 4 A £1.19 276-1146 276-1171 100 V 6 A £1.39 276-1173 400 V 6 A £1.99 50 V 6 A 276-1180 £1.59 B. Silicon type. TD-5 case. 276-1151 50 V 15A 84p 100 V 1.5 A 276-1152 94p C. Dual-in-line case, 8-pin 65p 270-1161 50 V 1 A

1 WATT ZENER DIODES

For voltage references, transistor bias switches, etc. With axial leads.

276-561 6 volts 2 for 49p 276-562 9 volts 2 for 49p 276-563 12 volts 2 for 49p 276-564 15 volts 2 for 49p 276-9016 24 volts (400 mW) 2 for 45p



UNIVERSAL VOLTAGE REGULATORS

723 Input: 0 to 40V 150mA output without external power transistor. DIL 14 pin package.

276-1740 7800. Positive stabilization. With protection and internal circuit current limiting.

Input up to 35V. 1A output. TO-220 case. 276-1770 5V **276-1772** 15V LM 317. Adjustable 1.2 to 37V. 1.5A. TO-3 case £1.29 276-1777 £3.59 LM 317T. Input (Max) 40V. 1.5A Output. Adjustable from 1.2V to 37V current limited. TO-220 case.

276-9163 £2.65 LM 317T. Adjustable Pos. regulator. TO-220 case 276-1778 £2 95 LM 337T. Negative regulator. 276-1779 £2.39

1A EPOXY DIODES FOR



3A RILLET TYPE DIODES

276-1141	50 PIV	2 for 69p
276-1142	100 PIV	2 for 69p
276-1143	200 PIV	2 for 75p
276-1144	400 PIV	2 for 75p

2,500 mA 1,000 V DIODE

At 6.3x4.7 mm beats many bullet types, 25 A for linear supplies or any high current and voltage tasks. 276-1114* 3 for 89p

ULTRA-FAST SWITCHING DIODES 276-1122 IN 914 75 V Pack of 10 69p

276-9014 IN 4148 75 V Pack of 10 69p

4000 SERIES CMOS IC's

Туре	Description	Cat. No. Pric
4001 4011 4012 4013 4017	Quad 2-Input NOR Gates Quad 2-Input NAND Gates Quad 4-Input NAND Gates Qual S Figs-Flops Divide by 10 Counter Divider with 10 Outputs	276-2401 59 276-2411 £1. 276-2412 59 278-2413 79 276-2417 £1.
4020 4021 4023 4027 4028 4046	14 Stage Ripple Binary Counters/Dividers 8-Stage Static Shift Register Triple 3-loght NAND Gates Dual J-K Master/Slave Flip-Flops with set-reset BCD-TO-DCDIMAL Decoder Phase Locked Loop	276-2420 £1 276-2421 £1 276-2423 79 276-2427 99 276-2428 99 276-2446 £1
4511 4049 4050 40106	BCD TO 7-SEGMENT Latches/Decoders/Drivers CMOS Hex BUFFLERS inverting CMOS Hex BUFFLERS Non inverting Hex Schmitt Triggers	276-2447 £1.4 276-2449 89 276-2450 89 276-9173 £1.
4066 4070 4518 4543	Quad Bilateral Switch Quad EXCLUSIVE OR Gates Qual BCO UP Counters BCD 107 - SEGMENT Decoder	276-2446 89 276-2470 79 276-2490 £1. 276-2491 £1.

Digital IC's are standard for high fan-out. They're brand-new, popular items at low cost. Operate from 4.75 to

Туре	Description	Cat. No.	Price each
7400	Quad 2-Input positive NAND Gates	276-1801	45p
7402	Quad 2-Input positive NOR Gates	276-1811	45p
7404	Hex Inverters	276-1802	49p
7408	Quad Z-Input AND Gates Qual 4-Input NAND Schmitt Triggers Qual 4-Input positive NAND Gates	276-1822	49p
7413		276-1815	75p
7420		276-1809	45p
7447	BCD to 7-Segment Decoders/Drivers	276-1805	99p
7448	BCD to 7-Segment Decoders/Drivers	276-1816	£1.19
7473	Dual J-K Flip-Flop with clear	276-1803	69p
7474	Dual D positive edge Trigger Flip-Flop with preset and clear	276-1818	79p
7475	Quad Latches	276-1806	79p
7476	Dual J-K Flip-Flop with preset and clear.	276-1813	69p
7490	Decade, divide by 12 and binary counter Decade, divide by 12 and binary counter Decade, divide by 12 and binary counter One shots	276-1808	79p
7492		276-1819	94p
7493		276-9170	89p
74121		276-1814	75p
74123	Dual retriggerable one shots with clear 4 line to 16 line Decoders/Demultiplex Synchronous up/down counters with dual clock and clear Synchronous up/down counters with dual clock and clear	276-1817	£1.09
74154		276-1834	£1.72
74192		276-1831	£1.19
74193		276-1820	£1.10

LOW POWER SCHOTTKY IC's

These Schottky IC's are top-quality devices from major specialist manufacturers. They are improved versions of the standard 5 V logic device using Schottky diode know-how for high speed with lower power. Upgrades TTL circuit performance. Pin-outs identical to series 74 devices.

Туре	Description	Cat. No.	Price each
74LS00	Quad 2-Input NAND Gates	276-1901	49p
74LS02	Quad 2-Input NOR Gates	276-1902	49p
74LS04	Hex INVERTES	276-1904	49p
74LS08	Quad Input AND Gates	276-1908	49p
74LS10	Triple 3-Input NAND Gates	276-1910	49p
74LS13	Dual 4-Input NAND Schmitt Triggers Dual 4-Input NAND Gates Triple 3-Input NOR Gates 6-Input NAND Gates 0-Und 12-Input OR Gates	276-1911	79p
74LS20		276-1912	49p
74LS27		276-1913	49p
74LS30		276-1914	49p
74LS32		276-1915	49p
74LS47 74LS51 74LS73 74LS74 74LS75	BCD to 7-Segment Decoders Drivers Dual 2 - Wide, 2-Input AND-DR-INVERT Gates Dual J-K Flip-Flops with Clear Dual D Positive-edge-triggered Flip-Flops with PRESET and CLEAR Quad Latches	276-1916 276-1917 276-1918 276-1919	£1.09 49p 69p 69p 79p
74LS76	Oual J-K Flip-Flops with PRESET and CLEAR 4 Bit Magnitude Comparator Binary Counter Divide by twelve counter Binary Counter Dual Retriggerable ONE SHOTS with CLEAR	276-1921	72p
74LS85		276-1922	99p
74LS90		276-1923	82p
74LS92		276-1924	99p
74LS93		276-1925	99p
74LS123		276-1926	99p
74LS123	Dual Retriggerable ONE SHOTS with CLEAR Dual 2-Input NAND Schmitt Triggers 8-Input Multiplexer Quad 2/1 Multiplexer Invert Presettable Binary Counter	276-1926	99p
74LS132		276-1927	£1.22
74LS151		276-1929	99p
74LS157		276-1930	99p
74LS161		276-1931	£1.09
74LS164	8-Bit Shift Register Quad D FLIP-FLDPS UP/DOWN Decade Counter UP/DOWN Binary Counter 4—Bit Bidirectional Unn. Shift Register	276-1932	£1.12
74LS175		276-1934	£1.44
74LS192		276-1935	£1.12
74LS193		276-1936	£1.12
74LS194		276-1937	£1.44
74LS196 74LS373 74LS374 74LS367 74LS368	Presettable Decade Counter TRI-STATE Octal D FLIP-FLOPS TRI-STATE Octal D FLIP-FLOPS TRI-STATE New BUFFER TRI-STATE HER BUFFER TRI-STATE HEX BUFFER	276-1938 276-1943 276-1944 276-1835 276-1836	£1.32 £2.34 £2.34 £2.34 92p 92p
81LS95	TRI-STATE Octal BUFFER Non Invert Output - TRI-STATE Octal BUFFER Invert Output	276-1947	£2.39
81LS96		276-1948	£2.39

TANDY SOLID—STATE DEVICES AT EVERDAY LOW PRICES

Rhythm Pattern Generator £349



MM5871. PMOS IC provides 6 separate patterns, used alone or in combination. Adjustable on-chip oscilator sets tempo. Trigger outputs for wood block, brushes, bongo, snare and bass drum with adjustable pulse width. Application circuits. Data cluded. 16-pin DIP

£3.49

Noise Generator £289



S2688/MM5837. Percussion nstrument voice generator for rhythm units, synthesizers, simulated pip "wind" noise, acoustics testing (white and pink noise), random events generator. 17-bit shift register clocked by an internal illator. 8-pin mini DIP. 276-1768

Applications Handbook £139

Semiconductor




Handy reference gives application and circuit examples for most popular linear and digital IC's. Basic building block circuits for uigital log-truth tables and helpful tips. 128 £1.39 block circuits for digital logic includes

Top Octave Synthesizer £469



S50240. PMOS oscillator/frequency der chip generates 13 al-tempered notes from C8 to C 8 equal-tempered notes from Lo to Lo. CMOS compatible square wave outputs have 50% duty cycle for driving additional dividers or voice filters. 276-1780 £4.69

"Music Synthesizer" IC



Drives 8 ohm speaker directly. IC inc. 2 VCO's LF oscillator, noise generator and filter. 2 mixers, envelope modulator and timing logic circuit. Needs 9 V battery. 28 pin DIP. Type SN76488. 276-1765

81

IC Sound Generator Linear/1²L Device

SN76488. Includes both analog and digital circuitry on one chip. Microprocessor compatible for sophisticated multiplexing of sounds.
Built-in audio amplifier has 125 mW output. Data included. 28-pin DIP. 276-1766

555/556 IC Timers



RESETTABLE. Time from 1 uS to 1 hour. Operate from 5 to 15 volts. Many other applications as time-base for oscilloscope. Schmitt trigger, oscilloscope. synchronous generators, etc. circuits, sawtooth

276-1723 type 555 timer IC, 8-pin mini

276-1728 type 556 dual timer IC. Tw 555 IC's on a single 14-pin DIP £1.09

Dual Analog Delay IC £695



SAD1024 A "BUCKET BRIGADE" device has 2 separate 512 stage shift registers used independently or in combination. Creates reverb, echo, phase, shift, chorus and vibrato effects NMOS design. Full data. 16-pin DIP. 276-1761 £6.95

Phase Locked Loops

LM 556. For modulation, tone and function generation. Max frequency: 1 MHz Output: 50 ohms. Requires 10-24 V DC. 14-pin DIP. **276-1724 £1.39** V UC. 14-pin DIP. 276-1724 £1.39 LM 567. For ultrasonic decoding, remote controls, wireless intercoms. Frequency range: 0.01 Hz to 500 kHz. Requires 4.75-9 V DC. Input: 20,000 ohms. 8-pin DIP. 276-1721 £1.79



3-Digit BCD Counter IC

MC14553 CMOS chip features three decade counter, three quad latches and a built-in display multiplexer - all in a single 16-pin DIP! Can replace over 8 separate IC's in a digital display circuit 276-2498 f2 69



LED Bar/Dot Display Drivers

LM3914N. With 10 adjustable analog steps, selectable bar or dot display mode. Expandable up to 100 steps. Current-regulated LED outputs. Wide 8 to 25 V DC supply range. 18-pin DIP. 276-1707.

276-1707 £3.45 LM3915N. Above but with 3 dB log £5.29



Low Current LED Flasher/Oscillator 79p

3909. Monolithic oscillator specifically designed for LED's or digital devices. Low current drain — under 0.5 mA. Voltage operation from 1 to 5 V. Low impedance output (8 ohms), 8-lead plastic mini-DIP case. 276-1705 79p



Oscillator/Divider IC

Generates Accurate 60 Hz Reference

A. CMOS IC with 17 binary divider stages produces a highly stable 60 Hz square wave. Uses a 3.58 MHz crystal reference. Very low power operation over a wide 3-15 VDC range. 8-pin DIP. 276-1769. £2.19

B. 3.58 MHz crystal.

TDA2020 20 Watt Hi-Fi Audio Power Amp

276-9158

Audio Amp

LM 1800. FM Stereo Demodulator £179

Just one potentiometer to align, Low distortion, phase locked loop. 16-pin DIL package. 276-9155 £1.79



Quant Comparators

LM339. For limit comparators, simple analog to digital convertors. Single supply 2-36 V DC. Input offset, ± 3 mV DC. Low power drain. 276-1712 99p



V to F/F to V Convertor IC £249

Bi-Polar and CMOS Design

Accepts an analog voltage and generates linearly proportional output frequency or can provide a voltage output which depends on input frequency. Operates up to 10.0 kHz. With data. 14-pin DIP.



Temperature Controller



3911. Can be calibrated in °K, °C or °F. Rated for operation over a -25°C to 85°C temperature range. 276-1706 £1.37

Supply voltage +22V DC max. 10-160,000 Hz -3 dB. Input impedance 5 M ohms, short circuit and thermal limiting circuits.

and thermal limiting circuits.

Output load: 4-16 ohms. Use two

LM377 Dual 2-Watt

10V to 26V supply. 3 M ohm input

Distortion: 0.1% by 1 kHz for 2 W

output. 8-16 ohm output load. 276-9154 £1.59

in bridge for 40 W amplifier.

Linear Output Amplifiers





709C Linear Operational Amplifier. For linear circuits, analog computers, relay drivers. 250 mV dissipation. 9-15 volt input. 8-pin DIL

69p 703. RF Amplifier. To 150 MHz. High stability. Limited gain. Silicon

79p
741C. High Performance Op Amp. Frequency compensated 709M. Ideal voltage follower. 500 mW power dissipation, 15-volt input. 276-0007

1458 Dual 741 Op Amp 2X741 in 8-pin mini DIP package. 276-0038 89p

324 Four 741 Op Amp. Internally compensated 3-30 VDC DC. Gain 100 dB. Output 18 mA. 14-pin DIL package.

LM349 Four 748 Wide Band Amp. Low distortion. Low current drain: 0.6 MA/Ampl. band width: 4 MHz at gain = 4.15-pin DIL package. 276-9152 £1.79



LM379 Dual 5-Watt Audio Power Amp.

3M ohm input independance. Internal current limiting, low distortion, 12V to 30V supply. 75 dB separation. 14-pin power package. Use a bridge circuit for 12W output. £2.35



LM384 5-Watt Audio Power Amplifier.

34 db (50) gain. Input independance: 150 Kohm. 10V DC supply. 14-pin DIL package. 276-9156 £1.59 276-9156



LM387 Low Noise Stereo Pre-Amp.

lc. 0.8 uV total input noise! 104 dB open loop gain. 15 MHz unity gain, short circuit protected. Single supply operation. 9V to 30V. 276-9153 £1.29



LM386 Low-Voltage Audio Amp.

Response: 20-20,000 Hz, 20-200 voltage gain. Audio output up to 500 mW. 60 Kohm input independance. 4-12V supply. 8-pin mini-DIP. 276-1731 94p



Dip and Transistor Sockets A. Dip Sockets

Phenolic body: Easy mounting for IC into any chassis. 276-1995 8-pin Low-Profile 2 for 39p 2 for 39p 276-1999 14-pin Low-Profile 2 for 79p

276-1998 16-pin Low-Profile 2 for 79p **276-9179** 24-pin Low-Profile **276-1997** 28-pin Low-Profile **276-1996** 40-pin Low-Profile each 59p each 49p

B. Transistor Sockets Eliminates loss or damage of transistors. 9.5×6.3 mm. 276-548 Set of six 95p C. Power Transistor Sockets

Spring contacts in brass-cadmium and moulded nylon top, for any TO-3 case 276-029 Set of two 69p

Thyristors B

SCR's. High current voltage control with high gate sensiti 276-1067 6A, 200V 276-1020 6A, 400V 276-1020

B. 400V Triacs 276-1000 6 amps 276-9177 12 amps 990 £1.39 276-9175 2N6385 £2.25 276-9176 RCA8350B




Heat Sinks for DIP IC

For 14 or 16-pin DIL IC packages. Minimum interface loss. Needs no extra board space. A. 276-9180 Black anodized. Fits already mounted IC's. £1.29



B. 276-9181 Fitting with mounting bracket

TANDY HAS REPLACEMENTS FOR MORE THAN 60,000 TRANSISTOR TYPES





Semiconductor Handbook

A comprehensive guide to Tandy's line of high quality semiconductors. Cross reference/substitution listings for over 100,000 devices. Plus pin connections and data for IC's, diodes, SCRs, LEDs, and more! 224 Pages. 276-4003 £ 1.29

CODE	DESCRIPTION	DISS mW	VCBO (V)	BEBO (V)	Ic (mA)	Hfe	TYPE	CASE	Cat. No.	Each
Fran	GERMANIUM									
2001	Gen. Purpose Amp & High Speed Switch. Type 2N1304/AC127	150	25	25	300	150	NPN	TO-5	276-2001	79 p
2002	Gen. Purpose Audio Amp. Type AC130/AF126	200	25	-	150	150	NPN	TO-1	276-2002	79 p
2003	RF/IF Amp & Oscillator. Type AC107	50	20	0.5	10	75	PNP	TO-1	276-2003	79 p
2004	Gen. Purpose Audio Amp. Type AC184/AF135	170	25	25	75	95	PNP	TO-1	276-2004	59 p
2005	Gen. Purpose Audio Amp. Type AC109/AC128	150	25	25	75	95	PNP	TO-1	276-2005	59 p
2006	Power Audio Amp. Type AD103/0C26	30W	30	30	7A	80	PNP	10-3	276-2006	£ 1.19
2007	Gen. Purpose High Frequency Amp. Type 2N1305/BCY70/ASY26	150	30	25	300	40	PNP	10-5	276-2007	99 p
	SILICON							Te a	11.	
2008	Med. Power Amp. Type 5058	IW	300	7	30	40	NPN	TO-39	276-2008	89 p
2009	Gen. Purpose Amp & High Speed Switch. Type 2N2222	600	60	5	800	50	NPN	10-92	276-2009	59 p
2010	Low-Level. Low-Noise High Gain Amp. Type 2N2484/BC107	360	60	6	50	250	NPN	TO-92	276-2010	59 p
2011	RF/IF Amp & Oscillator	600	30	3	50	20	NPN	10-92	276-2011	59 p
2013	Gen. Purpose Low Frequency Amp. Type BC147/2N5088	350	50	4.5	50	250	NPN	10-92	276-2013	49 p
2014	Gen. Purpose Audio Amp. Type BC141/2N5449	360	50	5	800	100	NPN	10-92	276-2014	54 p
2015	High Frequency RF/IF Amp. Type 2N4996	400	30	4	50	40	NPN	10-92	276-2015	49 p
2016	Gen. Purpose Amp & Switch. Type 2N3904/BC113	360	60	6	200	100	NPN	TO-92	276-2016	49 p
2017	Power Audio Amp. Type TIP31	40W	40	5	3A	35	NPN	10-220	276-2017	69 p
2018	Power Amp & High Speed Switch. Type TIP29	40W	40	5	1A	15	NPN	10-220	276-2018	69 p
2019	Power Amp & High Speed Switch. Type TIP33	35W	40	5	10A	20	NPN	10-220	276-2019	99 p
2020	Power Amp & High Speed. Type TIP3055	90W	100	7	15A	20	NPN	10-220	276-2020	99 p
2021	Gen. Purpose Amp & Med. Power Switch. Type BC143/2N907	350	12	4	80	30	PNP	10-92	276-2021	69 p
2023	Gen. Purpose Amp & High Speed Switch. Type 1N2907/BC116	600	60	5	100	50	PNP	TO-92 TO-92	276-2023 276-2024	59 p
2024	Gen. Purpose Amp & Med. Power Switch. Type 2N5447/BC154	360	40	5	200	60 35	PNP	TO-220	276-2024	69 p
2025	Power Audio Amp. Type TIP32	40W	40	5	3A 1A	15	PNP	TO-220	276-2026	89 p
2026	Power Amp & High Speed Switch. Type TIP30	40W 35W	40	5	10A	50	PNP	TO-220	276-2027	£ 1.19
2027	Power Audio Amp. Type TIP34/2N4901	5W	60	5	700	50	NPN	10-39	276-2030	79 p
2030	Gen. Purpose Power Amp High Current. Type 2N3053	200	30	6	50	120	NPN	TO-92	276-2031	49 p
2031	Gen. Purpose Audio Amp. Type BC108/2N3565 Low-Noise, High-Gain. Med. Power Switch. Type 2N3638/TIS50	350	12	4	80	30	PNP	TO-92	276-2032	49 p
2032	High Speed Switch High Current. Type 2N2219/2N3643	350	40	5	500	100	NPN	10-92	276-2033	39 p
2033	Gen. Purpose Audio Amp. Type BC204/2N3906	350	40	5	200	100	PNP	10-92	276-2034	39 p
2034	Gen. Purpose Amp & High Speed Switch. Type 2N1304/AC127	5W	55	3.5	400	100	NPN	TO-39	276-2038	£ 1.29
	POWER TRANSISTORS		i abi	SHIP SHIP						
2039	High Power Amp & Switch. Type 2N6569	100W	40	5	12	100	NPN	10-3	276-2039	£ 1.09
2040	High Power Amp & Switch. Type 2N6594	100W	40	5	12	100	PNP	TO-3	276-2040	£ 1.29
2042	Power Darlington, Type 2N6166	120W	60	60	15	20,000	NPN	10-3	276-2042	£ 1.59
2043	Power, Type 2N6050	150W	100	60	15	70	PNP	TO-3	276-2043	£ 1.29
e di ing	FIELD EFFECT TRANSISTORS	N Channel	P Channel	DISS mW	VDSS V	VgSS V	g/s «/» n:nas	CASE	Cat. No.	Each
2035	Small Signal General Purpose. Type 2N3819	X	H	360	25	25	2.0/6.5	TO-92	276-2035	59 p
2036	RF Amp to 200 MHz. Type 2N3823	X	200	300	30	30	3.5/6.5	10-72	276-2036	89 p
	UNIJUNCTION	DISS	rBB	N	VEB	VOB	IP	CASE STYLE	Cat. No.	Each
2029	Unijunction transistor. Type 2N4891	360 mW	9.1k	82	4.0V	3.0V	5.0 µA	10-92	276-2029	99 p
	VARIOUS & "EUROPEAN" MODELS	DISSV	VCED	VCBO	Ic (MA)	Hfe	Туре	CASE	Cat. No.	Each
0C-71	Gen. Purpose Germanium	125 mW	10	10	10mA	35-125	PNP	Allglass	278-9032	89 p
2N1711	Gen. Purpose Silicon	0.7W	75	50	800 mA	100	NPN	TO-5	276-9033	59 p
	Gen. Purpose Silicon	0.6W	60	60	600 mA	75	PNP	TO-5	276-9034	59 p

TANDY FOR A WIDE SELECTION OF RESISTORS AND CONTROLS

Stereo Pontentiometer (Log)




100k ohms logarithmic audio taper. 16 mm outside diameter. 6.3 mm shaft diameter. 50 mm shaft length. Includes all mounting hardware. 271-224 £1.29

Stereo Slide Potentiometers

60 mm slide potentiometers with solder lug connections. 88 mm mounting centres

£2.29 271-9001 Stereo Log potentiometer - 10k 271-9002 Stereo Log potentiometer — 100k



Mono Linear potentiometer — 10k Mono Log potentiometer — 10k 271-9003 271-9004 €1.29 -9005 Mono Log potentiometer £1.29 271-9006 Mono Log potentiometer - 500k

Linear Taper Potentiometers



Shaft size, 50.8 x 6.3 mm! Mounting hardware included!

Cat. No.	Ohms	Price	
271-1714	5 k	59p	
271-1715	10 k	59p	
271-1716	50 k	59p	
271-092	100 k	59p	
271-210	500 k	59p	
271-211	1 Meg	59p	
271-093	2 Meg	59p	

Audio Taper Potentiometers



Shaft size, 50.8 x 6.3 mm!Mounting hardware included!

1	Cat. No.	Ohms	Price
Ì	271-1720	5 k	59p
	271-1721	10 k	59p
1	271-1722	100 k	59p
1	271-1723	500 k	59p

Miniature Potentiometers Audio taper!



Fits 8 mm hole. Brushing 6.3 mm x 4.8 mm. Mounting hardware included. 6.3 mm shaft 9.5 mm long. 15.87 x 19 x 25.4 mm.


Cat. No.	Ohms	Price
271-214	5 k	89p
271 -215	10 k	89p
271-216	100 k	89p

0.5 Watt Resistors



271-001 to 271-069 10 ohms to 2.2 Meg.

1/4 Watt Resistors



Low Noise! • 5% Tolerance!

271-1301 to 271-1365 10 ohms to 10 Meg

12p

1 + 2 Watt Resistors



Cat. No.	Ohms	Watts	Price
277-072	0.56	1	2 for 30p
271-073	1.0	1	2 for 40p
271-075	3.3	1	2 for 40p
271-080	100	2	2 for 49p

1/2 Watt Resistors



Large selection gives you most of the popular values. Ideal assortment for any electronic test 270k 271-306 £1.99n

Resistor Guide



Very useful!

Rotary colour discs show ohms, tolerance of RETMA coded resistors. Small enough to slip into the pocket!

PRINTED CIRCUITS TYPE VOLUME CONTROLS



1/4 Watt! 280° Rotation!

Upright Snap-In Type!

Cat. No.	Ohms	Price
271-226	500	45 p
271-227	1 k	45 p
271-217	5 k	59 p
271-218	10 k	59 p
271-219	50 k	59 p
271-220	100 k	59 p
271-221	500 k	59 p
271-229	1 Meg	45 p

Power Resistors



'AS LOW AS 39p Rectangular Ceramic Body!

99

• 10% Tolerance! Ohma Watta Brian

PC TYPE

Cat. No.	unms	Watts	Price
271-128	0.1	5	39p
271-129	0.33	5	39p
271-130	0.47	5	39p
271-131	1	10	59p
271-132	10	10	59p
271-133	50	10	59p
271-135	100	10	59p

ARCHER CAPACITORS POPULAR VALUES! LOW PRICES!

Axial Capacitors



Chemical capacitors designed for the building of power supplies and power amplifiers. Axial leads for easy wiring. Rated at 63 WVDC. Peak voltage, 73V.

Cat. No.	UF	WVDC	Price
272-9300	100	63	89p
272-9301	1000	63	£1.19
272-9302	2200	63	€1.59
272-9304	4700	63	€2.29
	272-9300 272-9301 272-9302	272-9300 100 272-9301 1000 272-9302 2200	272-9300 100 63 272-9301 1000 63 272-9302 2200 63

AXIAL TYPE


Miniature Electrolytic Capacitors

AS LOW AS

39p

As Low As

45₀



High quality at reasonable prices! Long life over a wide

range of temperature conditions. Extremely low-current leakage. Aluminium can construction with special end seal material for positive tight fitting seal.

3	35 WVDC PC Type			
Cat. No.	UF	Price		
272-1024	4.7	2 for 59p		
272-1025	10	2 for 59p		
272-1026	22	2 for 59p		
272-1027	47	2 for 59p		
272-1028	100	2 for 69p		
272-1029	220	2 for 69p		
272-1030	470	1 for 59p		
272-1032	1000	1 for 79n		



Printed Circuit Capacitors

Very small, high quality, non-inductively wound. High dielectric strength and rugged construction Perfect for transistor circuits.

Cat. No.	UF	Price
272-1065	0.01	2 for 39p
272-1066	0.022	2 for 49p
272-1068	0.047	2 for 49p
272-1069	0.1	2 for 49p
272-1070	0.22	2 for 69p
272-1071	0.47	2 for 49p



Tubular Capacitors

Built to endure high humidity and temperature leakproof non-flammable case. 250 WVDC.

Cat. No.	UF	Price
272-1051	0.01	2 for 59p
272-1056	0.022	2 for 49p
272-1052	0.047	2 for 59p
272-1053	0.1	2 for 69p
272-1058	0.22	2 for 79p
272-1054	0.47	1 for 59p
272-1055	1.0	1 for 79p

Ceramic Disc

High efficiency, ultracompact ceramic, Capacitors disc capacitors with moistureproof coating




	Cat. No.	UF	Price
i	272-120	4.7	3 for 39p
Н	272-121	47	3 for 39p
Н	272-123	100	3 for 39p
1	272-124	220	3 for 39p
)	272-125	470	3 for 39p
ï	272-126	1000	3 for 39p
ľ	272-130	5000	3 for 39p
	272-131	10000	3 for 39p
	272-134	50000	2 for 39p
	272-135	100000	2 for 45p

ARCHER BUDGET-BUY PARTS PACKS

- Hundreds of uses for Electronic hobbies and experiments.
- The low-cost way to build up a large parts stock.
- Quantities and types may vary slightly to descriptions.
- These products are NOT suitable for industrial applications.
- Archer Pack parts can not be 100% guaranteed.
- Archer Pack parts may be supplied without connection diagram.



10 Opto-Isolators



Ideal for logic circuits, AC/DC controls, solid-state relays. Up to 1500 BRMS isolation. Max. output current 100 mA.

3 Hall Effect Sensors



Solid state devices detect magnetic field electronically. Operates from 5-16 volts supply. 750 gauss "on" threshold. Similar to type 3006

10 Assorted Voltage Regulators



May include adjustable or fixed (5-24 V) types from LM-309K, 723, 340, 7800's and types UA78MG, UA79MG. Style may vary. 276-1608 £1.59

6 Type 2N3055 NPN **Power Transistors**





Maximum Ratings, 80-115 watts, IC rating, 6-15A Vceo, 60 Hfe, 20-80 at 4 A. Style may vary. May contain TO-3 or TO-220 cases. **276-1634 £159**

25 Polystyrene Capacitors



Block-type capacitors with radial leads. 272-803

15 Type 2N3904 **Transistors**



Excellent for switching and amplifier applications. Diss: 300~mW, Vcbo -40~V Hfe 50~NPN type TO-92 cases.

276-1603


15 Type 2N2222 **Transistors**



General purpose amplifier, high speed, medium power switching. Dissipation 600 mW, IC: 800 mA, Hfe: 50. £1.59

276-1617

100 Pre-Formed Low Wattage Resistors



Huge assortment of ½ and ¼ carbon resistors in most popular values, 5% and 10% tolerances. Ideal for printed and subminiature circuits. Colour-coded.

271-1604

Electronic Capacitors



Assorted package of 20. May include miniature sub-miniature styles with values from 0.1 uF to 47 uF rated up

272-802


10 LED Readouts Displays



Hobbyist/experimenter assortment may include MAN-1, MAN-3, DL-747, DL-33

276-1627

Pair of LED Digits



7 -segment 0.5" red displays forward 1.75, forward current : 20 mA voltage:

276-1647 Common Catnode Pair £1.59 276-1648 Common Anode Pair £1.59


20 Assorted LED's



May include types MV-5054, MV-50, RL-209, others in colours, red, green, amber, includes both axial and radial lead types. May also include battery status indicators

276-1622

25 Assorted Zener Diodes




Large selection of diodes with voltages from 2.8 to 120 V, 250 mW to 5 watts. n 2.8 to 120 V, 250 mV (y even include double anode types. £1.59 276-1629

50 Hi-Speed Switching Diodes



Type IN914. Switching time only 4 ns. PRV: 90 V, IF; 10 mA, VF; 1.0. Silicon type with long axial leads.

100 Inductances



A complete asortment of high quality inductances. Ideal for printed circuit boards. Diverse values and sizes.

12 Potentiometers and Trimmers



Assorted values and styles including multiturn devices. Nylon case. May include wire-wound types and some with gold-plated pins. 271-1605

Mounting Socket for Wire Wrapping



Use with the wire wrapping tool to mount resistors, condensers, LFD displays on perf. boards. 16 pins. Standard size. 276-1980

100 Disc Capacitors



Mylar and ceramic types. Values from 2 pF to 0.1 pF. Diverse working voltages. £1.59

100 1/4 Watt Resistors



5% tolerances. Contains 10 each : $10\Omega,$ 1k, 10k, 100k, 8 each : $47\Omega,$ 100 $\Omega,$ 470 $\Omega,$ 2.2k, 4.7k, 1 Meg and 4 each : $150\Omega,$ 220 $\Omega,$ 15k. 271-308

12 Assorted Switches



Varied selection may include pushbutton, slide, toggle and rocker switches, rated up to 3 Å at 120 VAC. SPST, DPDT, momentary and other types. Lug and screw terminals.

£1.59

100

Tandy is THE Electronics 'Parts Place'.

TANDY HAS EVERYTHING YOU NEED IN WIRE AND CABLE

22.5 m MINI-SPEAKER CABLE



f259

Wire your whole house for stereo!

Specially made speaker wire, highly conductive, yet unobtrusive and easy to install, 2-conductor No. 25 swg 0.21 mm² with transparent plastic installation. 278-1509

2-CONDUCTOR SPEAKER WIRE Extremely low loss speaker wire

Cat. No.	Description	SWG	mm ²	Length (m)	Price
278-1387	2 conductor, plastic	21	0.52	30	£4.95
278-9012	2-conductor, polarized	22	0.40	15	£1.69
278-9013	2-conductor, polarized	20	0.75	15	£1.99




ZIP CORD SPECIALS

Top quality wire that has many uses for the builder as extension cords, speaker wire, etc.

Cat. No.	Description	SWG	mm ²	Length (m)	Price
278-1301	Miniature, plastic	25	0.21	15	£1.89
278-9020	2-conductor, PVC	20	0.75	10	£1.69
278-9021	* 3-conductor, PVC	20	0.75	5	£1.39

RAINBOW WIRE PACKS A flexible parallel cable in a choice of



lengths ideal for intercoms, model trains and toys. Colour coded for easy identification. PVC insulation resists temperature changes and ensures low resistance.

Cat. No.	Description	SWG	Length (m)	Price
278-9015	2-conductor	25	12	£1.65
278-9016	3-conductor	25	10	£1.65
278-9017	5-conductor	25	6	£1.65
278-9018	8-conductor	25	4	£1.65



HOOK-UP WIRE PACKS

For hobbyists and builders. Insulated electrolytic copper conductors in six assorted colours. 25 SWG, 0.20 mm², 20 m length.

Cat No.	Description	Price
278-9025	Stranded, black	99p
278-9026	Stranded, red	99p
278-9027	Stranded, blue	99p
278-9028	Stranded, green	99p
278-9029	Stranded, vellow	99p
278-9030	Stranded, white	99p




POWER SUPPLY CORD AND PLUGS


1.80 m replacement cord with fixed female square or round plugs. Fit most portable cassette recorders, radios, etc.

270-9003 Square female 278-9004 Round female

£1.19 £1.19



INTERCOM



Cat. No.	Description	SWG	mm ²	Length (m)	Price
278-559	2-conductor	25	0.21	30	£3.25
278-855	3-conductor	25	0.21	9 -	£1.99




COAXIAL CABLE

Extra low loss, ideal for amateur radio or CB use. RG58/U.52 Ohm.

278-1326

59p

2 AND 4 CONDUCTOR WIRE FOR DIN CONNECTORS



2-CONDUCTOR (Mono). 2 individually shielded conductors PVC figure 8 covered. Stranded copper, polythene insulated, copper shield. 2, 5 x 5.4 mm. 278-9007

1-9 metres	10-49 metres	50 metres
25p per m	24p per m	23p per m

B 4-CONDUCTOR (Stereo for 5-pin connectors), 4 individually shielded and colour coded PVC circular insulator. Stranded copper, polythene insulated, copper shield. 5 mm. 278-9008

1-9 metres	10-49 metres	50 metres
35p per m	34p per m	33p per m

MICROPHONE CABLE





Low loss, shielded cable for extensions, natch cords and interconnections. Vinyl covered,

Cat. No.	Description	m m²	Length (m)	Price
278-9010	1-conductor with shield	0.50	10	£2.75
278-9011	2-conductor with shield	0.20	10	£3.49

7.5 m MICROPHONE EXTENSION CABLE KIT



£429

Single conductor shielded cable with connector at each end. Complete with adaptor plugs for converting microphone connector to a 6.3 mm phone plug or inline jack.

£4.29

TEST PROBE WIRE




Use for replacements or extensions. Plastic insulation. Available in 7.6 m lengths.

278-553 Red. 21 SWG, 0.52 mm2 278-554 Black, 21 SWG, 0.52 mm²


£165

£1.65 £1.65

ASSORTED TEST LEADS



B. 1.30 m TEST LEADS WITH BANANA PLUG. Insulated and shockproof, they have moulded plastic handles and solderless nickelplated brass tips. 278-746



C. COILED CORD TEST LEADS. Fit any multitester, colour-coded with solderless 12.7 cm test prods one end, banana plugs other. 1.8 m cord extension adaptor phone tips included. 278-750° £2.79



TEST LEAD JUMP CABLES

A. 35 cm colour-coded leads with miniature insulated alligator clips on each end.

278-1156

Set of 10

£1.69

B. TESTER KIT. Completely insulated. Connecting screw for easy hookup. Red and black.

278-1160

2 for £2.19

GREAT ASSORTMENT OF FUSES AND TRANSFORMERS FROM TANDY

TANDY'S TRANSFORMER LINE

- Double coil type!
- 4kV Insulation! High performance!

Great selection of high quality transformers for the experi-menters as well as for the technicians! Primaries designed to operate from 220/240V AC at 50/60 Hz.



Cat. No.	Output voltage	Amperage	Price
Transforme	rs for low voltage power supplies		
273-9203 273-9204	6.3 V 12 V (6-0-6)	1.2 A 1.2 A	£2.59 £3.29

273-9204	12 V (6-0-6)	1.2 A	€3.29
273-9205	24 V CT (12-0-12 V)	1.2 A	€5.59
273-9206	6.3V	0.3 A	€1.99
273-9207	12 V	0.3 A	€2.09
273-9208	24 V CT (12-0-12 V)	0.3 A	€2.49
273-9210	12.6 V (6.3-0-6.3 V)	3 A	€4.49
273-9533	9 V	0.3 A	€2.09
273-9534	9 V	1 A	€2.69
273-9535	15 V	0.3 A	€2.59
273-9536	15 V	1 A	€3.69
273-9539	6.3-0-6.3 V	0.25 A	€2.09
273-9540	6.3-0-6.3 V	0.5 A	€2.19
raneformar	e for nower emplies and newer ampli	lare	

Transformers for power supplies and power amplifiers			
273-9211 25.2 V (12.6-0-12.6 V)	2 A	€6.25	
273-9213 18 V CT (9-0-9 V)	3 A	€6.25	
273-9215 36 V CT (18-0-18 V)	2 A	€7.89	
272 0224 25 20 0 20 25 V	201		

For a double	stab. power supply		120
	35-30-0-30-35 V	3.6 A	€16.95
273-9215	36 V CT (18-0-18 V)	2 A	€7.89

273-9216 15-0-15 V	0.5 A	€3.49
273-9222 25-0-25 V	1 A	€6.95
273-9555 42 V	3 A	€9.99
Universal transformer with numerous applic	cations for the habbuist laboratory	-

Iniversal transformer with numerous applications for the hobb	yist laboratory	
273-9217 0-6-9-12-18-24 V	1 A	€3.75

2 A	€3.25
	2 A

2/3-9218 8V	2 A	€3.25	270-9017	2 A
For Clock Modules			270-9018	4 A
273-9520 5-0-5-12 V	0.25 A	€2.29	270-9019	5.3 A
273-9521 3-0-3-10 V	0.3 A	€2.29	• Efficient pr	rotection
			- Lindione pi	Ottootion

Audio Frequency Transformers

Cat. No.	Туре	Impe	edance	Price
		Primary	Secondary	
273-1376	Input	200k	1k	89p
273-1380	Output	1kCT	8	69p
273-1378	Driver	10k	2k	69p
273-1381	Output	500CT	3.2/8	69p

Axial Lead RF Chokes

Cat. No.	mH	Amps	Price
273-101	0.01	1.50	69n
273-102	0.10	2.00	79p

ASSORTED FERRITES 273-1571

Incandescent Lamns


	ioundoodont Eumpo	
A CO		DE
7 * * 110 1 - x 14 3	V.	D F D 1: 1. T

Cat. No.	Fig.	Volts	mA	Туре	Base Style	Type Base	Price
272-1139	A	1.5	25		Leads	- 100	1 for 49p
272-1124	C	2.25	250	222*	Special		2 for 49p
272-1122	- 0	2.33	270	PR-4	Flange	344	2 for 49p
272-1120	D	2.38	500	PR-2	Flange		2 for 49p
272-1132	В	2.47	300	14	Threaded	E10	2 for 49p
272-1121	D	3.57	500	PR-3	Flange		2 for 49p
272-1123	D	5.95	500	PR-12	Flange		2 for 49p
272-1140	A	6.0	25		Leads		1 for 49p
272-1142	В	6.0	100	T-13/4	Threaded	E5.5	2 for 49p
272-1128	В	6.3	150	40	Threaded	E10	2 for 49p
272-1130	B	6.3	250	46	Threaded	E10	2 for 49p
272-1133	В	7.5	220	50	Threaded	E10	2 for 49p
272-1141	A	12.0	25	1.0000	Leads	0.4.5	1 for 49p
272-1143	В	12.0	75 -	T-134	Threaded	E5.5	2 for 49p
272-1134	В	14.0	200	1487	Threaded	E10	2 for 49p
272-1135	B	28.0	170	1821	Threaded	F10	2 for 49n

NEON GLOW PANEL LAMPS

Cat. No.	Туре	mA	Watts	Series Res	Price
272-1101 272-1102		0.30	1/25	68k 560k	2 for 49p 2 for 49p

Plastic Battery Holders




Cat. No.	Holds	Price	Cat. No.	Holds	Price
270-382	2 'AA' batteries	49p	270-390	4 'C' batteries	79p
270-385	2 'C' batteries	49p	270-386	2 'D' batteries	59p
270-383	4 'AA' batteries	49p	270-389	4 'D' batteries	99p
270-388	4 'AA' batteries	49p	270-401	1 'A' battery	29p
270-384	6 'AA' batteries	49p	270-402	1 'C' battery	34p
270-387	8 'AA' batteries	64p	270-403	1 'D' battery	490

9-Volt Battery Clips

Durable plastic!
 Fits type PP-3!

Cat. No.

12.7 mm spacing. Fits transistor radio and battery holder connectors. Designed to give long life and increased resistance to battery acid and other physical extremes. 5 for 79p



	20 x 5 mm dia.	
Cat. No.	Slow Blow Fuse	Price
270-9021 270-9022 270-9023 270-9025 270-9026 270-9027 270-9028 270-9029	1 A 25 A 5 A 1 A 1 .6 A 2 A 4 A 6 .3 A	3 for 79p 3 for 69p 3 for 69p
Cat. No.	Medium Blow Fuse	Price
270-9011 270-9012 270-9013 270-9015 270-9016 270-9017 270-9018 270-9019	.1 A .25 A .5 A 1. A 1. 6 A 2 A 4 A 5.3 A	3 for 79p 3 for 69p 3 for 69p 3 for 69p 3 for 69p 3 for 69p 3 for 69p 3 for 69p


270-9002 270-9003 270-9005 270-9006 270-9007 270-9008 270-9019	25 A 5 A 1 A 1.6 A 2 A 4 A 6.3 A	3 for 49p 3 for 49p 3 for 49p 3 for 49p 3 for 49p 3 for 69p
	30 x 6 mm dia.	min Heb
Cat. No.	Slow Blow Fuse	Price
270-1283	1 A	3 for 85p
Cat. No.	Fast Blow Fuse	Price
270-1271 270-1273 270-1274 270-1275 270-1260 270-1276 270-1277 270-1278	5 A 1 A 1.5 A 2 A 2.5 A 3 A 4 A 5 A	3 for 59p 3 for 59p

Fast Blow Fuse

Price

for your electronic circuits **Fuse Holders**

Cat. No.	Fig.	20 x 5 mm Fuse Holders	Price
270-739		Clip-in Fuse Holder, Single	2 for 59p
270-364	E	Panel Mount Fuse Holder	each 69p
70-1281	F	In-Line Fuse Holder with Leads	each 59p
270-366	G	'Quick-Connect'. In-Line	
		Fuse Holder	each 49p
270-365	Н	Panel Mount Fuse Holder	
		Colours: Black, Red, Blue	each 54p
	94.5	30 x 6 mm Fuse Holders	- 0-
270-9030	A	Clip-in Fuse Holder	2 for 79p
270-9050		IC Mount Fuse Holder	2 for 69p
270-9031	C	Panel Mount Fuse Holder	each 99p



terminal blocks.
4 Position 274-674
2 Position 274-678 Four, eight and twelve position moulded plastic 8 Position 12 Position £1.39



Wires Ties. All nylon with self-locking heads. Serrated, un-breakable, natural colour. 30 ties buy! 278-1632 €1.49

B Heat-Shrinkable Tubing. Set of 14 pieces in 10 cm lengths, sizes 3 mm to 12.7 mm. Fits over wire and shrinks to half its original diameter, when heat is a applied to give smooth, tight-fitting cover. 278-1627 £1.39

DON'T GO TO PIECES LOOKING FOR BITS — SEE TANDY



Universal AC Adaptor

£4 95

- Operates most portables from AC - saves batteries.
- Polarity reversal.

Powers battery operated transistor radios, cassette recorders, calculators from any 220/240 V AC supply. 3-range voltage selector switch. Output: 3, 4.5, 6 volts at 300 mA - 2m cord with connection with miniature, subminiature, and power jacks (2.3 and 3.1mm).

270-9538* £4.95 Stabilized Power Supply



Volt. Use with radios or hi-fi.

A regulated DC power supply for items requiring a constant voltage. Can be used with transistor radios, cassette players, etc. plus Ultrasonic Burglar Alarm (Cat. 49-9461). Input voltages: 0-125 – 160-220 VAC. Output voltages: 3-4.5 – 6-7.5 – 9-12v DC at 1500 mA. With DIN output socket. (Requires DIN plug Cat. 274-9022 or 274-9023). 270-9535*

Multipurpose Amplifier with Builtin Speaker



High-gain IC Amp, 200-mW Output

Compact amplifier/speaker for use with telephone pick-up, microphone or even electric guitar. Use it as an intercom, the audio stage of a receiver project or add a probe and it becomes a pocket-sized signal tracer. Has volume control with on/off switch, ½" phone jacks for instant input and external speaker or earphone. 100.110.00. Hz responses 1mV input 100-10,000 Hz response, 1mV input sensitivity, $2\frac{1}{2} \times 3\frac{1}{8} \times 1\frac{3}{4}$ ". Requires

81

Foreign AC Travel Adapters Low As £5.99



Pocket Size! 220/240VAC to 110/120VAC.

1000-Watt Converter – for Non-Motorized Appliances. Use your 120 VAC appliances on 220/240 volts. With carrying pouch. £8.49

1600-Watt Converter – for High-Power Heating Appliances. Converts 220/240VAC to 110/120VAC. Overload protection circuit. Includes

ng pouch. 273-1404

Plug Adapters (Set of 4). Connect your foreign voltage converter to almost any wall outlet anywhere! Includes vinyl pouch. MUST BE USED WITH VOLTAGE CONVERTER.

273-1405

Universal Heat Sink £1.89



Heat Sinks As Low as 69p Anodized Aluminium!

TO-220 Head Sink. Ideal for PC hoard mounted power semi-conductors tin TO-220 cases.

276-1363* 69p TO-3 Heat Sink For power devices in TO-3

276-1364

Enclosed 4" AC Fan



Efficient,



£11.95

Equipment that runs cooler lasts longer! Delivers up to 70 CFM and is ideal for cool-70 CFM and is ideal for cooling power supplies, amateur radio equipment, computers. Diecast venturi. Sealed bearings never need lubrication. For 220/240 VAC 50 Hz 4.63 × 4.63 × 2.47" overall. 273-241* £11.95

IC Inserter/Extractor Set



Insertion Tool includes Pin Straightener **Built into** Handle.

£3.49

Handy insertion and ex-traction tools are ideal for hobbyists and engineers Built-in pin straightener Automatically ejects straightened IC ready for installation in board or socket. Extractor handles all LSI, MSI and DIP devices of 8 to 24 pins. 276-1574

Silicone Base Grease!




Ideal for use for proper heat transfer from power uctors to chassis or heat sink. 276-1372

Power Transistor **Mounting Hardware**



Power transistor mounting hardware includes mounting screws, insulated washers and nylon bushings. For transistor with TO-220 cases.

Power Transistor Mounting Hardware



Top Quality Buy for Experimenters!



Condenser Mike Element

Wide response for tape recorders, PA or re-placement use. 50-8000 Hz response. Sensitivity

65 dB 11 × 9.8mm. 270-092*

£1.29 £1.49

Xenon Flash Tube £1.99

Ideal for Strobe Light or Photo Flash.

Most popular type used in electronic strobes. Anoge voltage. 300V (max.) 220V (min.). Trigger voltage. 4kv (min.). Approx. life of 8,000 flashes Use trigger coil 272-1146. 272-1145. £1.99

4 kV Trigger Coil 69p



 Ideal for Electronic Xenon Flash Tubes!

mary discharge voltage 300V; secondary voltage 4,000V. With specifications and diagram. Use with 272-1145 Xenon flash tube. 1145 Xenon f 272-1146*

Hobby Motors



Perfect for Models!


Leads for easy hookup. Get creative!
A 1.5VDC 273-218* Pkg of 3 £1.19
B 1-6VDC 273-206* Pkg of 2 99p Pkg of 3 £1.19 Pkg of 2 99p



General Purpose. 50-8000 Hz. Response ensitivity 55 dB.

270-095 85p

Buzzers



273-004*,15V 99p 273-049*,6V DC £1.29 273-051*,12V DC £1.29 273-052*,9V DC NEW 89p

Solid State Piezo Buzzer £1.89

For 1.5 to 20V DC opera-tion. Requires only 12 mA at 9V DC yet has a 4.8 KHz signal. No conact to wear out 35 ×

273-060* £1.89 273-064* NEW 89p

12V Electronic DC Buzzer



For 6 or 12V alarm systems, Economi-cally designed for

Circuit Board Terminals

Solderless spring terminals for breadboarding. Quick and easy connection. Use again and again. 270-1547* 20 for £1,25

Spade Lugs with Jacks, 5 red, 5 black. Sturdy, open ended, insulated 22.2mm long. 270-1541* 10 for 79p

BATTERIES FROM TANDY—YOUR RELIABLE POWER SOURCE



Cat.No.		Type 'New Formula'	Re IEC	places Ever-Ready	Price
23-467	A B C D	1.5 V 'C'	R14	SP-11	18p
23-466		1.5 V 'D'	R20	SP-2	18p
23-468		1.5 V 'AA'	R6	HP-7	12p
23-464		9 V	6F22	PP-3	32p

GENERAL **PURPOSE** ENERCELLS

- Cost Less Than **Most Other Brands**
- **Protected Against Leakage**
- Rigid Steel Shell. Polyethylene **Inner Liner**

Our most popular batteries! We sell millions every year, so you can be sure they're fresh and strong when you buy them. Compare and you'll see what a value they really are.



9V ENERCELL

'Ultra Top' cell A 50% longer life 9V battery with super leak-proof case. 23-7004 49p




BATTERY CLUB AND SAVE UP TO £3.84

oin up now and receive your choice eneral Purpose Enercell in 1.5V 'D 'AA' or 9V sizes each month. FREE! (That' worth up to £3.84. Pick up your Club Card at your nearest Tandy Store! No obligation nothing to buy! It's just a way of saying thanks' for shopping at Tandy.










- Miracle Seal jacket for Leak Protection
- Last up to 3 times Longer

Tandy's heavy duty EXTRA-LIFE ENERCELL batteries make all conventional batteries obsolete! Specially processed electrolyte provides as much as 200% more service life than ordinary batteries and a shelf life up to 3 years!









Intercoms 3.2 times longer



Flactric shavers 2.8 times longer

MICRONTA BATTERY TESTER



Tests most Batteries!
Colur-Coded Scales!

Accurately measures voltage under load conditions of accurately measures voltage under load conditions or any flashlight or transistor radio battery. Five ranges: 1.5/6/9/15/22 volts. Two colour-coded scales. Single knob selector. Negative earth stud for quick checking. Size: 130 x 41 x 89 mm. 22-030

HAND HELD **BATTERY CHECKER**



Checks Condition of Transistor
Radio Batteries!
Easy to use! See condition on the
colour-coded scale. If red replace the
battery, if green it's o.k. for C', 'D', 'AA'
and 9V batteries; zinc-carbon, alkaline,
mercury and nickel-cadmium. Size: 105 x
60 x 35 mm. 22-100
£3.99

TANDY WATCH BATTERY CENTRE SILVER OXIDE WATCH/CALCULATOR BATTERIES



Designed for Extra Protection Against Leakage, Silver-oxide keeps equipment operating a long, long time.

Cat. No.	Туре	Replaces	Each
23-009 23-101	RS 76 RS 389	B76S, S76E, MAS76, MS76RA, RS76G, 8104, ZS76 EV389, 10L122, RW49, 389, SB-BU, WL10, SR1130, G10.	99p
23-102	RS 392	7, 544, 189, 289, GP89, D389 EV392, Type K, 10L125, RW27, RW47, 247B, WL1, G3,	£1.89
23-103	RS 393	2, 547, 8009, GP92, 392, D392 Type F, 10L123, RW28, RW48, 255, WL6, G5, 15, 546.	£1.29
23-104	RS 303	8010, GP393, 393, D393 EV303, Type A, WS14, SBA9, GS14, 9, 521, EPX77.	£1.89
23-105	RS 357	8002, 303, D303 Type J, 10L14, RW22, RW42, 228, L14, G13, 7, 541, 8006	£2.45
23-106	RS 386	A76, D76, EPX76, F76, S76, GP57, 357, D357 EV386, Type H, 10L124, 10R124, RW24, RW44, 260, WL11	£2.45
23-107	RS 399	G12, 6, 548, S41, S42, 186, 286, 8007, 386, 0386 391, 10L130, 317, SR1120W, SB-BS, WL5, G8, 31,	£2.69
20 .01	110 000	291, 8018, 1160SO, D391	£1.69

ENERCELL® EXTRA LIFE AND RECHARGEABLE BATTERIES.

Enercell® Alkelines Last Up To 10 Times Longer.

Keep Working Even at Low Temperatures.

 Long Shelf Life.
 Our exclusive ENERCELL® alkeline batteries cost less per hour – that's why they're your best buy! Each is constructed to keep your battery operated equipment working longer. You get top performance even at low temperatures and with high current drain. Steel clad and insulated for extra dependability, and they retain full power through long periods of storage at normal temperatures.

Fig.	Cat. No.	Туре	Replaces Ever-Ready/ Mallory	Price
А	23-551	"C"	MN1400	2 for £1.19
В	23-553	9V rect.	MN1604	each £1.39
C	23-552	"AA"	MN1500	4 for £1.89
D	23-550	"D"	MN1300	2 for £1.69



Enercell® 9V Rechargeable Battery.

Recharges up to 1000 times.

£5.99

The most efficient source of reuseable power available. Costs less to use per hour than ordinary batteries. Will replace 200 alkeline batteries in cassette recorders, 150 in calculators. Comes back to life even if left "on" in battery operated equipment all night.

Fig.	Cat. No.	Туре	IEC Size	Capacity in Milliam- pere hours	Price
Α	23-123	"D"	R20	1,200	2 for £4.69
В	23-125	"C"	R6	500	2 for £3.29
C	23-124	"C"	R14	1,200	2 for £4.29
D	23-126	9V			£6.59



270-9530



Battery Charger

9V transistor batteries over and over again. Snap on battery clips and plug into 240V mains outlet. Keeps your Ni-Cad rechargeable batteries at full strength and ready

23-9131

£3.99

Batteries for Radios and Specialist Applications.

Keeps your nickel-cadmium

batteries at full strength.



23-223 23-013







23-660 23-601



23-1535 23-9002

Alkaline Batteries.

Cat. No.	VOLTS	EQUIVALENT MALLORY	EVEREADY	IEC	PRICE
23-223	1.4 "AAA"	MN2400	MN2400	LR03	59p
23-013	1.5 "N"	MN9100	MN9100	LR01	59p

Mercury Batteries

Cat. No.	VOLTS	EQUIVALENT MALLORY	EVEREADY	IEC	PRICE
23-225	1.5	PX825	PX825	LR53	69p
23-1521	1.4	RM675H	-	NR07	£1.19
23-660	1.4	RM401H	RM401H	NR1	59p
23-601	7.0	TR175	E175	100	£3.29
23-9002	1.4	MP675H	MP675H	NR07	49p
23-1535	1.4	ZM9C	ZM9C	MR6	£1.19

Torch Ratteries

101011	Dutte	103.			
23-9003	4.5	M1689R	1289	3R12	49p

TANDY - FOR ALL THOSE HARD TO FIND BATTERIES

Transistor Radio Batteries

Cat. No.	VOLTS	EQUIVALENT MALLORY	EVEREADY	IEC	PRICE
23-9004	9	M-1603	PP-9	6F100	£1.19
23-9005	9	M-1605	PP-7	6F90	99p







23-9005

RADIO CONTROLLED FUN — RIGHT IN YOUR HAND.



Lancia Stratos Turbo

Sonic Control Racing Car travels forward, backwards, in a circular path. Will change direction whenever it strikes an obstacle Requires 4 "AA" 60-2377

£7.95



Ferrari Racer E8.95

High-speed forward and reverse/turn action at your finger-tips, indoors or out.
Requires 2 "AA", 2 9V
batteries. Car length, 19.5cm
60-3015 £8.95



"Elf" Formula Racer

£9.95

One-button transmitter puts you in the driver seat! Forward, reverse/turn Requires 4 "AA". 2 9V batteries. Car length, 24 13 cm. 60-3014

£9.95



Lamborghini Racer

You control the course! Authentic racer goes forward, reverse, turns left and reverse, turns left and right. Requires 2 "C", 2 9V batteries. Car length, 24 13cm 60-3026 £15.95



2-Channel **Lancia Stratos**

£19.95
On your mark, Get set, Go!
You're "behind-the-wheel" by remote control, with Auto-Stop if you lose control. Requires 4 "AA". 2 9V batteries. Car length, 24.13cm.

£19.95



Formula 1

Forward, reverse, 360° turns, steer left or right on remote radio control from a hand-held unit. Requires 2 9V, 4 "AA"

60-3013

£29.95



Porsche 928 Racer

function control unit for stop, forwards and reverse. 1/16 scale replica. Requires 4 "C" 2 60-3017

£26.95



Radio

Cruiser £29.95

Controlled

Radio Controlled Racing Team

Authentic Lancia Stratos styling and "Steering Wheel" remote controls 2 speed operation Requires 2 9V, 2 "AA" batteries for each

60-3018

9.95

Bulldozer



Put on your hard hat and start construction! Single control makes unit go forward, reverse, turn, lift and lower shovel. Requires 3 "C", 2 9V batteries. Length, 30.48cm. £29.95

60-3034



60-3022 **High Power** Sherman Tank £29.95

Command your own battalion! Maneouvering in any direction over rough terrain and climb 45° inclines. Requires 3 "C", 2 9V batteries. Length 33.02cm. 60-3037

STOP

Radio Controlled Robot



moulded plastic feet. Control unit. Requires 4 hatteries

60-3023 £14.95

DIGITAL PROPORTIONAL CONTROLLED VEHICLES



Speed and Steering Trim Controls.

Dune Buggy.

81

£39.95

It's proportional - responds directly to amount the speed and steering controls are moved. Forward, reverse; turns left, right; stops. Requires 6 "AA", 5

batteries. **60-3038**

£39.95



Full Independent Suspension.

Authentically detailed 1/12 scale

Porsche 935 Turbo £49.95

Completely assembled, accurate 1/12 scale replica. Proportional steering and variable speed control with forward and reverse. Battery power Indicator lights on car and transmitter.

60-9009

£49.95

cm Long By 20.32cm Wide.

FASCINATING ELECTRONIC "ACTION TOYS" FOR EVERYONE.



COMPUTERISED GAMES — CHALLENGING, FUN AND FASCINATING!



8 different skill levels. Features moulded case with built-in board and pieces. LED rank display and position verification. Requires 6 "AA" batteries. Size: $203\text{mm} \times 140\text{mm} \times 140\text{mm}$

60-2160

£69.95

Mains Adaptor £4.95

Electronic Memory Match



£12 95

 A game of Concentration!

For 1 or 2 players. Uncover numbers by pressing touch-sensitive squares on "board" - match two from memory and score! Requires 4 "AA" batteries. 60-2122

£12 95



A Rocket Pin Ball Out of this world electronic pin hall game 7 skill level games, 49 combina-tions, LED digital scoring, computer memory, 5

£19.95 Tandy Playmaker 3 Games In 1 Play orball, basketball and hockey 3 programme rds (one card for each game) allows two people play simultaneously. Requires one 9V battery

£24.95 60-9008 C Pocket Repeat Test your memory, Play ack Lights and Sounds in the Same Sequence lini size to fit in your pocket. Requires 9V battery

D One Player Basketball/Sea Battle Play basketball against the computer or take omand of a Destroyer chasing Submarines. Requ

one 9V hattery 60-2149 E Electronic Football Game Fast paced with skill and danne showing "fell field" display and LED players. Amateur and Pro speeds. LED timing and scoring, plus multi-directional player

antrol with pass and shoot keys.

F Target Game Test your skill on this exciting et game. Rotating target disc with photocell light-emitting pistal.

G Electronic Repeat Beat the Computer!
Sharnen your memory-play back the colours and sounds in the same sequence. Gets faster and faster on 4 skill levels. Bequires 9V battery

£14.95 60-2142



150-IN-1 ELECTRONICS PROJECT KIT

150-1 ELECTRONIC PROJECT KIT



ALL YOU NEED IS INCLUDED

7 Segment LED Digital Display



Circuit





Instruction Manual

Explains every project in nontechnical language, with simple diagrams.

£2495

100% Safe — No Mains Power Needed ● Simple, Re-usable Spring Clip Connections

SCIENCE FAIR 150-IN-1. Nothing bigger or better for learning the fundamentals of electronics as you build communications and test equipment circuits. Projects include radios, telegraphs, one-way telephone, radio signal monitor, wireless microphone, oscillators, circuit testers, output meters, D.C. voltmeters and audio signal tracers. Simple computer circuits include AND, NAND, OR and NOR circuits with LED flip flop lamp flashers and others. Pre-mounted solar battery, photocell, signal lamp, meter, relay, speaker, integrated circuit and LED display. Connect, disconnect circuits in the sturdy case using spring clips. Complete with instructions, earphone, code key and wire. Requires one 9v and 2 "AA" batteries. 28-248

SCIENCE FAIR KITS FOR ENTHUSIASTS OF ALL AGES

75-IN-1 ELECTRONIC PROJECT KIT

Easy No-Solder Assembly

 Safe Battery Power
 75 Exciting Projects for the Young **Electronics Enthusiast**

85 page Instruction Manual All projects explained in nontechnical language, with simple diagrams to make assembly easy.




A fascinating electronics project kit for beginners and enthusiasts alike. Includes everything for constructing basic semi-conductor circuits, communications projects, logic and computer circuits, natural science experiments. Build basic transistor projects that include wireless AM transmitter, oscillators, telegraph, crystal diode and one transistor radios, output level meter, NPN and PNP transistor checker. There's even a plant growth stimulator and sonic fish caller. Earphone, code key, speaker, conecting wires are included in the sturdy 5 x 144 x 28 cm fitted wood case. Safe and solderless spring-clip connectors. Requires one 9v and 2 "AA" batteries. 28-247











- Spring Clip Assembly
- No Solder **Absolutely Safe**

Hours of entertainment — and educational too! Deluxe circuitry supplied includes four transistors and a transformer, plus pre-assembled FM Tuner. Numbered components for ease of assembly using Spring-Clips. Earphone and illustrated instruction manual included. Requires two "AA" batteries. 28-234

MW POCKET RADIO KIT

 Printed Circuit Assembly Carry Case Included

699

A quality 8-transistor portable radio that sounds even better because you 'built-it-yourself! Easy printed circuit assembly Complete with 63 mm speaker, side mounted thumbwheel volume and tuning, earphone, solder, instructions and a leatherette carry case. Requires "AA" batteries

28-222 £6.99



TWO TRANSISTOR **AMPLIFIER**

- Battery Powered Full Instructions

Amplifies the audio signal from a ceramic phono cartridge, tuner or tape deck. Includes two transistors, output transformer, speaker, volume control and full instructions. Use it with 28-234 MW/VHF radio kit or indeed any Science Fair project using an earphone. Requires 9v battery. 28-224

ELECTRONIC BICYCLE SPEEDOMETER KIT

- Suitable for Most Bicycles Scale Registers Mph and
 - Kilometers per hour

Archerkit Electronic Bicycle Speedometer shows you how fast you're pedalling and adds fun to your riding. ½" scale reads up to 30 mph/60 kph. Tough 4" x 2½" x 2" moulded housing. Includes mounting hardware and easy assembly instructions. Requires

battery. 28-4026 £9.95



FUN! SAFE! BUILD A"SOLDERLESS" SCIENCE FAIR KIT

SCIENCE FAIR® AERONAUTICAL KIT



 Over 100 Aviation Projects in One Kit Complete with 160 page manual

Learn the mechanics of flight and propulsion as you build a helicopter, a flyable model plane, rocket with recovery parachute, helium balloon, and many more exciting and educational projects. Learning has never been so much fun! 28-196

50 PROJECTS TO STIMULATE YOUNG MINDS




Spring Club Terminals for Absolutely Safe Hookup

SOLAR POWER ELECTRONIC LAB KIT

 Workbox Made of Finished Wood With Parts **Pre-Mounted Inside**


Build a radio, a telegraph, a morse code system, and much more. Easy-to-understand instructions. When your project is finished, disconnect the circuit and go on to another one. No prior knowledge of electronics necessary! Requires 2 'AA' batteries. **28-227** £16.95

CB MONITOR RECEIVER KIT



- Covers 40 channels
- Simple and fun to use!





Science Fair Receiver Kit allows you to listen to the full range of Citizens's Band. Illustrated board, spring-clip wiring and numbered parts. Requires one 9V battery.

28-238

Converts sunlight into Electrical Energy!

Build your own sun-powered radios, transmitters, relays, light beam communicator, sound synthesizer—tascinating projects in all! Safe solderless connections. Includes easy-to-follow instruction manual schematics, 22 separate components in fitted. Size: 38 x 25 x 5 cm case. 28-246 £9

TUNABLE ELECTRONIC ORGAN KIT




Plays 2 Octaves of Major Scale Hardwood case-complete with Songbook

Now budding musicians in the family can build their own tuneable organ. All spring-clip assembly soldering tools needed. Builds into the 32 x 12.5 cm hardwood box in which it comes. Kit includes speaker and songbook of popular melodies. Requires 2 'AA' cells. **28-215 6.8.95**

DIGITAL LOGIC LAB KIT

- 25 Experiments in **DIGITAL LOGIC Circuitry**
- No Soldering



Set up your own experiments in digital logic. 25 exciting experiments including 'AND', 'NAND', 'OR' circuits, electronic games and lots more to intrigue young minds, complete with IC, LED and all components, safe, no-solder assembly. Requires 3 'AA' batteries. 28-226 £8.95

50,000 OHMS/VOLT MULTITESTER KIT

- 43 Ranges'Range Doubler' Circuit

Features include a 10.8 cm overload protected meter, one knob function selector, 'Range Doubler' switching, DC Volts: 0-125mV-1.25-5-25-125-500 at 50K ohms/volt. 0-250mV-2.5-10-50-250-1000 at 25K ohms/volt. AC volts: 0-5-25-125-500 at 10K ohms/volt. O-10-50-250-1000 at 5K ohms/volt. DC current: 8 ranges. Resistance: 5 ranges, dB: -20 to + 62. 8 ranges. Accuracy ± 3% DC: ± 4% AC. With leads and full instructions. Requires 'AA' + 9V Battery.

28-4014 C19-95

PROJECTS FOR FUTURE ENGINEERS





Junior Electronic Lab Kit Build your own Home AM Broadcast Station, amplify and test equipment. Use the Morse Code. Complete with instruction manual, assembly guides, wiring diagrams. Requires one 'AA'
battery, 28, 225
C7.95 battery. 28-225

TANDY REFERENCE BOOKS KEEP YOU IN TOUCH



COMPUTER TECHNOLOGY

Beginning Computers. For the novice. Subtitles, diagrams, photos. 49 pages. **62-2003** £1.39

BASIC Computer Games. 84 games for solo and group play. 192 pages.

62-2004 £3.99

TRS-80 Assembly/Language Programming. Computer hardware, software, microcomputers. 404 pages.

62-2006 £2.29

The BASIC Cookbook. Teaches BASIC so you can program a microcomputer. 116 pages. 62-2007 £1.59

57 Practical Programs and Games in BASIC. Includes blackjack, space-war, straight-line depreciation, compounding. 204 pages. 62-2008 £2.25

Understanding Digital Electronics. Explains digital electronic devices, circuits, and systems. 240 pages. 62-2010 £1.69

BASIC Computer Programming. Intro to computers, writing programs. 156 pages. 62-2015 £2.29

BASIC Computer Language. Includes both programmed instruction and user programs. 232 pages. 62-2016 £3.95

Understanding Microprocessors. Learn what microprocessors are and how they can be used. 296 pages. 62-2017 £1.89

Understanding Digital Computers. Easy-to-read programmed course on digital computer basics. 160 pages.

62-2027 £2.95

Level II Programming. Examples of Level II BASIC routines for the TRS-80 Model II. 351 pages. 62-2061 £5.95

Level II Programming Techniques. Supplement to Level II Programming. Common BASIC operations. 142 pages.

62-2062 £2.69

TRS-80 Graphics. How to create graphic displays with TRS-80. From line drawings to geometrics to moving-figure animation. 142 pages. **62-2063** £2.99

TRS-80 Programs. 32-fully documented programs ready-to-run on a TRS-80. Suggested program changes, too. 267 pages.

62-2064 £3.49

How to Program the Z80. Educational text and self-contained reference. From the basic concepts to advanced data structures manipulations, with comprehensive description of all Z80 instructions. 626 pages.

62-2066 £6.99

Programmer Computers. A comprehensive guide to computer Programming.

62-9202 £4.95

LEARNING ELECTRONICS

Understanding Calculator Math. Description of basic mathematics using the electronic calculator. 240 pages.

62-2009 £1.89

Basic Electricity. For the Beginner Electronics Student. Volume I. Introduction to electricity, voltage, Ohm's law, parallel circuits. **62-2019** £4.95

Volume II. Covers voltage dividers, capacitors, inductors, more. **62-2020 £4.95**

Both for £8.95

Understanding Electronics Communications Systems. Description of the basic means of electronic communications. Describes how the various systems work. 256 pages. 62-2018 £2.29

Understanding Solid-State Electronics.
A 12-lesson, self-teaching course in semiconductor theory by Texas Instruments Learning
Center. 242 pages. 62-2035 £1.59

Electronics Data Book. Reference for formulas, laws, math, and much more. 112 pages. 62-2040 £0.69

Electronics Dictionary. Definitions and illustrations of more than 4800 electronics terms. Expands your vocabulary.

62-2047 £0.79

Math for the Electronics Student. How to solve problems in circuits, induction, capacitance, RMS, peak power, power factor, resonance. 112 pages.

62-2057 £0.99

CB-SWL-HAM

Shortwave Listener's Guide. A must for any shortwave listener! Lists stations by country, city, call letters, frequency, power and transmission times. Includes log. 128 pages. 62-2032 £1.39

CB-SWL-HAM Log Book. All-purpose! Keep an accurate account of stations heard. Tables for recording frequency, call letters, date time. 64 pages. **62-2034** £1.69

CB to Ham Radio. A programmed course to take you from CB to HAM radio in easy-to-understand sections. Theory, test questions, tips to learn code, and much more. 154 pages. 62-2056 £2.39

CB Radio for Trucks, Cars and Boats.Covers CB communication, licensing, transceiver operation, specs, features, mobile installations. 98 pages.

62-2306 £0.69

GENERAL

Guide to Stereo High Fidelity. Perfect intro to component stereo systems, as well as a handbook for the advanced user. Discusses speakers, amplifiers, record players, tape decks, headphones, FM 4-channel, assembling a system. 174 pages. 62-2029 £1.99

Introduction to Antennas. Comprehensive, easy-to-understand guide. Explains how CB, TV, radio, shortwave antennas are designed. How to choose and install antennas. 128 pages. 62-2051 £0.89

Building Speakers Enclosures. Get extra value and set your own specs by building your own speaker system. Bass-reflex, infinite baffle, acoustic-suspension, many more designs. 96 pages. 62-2055 £0.69

A SAFEHOUSE—Electronically. Perfect primer to setting up a home or business security system. Basic information on various electronic detection systems. 125 pages. 62-2308 £1.29

ANSWERING SYSTEMS AT MONEY SAVING PRICES

Dual-Cassette Phone Answerer DUOFONE TAD-26. Don't miss important phone calls! With Remote Control

Easy to Install.

Microprocessor Controlled.

Monitor Feature "Screens" Incoming Calls.

Easy-to-install, answers with your own 20-second announcement, then records caller's message for up to 30-seconds. Call your own number from any phone and receive your messages by remote control. With plug-in mike. Works with rotary dial or push-button systems. Adjustable to answer in one to five rings. Attractive moulded woodgrain cabinet. Size: 22.22 \times 29.84 \times 7.94cm.

43-259* Extra Outgoing Cassette (20 seconds). 43-401 Extra Incoming Cassette (Leaderless C-60). £159₉₅ Remote control lets you play back calls through any phone and reset for

Check on home messages from work on office calls when away on business or just keep in touch at anytime!

£159.95

£3.59

ALL ELECTRONIC PUSHBUTTON PHONES FROM TANDY





Tandy's "Mini" -The Personal Electronic Phone.

- **Tone Ringer With** Silent/Low/High Switch.
- **Mute Switch Silences** Outgoing Voices.

Tandy ET-100. The personal electronic telephone of tomorrow is here today! It's the smallest we've ever offered and truly a marvel of advanced technology. Mute switch lets you talk privately to someone nearby,—no need to cover the mouth-piece with your hand! Half of the 16ft. cord with modular plug is coiled – it can't clutter desk or table. Other half will lay flat on the floor. Silent/Low/High ringer switch - you'll never be disturbed by unwanted calls! (Not for party or multi-line use). 43-284 White Mist.

43-285 Dark Brown

£34.95



Compact One-Piece Design -Complete Phone Just 5.71 × 3.81 × 17.38cm.

STYLISH MODERN DESIGN COMPLEMENTS ANY HOME OR OFFICE.

Tandy have all the telephone accessories you need.

ON THE RIGHT LINES WITH TANDY.



Elegant Phones Add A Bright Accent To Any Room.

A. French Continental.

Classy conversation pieces.

Gold filigree finish and ivory-coloured base add to the "Old World" charm of this antique style phone. Complete with 7' base cord.

B. French Style Conversation Piece.

combine classic design with quality components for years of reliable service "Continental-style" buzzer and ornamental "Continental-style" buzzer and ornamental handset create a mood of European elegance

43-326 Golden Trim. 43-325 Gold, Ivory Trim.



Rotary Dial Slim Phone.



Deluxe Rotary Dial.

Just as stylish, rugged and reliable as models. Easy to install – cord plugs into any modular phone jack for a lifetime of dependable service. Moulded handset has coiled cord that stretches up to 4' Bell with volume control, 7' base

43-301 White 43-302 Beige

£29.95



Compact up-to-the minute design. Make call after call without hanging up. The dial and re-call button are always in your hand! Coiled cord stretches up to 1.8m for added mobility. With 2m base cord and bell volume control.

43-305 White. 43-306 Harvest Gold.

£49.95

"Bonnie 'n' Clyde". Roaring 20's Classic Styling.

Features elegant all-metal base design with a rotary dial and lightweight moulded body for easier handling. Black with gold coloured base and trim—adds a touch of nostalgia Includes black handset cord base cord, modul £59.95

£59.95



DIRECTORIES AND ACCESSORIES FOR TELEPHONE FLEXIBILITY.

Automatic Telephone Directory.



Desk Top Automatic Directory. Lets you recall as many as 350 numbers with the touch of a key. Data file rotates electrically, easily to the listing you desire. Requires 2 °C° batteries. 415.95

Four

Conductor

Portable Hand Directory.



Portable Hand Directory. Rapidly locates any of 390 names and numbers in forward or reverse. Requires 2 "AA" batteries £3.95

43-112

Amplified Telephone Listener.



Amplifies callers voice. Suction cup pick-up coil attaches to telephone base or handset. Thumbwheel volume control and on/off switch Mains operation or requires 9V battery



Pocket Directory. Use it anywhere! measures only $3\times5\times34$ ", but holds up to 200 names and numbers. Requires 2 "AAA" batteries 43-109

Extension Modular Telephone Coil. Connector.

Modular Phone Jack. **Duplex Quick-Connect** Jack. Modular Jack.



Standard 4 conductor plug 18 feet silver satin coiled with colour coded cord for replacement or 279-9000 £3.99

£3.95



£3.95 279-364



Modular end fits modular jacks. Other end has spade lyes.

Gives you the mobility you require for extensions, throughout the house. Fitted quickly and easily for amp. or answerer from one your new Tandy telep £2.49 279-357 £2:99 279-353



the Connects 2 phones, phone and



Barclaycard and Access accepted at most shops

TANDY INTERCOMS FOR MORE VERSATILITY







Amplifies incoming calls so others can listen in with you. Suction cup pickup coil attaches/detaches easily from phone base or handset. Volume control. requires 9v battery. 43-231

£26.95

WIRED ALARMS AND ACCESSORIES FROM TANDY





Available October 31, 1980

Anti-Theft System


Ideal for the House, Car, or

Easy to Install

Fits any magnetic relay. Detects slightest vibrations and instantly triggers alarm. 2 inputs for open or closed circuit with 1" output/input delays and 2 for open and closed circuit instantly release the alarm. Sounds for 5 minutes maximum, alarm. Sounds for 5 minutes maximum, continuously or intermittently. Output: Contacts normally open or normally closed. On/off lock switch with key. Visual indication for battery replacing — Works on 12V DC, batteries or AC

49-9000

€39.95



Protect Lives and Property With a Water/Flood Alarm!

Alarm Test Button and Indicator

A lifesaver! Inexpensive and dependable, it automatically sounds a piercing alarm to warn of water entering in utility rooms, basements, boats garage, - anywhere! Installs easily in minutes. Requires 9V battery.

49-440 £6.95

Door Alarm and

Entry Chime

• Alarm is Set Using Secret Keyboard Code

Exit/Entry Delay

£995

Invisible Infra-red Pulsed-Beam Announcer/Alarm System

One-Piece Receiver/ Transmitter Unit

Beam Reflector

A silent round-the-clock sentry. Shoots a narrow beam of invisible infra-red light up to 50 feet to the reflector, which bounces it back. Whenever the beam is interrupted, the alarm is triggered. Set to sound continuously, or with automatic reset, or delay. LED test/alignment indicator. Built-in buzzer output for connection of optional 12V DC bell, whooper. AC

49-201 £39.95





Powerhorn-Junior **Security System**

79 • Install

Several

Inexpensive protection for doors and windows. Loud built-in alarm. Easy-to-install. Includes mounting screws and adhesive backing. Requires 2 'AA' batteries. 49-494 £1.79







Personal Powerhorn

Use to Summon Aid

Portable protection for emergency situations. One blast attract attention and and scare intruder away. Small enough to fit in your purse or pocket. Can be heard up to ½ mile away. 49-9600 £2.99

Pk 2 Refils for Powerhorn 49-4600 £2 99



Door - Chain Alarm

- **Protects against** Intruders
- Protects against Intoducers

Alarm unit mounts on door and chain brackets on/door frame. Really loud blast on 'Break-in'. Installs in minutes. Requires 2 'AA' batteries.





Window Sensor

Excessive glass vibration

triggers open or closes-circuit alarms. With adhesive backing. 49-516 £5.49

£549

Door Viewer £449

Easy to install. See who's there before opening your door! Outsiders can't see in. Super-wide viewing Solid brass

Window Foil



it when glass is broken. Self adhesive 120' x %'' roll. 49-502 £3.99

Block Connectors



59

Connectors. Self adhesive 49-504 £1.59

Panic Switch



Window Contact



door, other half on ame. Allows you to sen doors and win-

Contact Switch

Vibration-Detecting



£129

For Windows, Door Frames. SPST contacts close when plunger is depressed. With screw terminals and mounting

SPST Lock Switch



Spring-Loaded cover, screw term keys. Contacts rated to 3 amps 49-515

49-515
High Security round style key and lock switch. Key removes in 'on' or 'off' position. With 2 keys. 3 amps. 49-511

C6.69

Key Hide-Away



Prevents Lockouts.
Hide an extra car or
house key. Magnet holds
box to magnetic metal
surface.49-050 29p 29p

Warning Decals



Vinyl, adhesive decal tells everyone you're protected by a Radio Shack security system. Mount nside on glass. 49-507

Magnet Switches



Contact close when magnet engages €1.95 ntacts open when magnet enga

49-518

NOVELTY RADIOS IN ALL SHAPES AND SIZES



TANDY FM/AM AND AM HEADPHONE RADIOS Listen While You Walk, Jog, Cycle or Do Housework

FM/AM

£1995

AM

£1295

TANDY FM/AM HEADPHONE. Lightweight for comfort, and the padded ear-cushions seal out noise. Rich, dual-speaker sound. Antenna is hidden in adjustable headband. Side-mounted controls Requires 9v battery. 12-186 £19.95

TANDY AM HEADPHONE. As above, but AM only. Requires 9v battery. 12-185 £12.95



MUSIC FOR YOUNG AT HEART TRAVELLERS **ARCHER ROAD PATROL BIKE RADIOS**

AM. With Electronic Horn

Fits most handlebars, yet removes easily for off-bike use or to prevent theft—bracket stays on bike. Pushbutton electronic horn. 2½" speaker. 3" safety reflector in front, built-in antenna. 3½" x 5¼" x 3½". Requires 3 'C' batteries.

12-197

£11.95



TANDY AM

SPACE RADIO

£895 • Great Gift and Conversation Piece
Kids'Il Love It

Orbit your favourite AM station with this futuristic spaceship. Rotary 'dome' tuning, on-off/volume control. AC adaptor jack. 4¾" diameter, 4½" high. Requires 9v battery. 12-958 £8.95 ARCHER ROAD PATRO **BIKE RADIOS**

Budget AM

Disconnects and reconnects quickly for portable use. Metal mounting bracket attaches to handlebar mount and fits most bikes. Weatherized case with 2¼" speaker, earphone jack and built-in antenna. 4" x 5" x 3½". Requires 9v battery. 12-196






TANDY'S GOT EVERYTHING IN PORTABLE RADIO



Brings a touch of flavour to any setting. Palm sized AM portables in a choice of 4 colours. Reliable solid state circuitry with thumbwheel dials for single handed operation. Complete with earphone and wrist strap. Requires 9v battery. 12-166



REALISTIC ULTRA SLIM AM PORTABLE

An ultra slim portable that slips easily into pocket or purse. Only $55 \times 115 \times 30$ mm. Features clear slide rule dial and rotary, top mounted tuning and on/off volume controls. With wrist strap Requires 9v battery. Black 12-171 Red 12-172

TANDY TWO BAND COMPACTS—BIG PERFORMERS COMPACT PORTABLE RADIO REALISTIC SOUND WITH STYLE

AM/FM



395

Stylish looks, easy to read slide rule tuning. High/Low tone switch. Tele-scopic FM and built in AM aerial. With a built in AFC for clear reception. With wrist strap and earphone Requires 9v batearphone.

12-713 £13.95



AM/FM

Mini size, price but outstanding reception from dual ceramic fil-ters 2½" speaker, telescoping FM and built-in AM aerials. Side mounted controls for single handed With operation. earphone and wrist strap. Re quires 9v batter Re-12-609 £12.95



AIRCRAFT POCKET PORTABLE

AM /AIR

Dual function portable. Tune into aircraft transmissions or a favour-ite AM station. Side mounted volume and tuning Telescoping VHF and built in AM aerials. With earphone and wrist strap. Requires 9v

12-608 £14.95

BUDGET PRICED AM/FM RADIO

DELUXE AM POCKET RADIO

LOW COST MW PORTABLE

£995

Good looking AM/ FM portable that keeps you tuned into music, news or sport anytime and anyplace. Slide-rule tuning scale, built in AM and telescopic FM aerials. Requires 9v battery 12-635. £9.95



£795

Sensitive Integrated Circuitry means compact size and complete reliability. Rotary tuning scale and transparent volume dial calibrated 1-10. Earphone and AC adaptor jacks. With wrist strap. Requires 9v battery. 12-173 £7.95



£499

Only palm sized but has excellent sound quality thanks to push-pull output and transformerless input and output.
Robust plastic plastic case. Rotary controls. With earphone and wrist strap. Requires 9v

12-167 £4.99



THE WORLD IS YOURS WITH A REALISTIC PORTABLE



DELUXE "TAKE ALONG" STEREO PORTABLE

£4995

LW-MW-FM STEREO PORTABLE

 Switchable Loudness Improves Bass Response

 'Wide Scope' Expands Sound for Enhanced Stereo Depth and Channel Separation

REALISTIC CONCERTMATE introduces you to a new level of sound quality from a portable radio. Twin 102 mm speakers deliver full, rich sounds making the most of FM stereo. Rotary volume and tone controls, slide action stereo balance control and switchable loudness for improved bass response at low volume. LED FM stereo indicator and built in AFC for drift free reception. Headphone jack. Mains operation or requires 6 'D' batteries.

12-9180

£49.95



5 BAND PORTABLE FOR LONG RANGE RECEPTION

£4995

FM-MW-LW-SW1-SW2

 Extra Large Speaker for Superior Sound Reproduction

 Built-in AFC for Drift Free Reception

REALISTIC ASTRONAUT 5 Listen into the world's wavelengths while solid state circuitry and superior quality 10 cm speaker makes it sound good. Features fine tuning on SW, LW and MW bands. Telescopic aerial improves SW and FM performance. Built in Ferrite rod aerial and AFC. Earphone jack and tape socket. Mains operation or requires 4 'C' batteries.

12-9132

£49.95

GOOD LISTENING "TO-GO" — REALISTIC PORTABLES

POPULAR PRICED 4 BAND PORTABLE

£3295

FM-MW-LW-SW

- Mains or Battery Operation
 Variable Tone Control with Big Speaker Sound

Tandy Astronaut DX-4. Covers 4 wavebands for widest programme choice at a moderate outlay. Rotary waveband selection and on/off volume control. Wide tuning scale is positioned on top for easy reading. Built in ferrite bar aerial for MW/LW reception and telescopic aerial for improved SW and FM. With earphone jack for personal listening. Easy to carry handle. Mains operation or requires 4 'C' batteries. 12-9134 £32.95





BIG VALUE SOLID STATE 3 BAND PORTABLE

£1995

FM-MW-LW

- Built in AFC
- Complete with Earphone for Personal Listening Enjoyment

Realistic 3 band value. Clear, drift free reception from the built in Automatic Frequency Control circuit. Rotary waveband selector, tuning and on/off volume controls. Switchable for use on mains or batteries. Built in aerial for MW and LW. Telescopic aerial for improved FM performance. Requires 4 'AA' batteries. 12-9111

£19.95





COMPACT PORTABLE RADIO

£1595

MW-LW

- Auto Gain for Stable Reception
- Angled Tuning Dial for Easy Reading and Stylish Looks

Tandy good listening with this value packed portable. Lightweight but robust enough to withstand years of hard use. Large thumbwheel tuning, on/off and volume controls. Comfortable carrying handle doubles as a stand. Requires 4 'AA' batteries. 12-9133 £15.95



THE LATEST IN ALL-ELECTRONIC CLOCK RADIOS



Space-Saving Vertical Style AM/FM Digital

- **Auto-Dimmer Controls Clock Brightness**
- **High/Low Tone Switch**
- PM/Wake Indicators
- Feather-Touch Snooze and Sleep **Buttons**

Chronomatic - 219. Elegant in appearance yet takes up very little space. Features radio and buzzer alarms plus a digital display that adjusts itself to changing room light conditions. Sleep button provides 59 minutes of music with auto-shutoff, and the snooze button gives you a few extra minutes of morning rest with each tap. Out-front 3" speaker, AFC and ceramic filter for superb FM, slide-action volume control, buttons for fast/slow/seconds time set. Terminals for external FM antenna. 12-1524 £32.95

> EN FOL 81

MAKE



Electronic Digital Clock Radio

- Q95 FM/MW/LW Band Reception
 - 4 Digit LED Display with Dimmer Switch

Chronomatic 306. LED indicator shows when radio is programmed to wake to music or alarm mode. Push buttons for Time, Wake Set, Sleep and Snooze Functions. Sleep button gives 59 minutes of playing time. Built-in FM antenna and AM loopstick aerial. Jack for earplug, external speaker.

€28.95 12-9147

AM/FM with Extra-Large LED Display

 LED AM, PM and Wake Indicators
 Fast and Slow Time Set Controls

Buzzer and Radio Alarms

Chronomatic-213. Features both buzzer and radio alarms. Clock has hi/lo dimmer, 59-minute sleep switch and snooze control. Radio has $3\frac{1}{2}$ " speaker, AFC and ceramic filter on FM, slide-rule dial, earphone jack. **12-1520** £29.95



Compact AM/FM Digital On a Budget

£26⁹⁵ • All Clock Controls Conveniently Grouped On Top.
• High/Low LED Dimmer • LED PM/Wake Indicators

Chronomatic-220. Rise 'n' shine to your favourite radio station. Clock features a 59-minute sleep control plus fast and slow time set controls. Radio has 3" speaker, AFC to prevent FM drift, ceramic filter to cut FM signal interference, earphone jack. woodgrain £26.95 cabinet. 12-1527



 High/Low LED Dimmer Switch Lighted Dial Top-Mounted Snooze, Sleep and Time Set Buttons

Chronomatic-211. All the popular features in a very compact size. Wakes you to radio or buzzer alarm fast/slow time set buttons, on-top 3" speakers, handy side-mounted tuning and volume controls, AFC and ceramic filter for superior FM, earphone jack. 12-1516

€23.95





FM/AM Electronic Digital Clock Radio

- Calculator Style Pushbuttons for all Functions
 4 Digit LED Display

Chronodate.307 Solid state circuitry ensures accurate time keeping and clear reception. Sleep button for 59-minutes of music. Wakes to alarm or music. Snooze control gives 9 minutes extra sleep. Internal aerials. Mains operated. 12-9148 £25.95

SPECIAL-FEATURE ELECTRONIC DIGITAL CLOCK RADIOS



3 BAND RADIO ALARM CLOCK

Automatic Brightness Control

Fast-Slow Time Set Buttons

CHRONODATE-301. A high quality MW/LW/FM radio and calendar alarm clock. The brilliance of the fluorescent display is controlled by a photo-cell, so that during the night the intensity is automatically decreased. Sleep switch, snooze and fast/slow alarm/time set. Wake to music or buzzer alarm. 3 band radio with built-in aerials and terminals for external FM aerial. 90 x 170 x 325 mm. 12-9127



LOW-COST LED CLOCK RADIOS

Touch Snooze Control

Sleep Control lets you fall asleep to Music

£3995

Smart white styling on these compact easy-read LED clock radios. Set alarm with fast/slow time buttons and choose to wake to music or the buzzer. Indicator shows when alarm is set. Sensitive 2 band radio with built-in aerial and terminals for external aerial. Good sound from dynamic speaker. 200 x 110 x 65 mm.

12-9145 Chronomatic 304 MW/VHF **12-9146** Chronomatic 305 MW/LW

£25.95

£22.95



DE-LUXE AM/FM TABLE RADIO

£3595

- Lighted Dial —
 Tone Control
- Ceramic Filter Sharpens FM

REALISTIC-MTA11. The 16.5 cm speaker has a free-edge cone and is acoustically sealed in the enclosure for rich full-bodied sound. Three tuned IF stages provide real station-pulling power and rejection of unwanted signals. Built-in antennas, terminals for external FM antenna. Rosewood grained vinyl veneer.

12-690 Available October 31, 1980

£35.95



SPACE SAVING AM CLOCK RADIO

£1895

STANDARD CLOCK FACE WITH SECOND HAND

• Giant Easy-to-See Numerals

Available October 31, 1980

CHRONOMATIC-10. Wakes you to music followed by alarm. Recessed tuning and volume controls, 8.8 cm speaker. An ideal '2nd' clock radio, 12-1464 £18.95

TANDY'S DEPENDABLE, GO-ANYWHERE TIMEPIECES

LCD DIGITAL READOUT QUARTZ ALARM WATCH **NEW LOW COST!**

Hours, Minutes, Seconds.

24 hour alarm with set indicator adiustable Integrated stainless steel wriststrap. Large backlighted digital display. Reads Month, Day, Date. AM/PM Indication. With battery. 63-5005 €18.95



EN FOR SPORT LCD QUARTZ 81 CHRONOGRAPH

£1295

Time, Month, Day, Date.

Hours, minutes, seconds with stopwatch accurate to 1/100th second. Features lap and total timing. Large easy-to-read back-lit display. Black case. With battery. 63-5007 £12.95 battery. 63-5007

LCD QUARTZ CHRONO **ALARM WATCH**

195

• Month, Day, Date, Plus Stopwatch

24 hour alarm with indicator. Time with PM indicator. Large backlit display. Mineral lens. Integrated stainless steel wriststrap, adjustable without removing or adding links. With battery.

63-5006 €24.95





EN FOR

81

EN FOL

81

TAND

122

LCD QUARTZ CALENDAR CLOCK

Time and Date at a Glance

Mounted in clear plastic base and angled for easy viewing. Removable calendar plates show any month. Quartz control for precise time and date. Size: 108 x 159 mm. Requires "AA" battery, 63-725 C18.95

HAND-HELD 6-DIGIT LCD STOPWATCH

F:1 795

Times to 1/100th of a Second

Doubles as a calendar to show month, date, and day. Liquid Crystal Display has backlighting for night use. Impact resistant molded case, carrying strap. Battery. Size: 8.26 x 4.46 x 1.43 cm. 63-5003





A. JUMBO LED DIGITAL ALARM

Big 4.57 cm red display can be seen from across the room. Features include slow/fast and alarm set, and a delay for intermittent power loss. If power failure lasts more than 5 seconds, all digits flash when power is restored. Size: 10.48 x 21.91 x 6.35 cm. 63-823

B. DIGITAL LED ALARM

Hours/minutes plus AM indicator. Automatic displa dimmer, big 2.29 digits, snooze button, 24-ho alarm, and 5-second delay for intermittent pow loss. Attractive brushed aluminium f 8.89 x 16.83 x 7.62 cm. 63-821

C. FLUORESCENT ALARM CLOCK

A£2495 Wake to a pleasant "beep" tone and then push down anywhere on the top of clock for "snooze". AM/PM indicators, 24-hour alarm, hi/lo brightness, 152 cm green dispay, last/slow time set. Size: 5.08 x 11.43 x 10.16 cm. 63-751

D. DUAL ALARM CALENDAR CLOCK

Unique "his' and "hers' alarm settings. Built-in memory stores alarm times in case of power failure. Time and alarm can be set forward or reverse. Red 1.78 cm LED display and hi/ lo brightness. Requires 9V battery for memory back-up. Size: 6.35 x 16.51 x 8.89 cm. 63-775 C16.95

E. FLUORESCENT-DIGIT CALENDAR ALARM

Bright green 1.52 cm digits, shows hours/ minutes/ month/date/AM/PM Snooze control. 24 hour alarm, 5 second delay for power failure. Brushed aluminium front/simulated woodgrain top €17.95 63-817

F. DIGITAL LED ALARM

Wakes you to a pleasant 'beep' tone. Top-mounted alarm on/off and snooze bar Display dimmer switch, PM indicator, and hidden pushbuttons for easy time and alarm set. Wake indicator shows alarm is on. 0.5" digits. 63-814

G. LED ALARM CLOCK

Low-cost, accurate time in a feature-loaded, compact size. 1.78 cm red display, 24-hour alarm — set it for night or day, snooze control for a few extra minutes of rest, PM and alarm "on indicators, and fast/slow time set. Size: 5.40 x 13.97 x 8.26 cm. £12. 63-822

H. LED ALARM/SNOOZE

Our lowest-priced digital display time alarm. Distinctive styling and fit anywhere size. Features a 24-hour alarm that can be set to sound anytime, and for a few axtra minutes of sleep — a snooze control. 1.78 cm red LED digits. Size: 5.40 x 13.97 x 7.62 cm. 63-824 cs.95











MICRONIA



LCD QUARTZ TRAVEL ALARM

●24-Hour Alarm OAM and PM Indicators

Shows hours and minutes with quartz crystal accuracy. Snooze control, back-lit display, 'pop-out' stand. Perfect for business trips and acations. Includes vinyl carrying pouch, battery. 4.93 x 6.83 x 0.95 cm.

£14.95

CORDLESS QUARTZ WALL CLOCK £1295

Operates up to one year on alkaline 'C' battery (not incl.). Dependable Quartz accuracy with analog design, features 'Click-stop' second hand. Wall mounting or place on shelf. Size: $25.4 \times 25.4 \times 6.35$ cm. 63-801



DESKTOP CALCULATORS FOR HOME OR WORK

HAND HELD PRINTING/DISPLAY CALCULATOR & CASE



PRINTING/DISPLAY CALCULATOR
WITH 4 KEY MEMORY

123456188128

£7995

- Tape Gives Lasting and Easy-to-Follow Record
- Brilliant 12-Digit Display

10 DIGIT LCD DISPLAY

£2495

- Slant display for better visibility
- Gross profit key




TANDY EC-3005. Twelve digit display with floating decimal and overflow indicator. Two key roll-over, 6 level keyboard buffering, auto rounding. Constant, 4 key memory, square root, percent keys. With AC adaptor, roll of thermal paper, and case. Requires 4 "AA" batteries. Size: 4.44 x 8.89 x 17.14 cm. 65-648 £59.95 3 Pack Thermal Paper 65-708 £1.79

TANDY EC-3002. Combines the convenience of a big fluorescent display with a printed tape. Four-key dual memory lets you store calculations, then recall and use them again. Add register simplifies extensions and invoicing. Percent key and non-add key. With one roll of thermal paper. Size: 7.62 x 22.86 x 25.4 cm. 65-645 £79.95 3 Pack of Thermal Paper 65-706 £1.99

TANDY EC-2002. Special features make it ideal for business or personal use. Four key memory lets you add and subtract within memory without affecting total. Percent and square root keys, floating or fixed decimal point. Requires 2 'AA' batteries for 3000 hours of use. Great value. Size: 3.17 x 13.81 x 16 cm. 65-661

METRIC CONVERSION CALCULATOR




£1795

- 8 Digit LCD Display
- Convert Imperial to Metric Instantly

TANDY EC-9800. Performs 28 metric conversion functions [14 reversible] including in...cm lb..kg. F..C. Features independent memory, basic arithmetic operations plus percent and square roots. Includes batteries that last for 4000 hours!

Size: 11.43 x 6.35 x 0.09 cm. 65-9800

£17.95





10-Digit Display
 Gross Profit Margin Key
 4-Key Memory

TANDY EC-2001. Features % key to figure percent of change, item key, overflow indicator, negative and memory indicators. Size: 4.76 x 15.24 x 3.81 cm. Requires 2 'D' batteries. 65-860 Mains Adaptor 14-9854 £3.95

ECONOMICAL LCD DESKTOP
Available October 31, 1980



Slant Display

£1295

- Four Function Memory
- Percent and Square Root Keys

TANDY EC-2003. The smallest calculator with a Full Size Keyboard that we know of — Only 12 x 12 x 3.8 cm. Features 8 digit display, with automatic add-on and discount. Full floating decimal point. Requires 2 'AA' batteries. 65-662 £12.95

NOVELTY CALCULATORS FOR WORK AND PLAY
-ONLY FROM TANDY



"IT'S WRITTEN IN
THE STARS!"
ASTROLOGICAL COMPUTER
\$\mathcal{C} \mathcal{A} \mathcal{D} \mathcal{A} 95

- 8 Digit Display
- Great Party Entertainment
- Handy Calculator

RADIO SHACK EC 312. Goes far beyond the ordinary newspaper horoscope. Just enter birthdate and it computes the position of the planets and their influence on that day. Compare personalities. Also gives daily horoscopes. Requires 2 'Ak' batteries. Size: 11.74 x 7.30 x 2.22 cm. 65-801

Available September 30, 1980

AMAZING BIORHYTHM COMPUTER/CALCULATOR

£1995


- Watch for 'Critical' Days
- Doubles as a 4-Function Calculator

RADIO SHACK EC-314. Charts physical, emotional and intellectual cycles—could even avoid an argument or catching a cold on a bad day. Compare cycles of friends. Calculates biorhythms for past, present, or future dates. Requires 2 'AA' batteries. Size: 13.34 x 7.30 x 2.22 cm. 65-802

Available September 30, 1980



TANDY CALCULATORS FOR EVERY POCKET OR PURSE



TANDY

M 12345698

6

3

1

0

2

DISPLAY

11 Melodic

Tones Retains memory

RADIOSHACKEC-310. Play the numbers for mathematics and music. Create original compositions in mode with 11 melodic tones. Or switch to CAL mode for four basic functions, plus square-root and percentages. Includes batteries that last for 1500 hours. 98 x 74 x 4mm. 65-698 £18.95

MATHEMATICAL

MUSIC MASTER



CHEQUE-BOOK SIZE LCD CALCULATOR



 Memory, Percent and Square-Root

 Less than 10 mm Thick Includes handy

£1595

pocket case



RADIO SHACK EC-258. Now you can handle lengthy financial problems with ease. Calculator figure percentages, adds and subtracts in memory. Large 8-digit LCD display is easy to read even in direct sunlight. With silver oxide batteries that last for 1200 hours of operation. 105 x 63 x 10 mm. 65-626 £15.95

8 DIGIT LCD CALCULATOR WITH MEMORY



SH FO

81

Includes Fitted Carrying Case


- Great for Home, School, Work
- Percent and Square-Root Kevs

I CD

 Auto-Constant DISPLAY

RADIO SHACK EC-267.

Hand-held type, yet has an easy-to-read liquid crystal display! Features full 4-key memory, change-sign key, overflow, error and memory indicators. 104 x 70 x 10 mm. Requires 2 'AA' batteries. £7.95 65-674



Available October 31, 1980

Radio Shack

DELUXE LCD WITH 4 KEY MEMORY Auto-Shutoff Saves Batteries Square-Root, Percentage and Sign Change Includes handy Keys pocket case DISPLAY

RADIO SHACK EC-269. Handle lengthy financial and arithmetic problems with ease. Big, easy-to-use keys. Large 8-digit display with overflow and memory indicators. Includes silver oxide batteries that easily last 2000 hours! 114 x 67 x 11 mm.

65-676 £14.95 LOW-COST LCD DISPLAY



EN FOL

81

Slanted Display Allows Easy Reading of Digits


Includes handy pocket case

Approximates Results in Excess of 8 Digits



RADIO SHACK EC-202. A

lot of calculating power for very little money. Has one touch percent key, total memory key plus division, multiplication, plus/minus keys and keys for clear and off 114 x 63 x 30 mm. Requires 9v battery. 65-602 £5.95



statesman thin LCD

MINIATURE LCD WITH MEMORY



 Auto-Shutoff **Turns Calculator** off after 7 minutes to save wear on batteries

Includes Fitted Carrying Case

£995

LCD

Less than 5 mm Thin RADIO SHACK EC-268.

Simple-to-operate 3-key memory allows easy storage and recall of numbers. Percent, square root, division, multiplication and plus/ minus functions plus keys for on/clear and off. Includes batteries for 1000-hour life. 101 x 59 x 4 mm. 65-675 £9.95


TANDY CALCULATOR STAND

Adjustable Angle

Keep your calculator immediately to hand with this adjustable stand. Non-slip feet. Ideal for desk top use. 65-705

Not available in U.K.

TANDY HAVE A CALCULATOR FOR EVERY NEED



TANDY EC-265. Convenient 4-key memory lets you store and recall numbers with the push of a key. Percent, square root and plus/minus functions plus keys for on/clear and off Includes silver oxide batteries for over 2000 hours of operation. 65-672 £12.95

Features You Need

LCD CALCULATING TIMEPIECE




00000

- Stopwatch is Quartz-Accurate to 1/10 Second
- 24-Hour Alarm
- 4-Key Addressable Memory

TANDY EC-302. A pocket information centre. Eight-digit calculator features constant, percent, add-on/discount and square root capability. Indicators for AM/PM, alarm-set stop-watch lap/stopped, minus, overflow. Includes batteries that last 5000 hours or more. Size: 6.35 x 9.52 x 0.04 cm. Includes case. 65-692 £24.95

LCD MINICARD ALARM CLOCK STOP-WATCH CALENDAR CALCULATOR




LCD DISPLAY

- LCD for Low Power Consumption
- ± 3 Seconds Per Day Accuracy
- 8000-Hour Battery Life

• 8-Digit Readout

TANDY EC-305. A calculator and clock in one pocket-sized case. Display reads hours, minutes seconds and PM.Or press the AC key to calculate square roots, percents, reciprocals, exponential functions and plus/minus, multiplication and division plus time calculations. Size: 11.43 x 6.98 x 2.76 cm. Requires 2 'AA' batteries. 65-695 £15.95



LOW-COST LCD SCIENTIFIC 195 • Independent Memory Register

TANDY EC-476. The scientific calculator for students. Forty single-function keys make it really easy to use! Eight-digit display with 5-digit mantissa in scientific notation mode. Independent memory register, automatic constant operations plus degree/ radian/grad switch for statistical functions. 1000-hour batteries. Size: 12.7 x 6.98 x 0.09 cm 65-656 £14.95

LCD SCIENTIFIC WITH MEMORY • 6 Digit Mantissa and 2 Digit Exponents

TANDY EC-498. Computes all trig and log functions plus their inverses. Eight-digits with automatic shift to scientific notation (6-digit mantissa and 2-digit exponent). Memory, Auto-Constant, Auto-Shutoff. Six levels of parenthesis and standard deviations. Size: 13.2 x 5.29 x 0.09 cm. Requires 2 'AA' batteries. 65-654

FULL SCIENTIFIC LCD CALCULATOR

 10 Digit Mantissa or 8 Digit Mantissa with 2 Digit Exponent • Statistical and Scientific

£2995 • Functions
Direct Fraction Calculations

TANDY EC-915. Computes factorials, exponentials, summations, mean standard deviation to selectable precision. All log. and trig. functions, square roots, cube roots, reciprocals, and much more. Pi entry and scientific notation. Calculator turns itself off after 5 minutes of non-use, maintaining previous entry within memory. Up to 1000 hours use from 2 silver oxide batteries. Size: 7 x 71.5 x 132 mm. 65-9015 £29.95

EVEN LOWER PRICES ON TANDY'S TRS-80

MODEL I



TRS-80 The World's Most Popular Personal Computer

- Completely wired and Ready to Operate
- Easy-to-Learn BASIC Computer Language
- Expandable at Any Time

From £379

The TRS-80 is today's market leader in micro's. Satisfied customers have applied the TRS-80 to their needs—whether it's balancing checkbooks, inventory control or education. Designed and manufactured in the USA by Tandy, TRS-80 is 100% wired and tested so you can run it immediatelyl Choose the basic Level I 4K system and expand it as your needs increase. Expansion is easy due to TRS-80's modular design. All systems include a 12" video monitor, Realistic battery/AC cassette recorder, 232-page user's manual and a 2-game cassette Level I 4K RAM

Level I 16K RAM Level II 4K RAM Level II 16K RAM Model I System Cover

26-1003 £475.00 £459.00 26-1004 £559.00 £ 5.95 26-1006 26-501

ACCESSORIES TO MAKE YOUR TRS-80 EVEN MORE VERSATILE

100 1 EE 1 100



Complete and Ready to Run from Your TV

A powerful Z-80 microprocessor serves as the Central Processing Unit for the TRS-80. The 4K level I CPU contains 4096 bytes of user memory. The 16K level II CPU has an additional 12K ROM. 16K level II incorporates a calculator style numeric keypad.

level | CPU 26-9051 £289.00 16K level II CPU 26-9056

£439.00

32K DISK SYSTEM System

- Add Up to 4 Disk Drives to Your TRS-80
- Allows 55K to 310K Bytes of On-Line Storage

Immediate access to the large amounts of data and programs needed for accounting, inventory control and other jobs. Drive includes powerful TRSDOS and Disc BASIC on diskette.
TRS-80 16K RAM Level II System

26-1006 26-1141 26-1160 26-1161 Mini Disk Drive (0) Mini Disk Drive (1) 26-1166 Line Printer VI Cable to Expansion Interface

26-1401



- Upper and Lower Case Letters
- Compose all kinds of **Letters and Documents** on Screen

Store often used reports, letters on Diskette. Features Automatic page readers, footers, paragraph indentations, justi-fication. Global search finds specified words or phrases and replaces them

with new words.
TRS-80 16K RAM Level II System
26-1006

16K Expansion Interface Mini Disk Drive (Ø) Mini Disk Drive (1) Daisy Wheel Printer Cable to Expansion Interface 26-1141 26-1160

26-1401 26-1104 Lower Case Kit



TRS-80 48K Business System. Ideal for many small business applications, as well as the smaller computing needs found within larger businesses. With 4 Disk storage and versatile in Printer II for hard copy and documentation.

26-1006 TRS-80 16K RAM Level II System 26-1142 32K RAM Expansion Interface 26-1160 Mini Disk Drive (0)

26-1161 x 3 Mini Disk 26-4302 Line Printer Stand 26-1156 Bi-Directional

26-1401 Cable to

Expansion Interface 26-1301 TRS-80 System



GREEN SCREEN VIDEO MONITOR

New 12" Video Monitor with a new, improved green tube smoked filter for improved clarity.

26-9202 £99.95



- Play and Store Your Own Programmes and data
- Range of Prepared Programmes
 Available

Realistic CTR-80 Battery/Mains Cassette Recorder. The specially adapted CTR-80 gives you immediate data storage. You can use one of the range of Tandy's prepared programmes or devise your own. 26-1205 £41.95

The TRS-80 Model I can be purchased through any Tandy Store

TRS-80 EXPANSION INTERFACE



The hub of expanded TRS-80 computer systems. The TRS-80 power supply module and an identical one for the interface fit inside the enclosure

Expansion Interface 26-1140 £199.95 16K Expansion Interface 26-1141 £269.00 32K Expansion Interface 26-1142 £339.00 16K Expansion Interface 16K RAM upgrade 26-1102 £ 69.95

MINI DISK SYSTEM Connect up to 4 disk drives to one TRS-80 system. Allow 55K to 310K bytes of On-Line storage. The mini disk system can record or read stored

information extremely fast. A 13,000 byte program which takes 31/2 minutes to load from cassette (Level II) will load in less than 20 seconds from disk. You may read information one file after the other (sequentially), all go directly to any sector without reading the preceding files (random).

Mini Disk Drive 0 £339.00 Mini Disk Drive 1,2 or 3 £319.00



Mini Disk Drive Dust Cover £3.99 26-502

16K RAM UPGRADE WITH NUMERIC KEY PAD

As your needs increase, you need additional internal memory in which to store program and working data 16K memory kits can be added to the 4K TRS-80 keyboard and also the expansion interface to give system totals of 16 or even 48K. Installed by Tandy. 26-1101 699 699.90

Prices includes installation.

LEVEL II ROM UPGRADE

Price includes installation. More powerful than Level I. The additional features of Level II include print formatting and string functions. With 140 page manual, game and conversation tapes for Level I to Level II format. €83.95



NUMERIC KEY PAD UNIT

Keys for numerals 029, designed point and enter. Price includes point and enter. Price include illustration, new keyboard bezel ig required 26-1103

€33.95

BLANK MINI DISKETTE Tandy's mini diskettes are perfect for

with mini disk diskette is individually certified against defects and designed to meet TRS-80 standards. Extensive testing assures 100% capability. 62 99

26-305

BLANK MINI DISKETTES £8.95 £895 -80 disks 26-405 DOS MINI DISKS blank disks formatting with 26-310

CLEANING DISK

5" disk for cleaning disk drive unit. 26-9508

£10.95 £1095 £19.95 £1995

DELUXE BULK ERASER



 Quick and Easy To Operate.

Completely erases tapes and diskettes in seconds! Safe to operate with built-in thermal safety device. With 2.5 m mains cable. Pushbutton operation.

26-4305 €32.95

TRS-80 SYSTEM DESK





SPACE-SAVER DESK



with ample work space. 26-1304 €59.95 SPEECH SYNTHESIZER

PRINTER INTERFACE CABLES



system t Expansion Interface 26-1411 £39.95 iter II Interface Cable 26-1416 £39.95

LOWER CASE UPGRADE



Upper/Lower case package completes word processing system. Adapts your TRS-80 Level II to display and print upper and lower case with true descenders below the line

Price Includes Installation.

VIDEO/PROGRAM WORKSHEETS



£3295

26-2105 €1.99



Program your TRS-80 to speak

Adds capability of simulated speech, to Level or II (16K RAM preferred). Built speaker, volume control, demonstration cassette, manual and cable. 26-1180

Requires mains adaptor.

TRS-80 VOICE RECOGNITION £11995

Experiment with "voice recognition" on your TRS-80. Speak into a microphone and you can program your TRS-80 to respond to your spoken Level II required. €119.95



SYSTEM CARRY CASE

£6995

One case holds the video monitor, the other holds the keyboard unit, power supply, cassette recorder, cables and cassettes. Black molded vinyl. 26-500 £69.95

DISK STORAGE BOX



Static-free design protects up to 50 mini-diskettes. Adaptable to hold cassette es. Boxes are stackable

DISKETTE CASE



Holds up to 10 Diskettes. Durable mould-26-1452 £1.99

NETWORK I CONTROLLER



 The Latest Classroom Breakthrough In TRS-80 Instruction!

The Network I Controller lets teachers control and monitor up to 16 TRS-80s from a TRS-80 equipped with at least one mini-disk drive. All TRS-80s should have resident Level II BASIC. Controllers may be cascaded to connect more than 16 students. Cables included.

26-1210 £349.00

C-20 LEADERLESS CASSETTES



Individually tested double density cassette tapes for program and data storage. Certified leaderless, give 10 ites playing time each side.

26-301

RS-232C SERIAL INTERFACE

Mounts inside Expansion Interface. Connecting cable, tape program for using TRS-80 as a terminal. €79.95

RS-232C COMMUNICATIONS SOFTWARE

Compac, host and term programs. Requires 16K Level II. £2495

TRS-80 PRINTER PAPER



2 PACKS OF P2 PAPER Only suitable for P2 Quick Printer. 2 rolls of paper 26-1412 LINE PRINTER PAPER £3.99

er suitable for Line Printers, I and II £1.99 PI MICROPRINTER PAPER £4 95 INTERFOLD PAPER Multi-rule lishing paper for all 141/2" tractor feed printers. Size 11" x 141/2".

£21.95 FANFOLD PAPER inter with a tractor feed. Size 11' £19.95

6000 per box, 3 per page. Size 23/4" x

CONTINUOUS SELF ADHESIVE LABELS

£29.95

RADIO SHACK'S LIBRARY OF TRS-80 MODEL I & II SOFTWARE



BUSINESS

Program	Requires	Cat. No.	Price
Cassette Mailing List	1	26-1503	£ 19.50
Scripsit/Cassette	l li	26-1505	£ 39.95
General Ledger I	Disk	26-1552	£ 69.95
Inventory Control	Disk	26-1553	£ 69.95
Concrete Take-Off	Disk	26-1557	£119.95
Manufacturing Inventory Control	Disk	26-1559	£119.95
Profile	Disk	26-1562	£ 49.95
Scripsit/Disk	Disk	26-1563	£ 69.95
Real Estate I	Jacobs	26-1571	£ 19.95
Real Estate II	11	26-1572	£ 19.95
Real Estate III	1	26-1573	£ 19.95
Real Estate IV	11	26-1574	£ 19.95
Workstudy	II	26-9506	£ 42.95
Payroll	Disk	26-9507	£249.00
Stock Control	Disk	26-9510	£259.00
Sales Ledger	Disk	26-9511	£259.00
Invoicing	Disk (4)	26-9512	£ 79.00
Purchase Ledger	Disk	26-9513	£259.00
Tandy Mail	Disk	26-9515	£ 89.95
Nominal Ledger	Disk	26-9516	£259.00
Microfiles	Disk	26-1565	£ 59.95

EDUCATION

Program	Requires	Cat. No.	Price
Maths I, Level I	1	26-1701	£ 15.95
Algebra I, Level I	T	26-1702	£ 17.95
Advanced Statistical Analysis	II, Disk	26-1705	£ 29.95
Algebra, Level II	11	26-1707	£ 29.95
Show and Spell	ll l	26-1712	£ 17.95
K-8 Maths	П	26-1715	£ 99.95
Basic Course (Teacher)	N/A	26-2150	£ 99.95
Basic Course (Student)	N/A	26-2151	£ 52.95
Coreplan II/Disk	Disk	26-9514	£ 79.95
Level I Course	1	26-2003	£ 7.95
Level II Course	=	26-2005	£ 8.95
Level II Course Advanced	11	26-2006	£ 11.95
Disk Basic Course	Disk	26-2007	£ 15.95

LANGUAGES

Program	Requires	Cat. No.	Price
Tape Editor/Assembler	II-Model I Only	26-2002	£ 24.95
FORTRAN	Disk-Mod. 10nly	26-2201	£ 69.95
Macro Editor/Assembler	Disk-Mod. I Only	26-2202	£ 69.95

UTILITIES

Requires	Cat. No.	Price
II I, II-Mod. I Only	26-1704 26-2001	£ 7.99 £ 11.95
	26-2004	£ 5.95
	II I, II-Mod. I Only	II 26-1704 I, II-Mod. I Only 26-2001



GAMES

Program	Requires	Cat. No.	Price
Quick Watson	1, 11	26-1802	£ 3.29
Level I Games Pack	1 950	26-1805	£ 14.95
Casino Games Pack	11	26-1806	£ 14.95
Microchess	1, 11	26-1901	£ 11.95
Micro Music	1,11	26-1902	£ 5.95
Micro Movie	1, 11	26-1903	£ 5.95
Micro Marguee	1,11	26-1904	£ 3.29
Flying Saucer	1, 11	26-1905	£ 5.95
Invasion Force	1,11	26-1906	£ 11.95
Checkers 80	1	26-1907	£ 6.95
Pyramid	1, 11	26-1909	£ 9.95
Haunted House	1, 11	26-1910	£ 7.95
Dancing Demon		26-1911	£ 5.95
Space Warp	II .	26-1912	£ 7.99
	Market Control of the	Name of the last o	

PERSONAL

Program	Requires	Cat. No.	Price
Budget Management Versafile Statistical Analysis	II Disk	26-1603 26-1604	£ 19.95 £ 19.95
Level I Coreplan In Memory Program		26-1703 26-9504 26-1502	£ 22.95 £ 39.95 £ 16.95

COMMUNICATION

Program	Requires	Cat. No.	Price
Communications Tape	11	26-1146	£ 24.95

PROGRAM REQUIREMENTS LEGEND:

● I = 4K Level | System ● II = 16K Level | II ● DISK = 32K, 2 Disk System

TRS-80 MANUALS


Description	Cat. No.	1	Price
Level II Users Manual	26-2016	£	3.95
Level I Users Manual	26-2102	£	4.95
Model I Technical Reference Manual	26-2103	£	5.95
Model I Disk Basic Manual	26-2104	£	5.25

TRS-80's WIDE CHOICE OF OUTSTANDING PRINTERS









£1150

MICROLINE 80

An extremely versatile 9 x 7 Dot Impact Printer. Features 64 Alpha Characters; 32 lower case English letters and symbols and 64 graphic symbols. Selectable line spacing of 6 lines per inch or 8 lines per inch. Character to character spacing: 0.200", 0.100", 0.061" selectable. Print speeds are 28 lines per minute at 80 characters per line or 51 lines per minute at 40 characters per line. 26-7018 optional Form Tractor. 26-7017

26-7101	Printer Ribbon	£3.99
26-9302	Paper.	£5.95
26-1403	Fan-fold Paper	£19.95

QUICK PRINTER II.

The printer everyone can afford! Prints two 32-column lines per second with full "wrap-around" on 2\%" wide aluminium-coated paper. Software selectable upper and lower case plus expanded letters. Connects directly to all Level II TRS-80s. Also contains parallel and RS-232 interfaces. 26-1155 £169.95

LINE PRINTER III

Designed for heavy business use. Bidirectional 9 x 7 dot-matrix head prints upper and lower case characters as well as numbers at a speedy 120 characters per second! Adjustable line feed increments for accurate printing on pre-printed forms such as cheques. Tractor mechanism will handle any fan-fold computer paper up to 15" wide! An excellent printer at an excellent price. 26-1156 £1150

26-505 26-9306	Cover Paper.	£2.99 £21.95
26-1401	Cable, Model I	£29.95
26-4401	Cable Model II	£29.95
26-1414	Ribbon Cartridge.	£12.95

LINE PRINTER VI

A tremendous value, this printer includes many outstanding features! It prints full upper and lower case characters plus graphic chracters and special symbols that come in handy. The bidirectional 9 x 7 printhead operates at 100 characters per second. Uses 4" to 15" fan-fold, roll or single-sheet paper. There's even a complete, built-in character self-test. Removable, adjustable forms tractor included.

26-1166	adjustable forms traci	£599
26-9306	Fan-fold Paper.	£21.95
26-1401 26-4401	Cable Model I Cable, Model II	£ 29.95 £ 29.95
26-1418	Ribbon Cartridge.	£6.95

PLOTTER/PRINTER



Quality Printing!Quick Plotting!

Multidirectional printing lets you plot graphs 5 feet tall if you like! Plots of circular functions are a snap! Use it as your line printer, too. Easily prints a normal upper case character set. Average print speed is 10 characters per second on 7½" lines. (Available 12/80).

26-1190			€649.00
26-1401 26-4401	Cable Cable	Model II	£ 29.95 £ 29.95
26-1407	Paper.		£2.99

WORD-PROCESSING QUALITY DAISY WHEEL PRINTER II



£1099

• Electric Typewriter Quality. Ideal for Use with SCRIPSIT.

The Features and Quality You Need for Word-Processing Applications!

Daisy Wheel II. High-speed interchangeable character-wheel and carbon multi-strike ribbon give you the results you need for business word-processing use! Select 10 or 12 pitch, or proportional spacing, and print up to 163 characters per 13.6" line at 43 characters per second. A pinchfeed roller takes any paper size from 4" to 14%" fan-fold or single sheets with up to two carbons. 26-1158

Cable Model I	26-1401	£29.95
Cable Model II	26-4401	£29.95
Form Tractor Feed Conversion	26-1446	£159.00
Courier Daisy Wheel	26-1420	£14.95
Elite Daisy Wheel	26-1421	£14.95
Madeleine Daisy Wheel	26-1422	£14.95
Ribbon 3 Pack	26-1419	£11.95
	=0	

TRS-80

TRS-80 POCKET COMPUTER — GREATEST BREAKTHROUGH YET



This Is Its Actual Size! Computer Power That Once Filled a Room Can Now Be Carried in Your Pocket!

Programs in BASIC

"QWERTY" Alphabetic Keyboard

• 1.9K Random Access Memory

Long Battery Life

£11900

TRS-80 POCKET COMPUTER brings yesterday's science fiction to life at an amazingly low price! Today's advanced technology can always be within your reach to give you the answers you need for fast decision-making! It's easy to load with ready-to-run software from cassette tape (interface and recorder optional), or programme it yourself in easy-to-learn BASIC. 24-character liquid crystal readout displays one line at a time. Special feature is advanced non-volatile memory allows you to power on and off without losing the contents of memory. Note: Memory must be transferred to tape before changing batteries. Automatic statement compaction squeezes every ounce of memory space. Computer features power-off retention of programmes and data. Powerful resident BASIC language includes multiple statements, match functions, editing, strings, arrays and much more. Multiple program loading capability subject to RAM availability. You'll constantly find new uses for the pocket computer as you make it a part of your lifestyle! Carrying case and batteries £119.00 included. 26-3501

Program	Cat. No.	Each
Real Estate Civil Engineering Aviation Math Drill Games I Business Statistics Business Financial Personal Financial	26-3510 26-3511 26-3513 26-3514 26-3515 26-3516 26-3517 26-3518	£13.95 £13.95 £13.95 £ 8.95 £ 8.95 £10.95 £10.95 £10.95



 Economical to Run on Standard Cassette Tape

Compact Size and Modular Design

Cassette Interface. Load and save Pocket Computer programs and data on cassette tapes. Modular design interlocks with Pocket Computer. Requires 3 "AA" batteries. Works with Minisette-9 recorder, 26-3503

MINISETTE-9 RECORDER

£4995

No bigger than a small book, but loaded with features. Auto-Level, Auto-Stop, pause control, 3-digit counter, LED record/battery indicator, built-in mike. Fits in a briefcase. Size: 3.33 x 18.26 x 11.59 cm. Requires 4 "AA" batteries or external AC, DC adapter. 14-812

TRS-80 MODEL II —

BEST BUY IN A BUSINESS MICROCOMPUTER!

You Can Own Our Top-of-the-Line For an Unbelievably Low Price!

Our Features Start Where Other Computers Finish!

- 32 or 64 Thousand Character **Internal Memory**
- Built-In 8" Double-Density Disk Drive
- Growing Library of Powerful **Application Software**

MODEL II. Enough data handling power for small businesses and features of computers selling for twice the price. Buy with either 32 or 64 thousand characters of internal memory and a central processor that operates at twice the speed of Model I.



File 416 thousand characters of records and programs on interchangeable floppy diskettes using built-in 8" video monitor. Quality lowercase characters. Future expansion is easy. Powerful application software like General Ledger, Accounts Receivable, Scripsit Word Processing and languages like COBOL and FORTRAN. Includes Model II BASIC, TRSDOS and Operating Manual.

32K, 1-Disk TRS-80 Model II. 64K, 1-Disk TRS-80 Model II.

26-4001 £2,199.00 26-4002 £2,499.00 32K, Memory Board. Model II System Cover. 26-4102 £ 343.85 26-4051 £ 3.49

TRS-80 MODEL II SOFTWARE

Purchase Ledger	26-9517	£429.00	!Software From USA		
Sales Ledger		£429.00	Fortran*	26-4701	£159.95
Pay Roll	26-9519	£429.00	Cobol Development PKGE*	26-4703	£159.95
Stock Control	26-9520	£429.00	Cobol Run PKGE/Use With*	26-4704	£ 24.95
Nominal Ledger	26-9521	£429.00	Assemblier*		£109.95
Invoicing*	26-9522	£115.00	Scripsit (word processor)*		£159.95
Used with 9517/8/20/21			Text Editor		£ 49.95
!General Ledger !Inventory Management Control	26-4501 26-4502	£129.95 £129.95	*Due in November 80.		



3 Disk System Illustrated

DISK EXPANSION SYSTEMS

Prices from £899

Plugs into Model II to provide up to 1.5 million extra characters of storage!

1-Drive System.	26-4160	£ 899.00
2-Drive System.	26-4161	£1,349.00
3-Drive System.	26-4162	£1,799.00
Disk Drive Kit.	26-4163	£ 458.85
Communication Cable.	26-4403	£ 29.95

MODEL II SYSTEM DESK

Stylish Durable Design

Designed especially for Model II. Large drawer with centre divider stores diskettes and more. It mounts under the top or can be lowered disk unit placed 26-4301 £299.95



Versatile £29995 1 Design



QUALITY 8" DISKETTES

Tandy's blank 8" diskettes for the Model II are designed to meet our high quality control standards. Individually tested to insure reliability. 10 pack 8" Diskettes**26-4906**

8" CLEANING DISK

Cleans Disk Drive Head. Reduces I.O. errors caused by dirty read heads. £19 95 26-9509

MODEL II OWNER'S MANUAL

Comprehensive operators, system and BASIC reference manual. 26-4920

£1995

£1995

£4995



competition!

Designed for business needs

 Business software available now!

Expandable: 32K or 64K RAM and 500K to 2-million bytes storage!

TRS-80 Model II

Our first microcomputer breakthrough put "personal" computing into orbit worldwide—the fabulous TRS-80 Model I. Model II adds business-orientated speed and power for those who need it, at $\frac{1}{3}$ to $\frac{2}{3}$ off the price of comparable equipment made by IBM and others. A breakthrough? The facts speak for themselves!

Is Model II a Micro or a Mini?

Good Question. No easy answer. It's an all 8"floppy disk system: one built-in, room for three more. True 12" monitor twice the size of the IBM 5110, for example. Twice the operating speed of Model I. Upper and lower case. New state-of-the art 76-key keyboard. Level-III expanded BASIC. Systems starting at £2,199.00. Illustrated 64 K 4-disk system with line-printer III and all furniture shown (except the chair) only £5,877.85. Mini or micro? Heads you win, tails you win. But obviously the biggest buy in computer history.

TRS-80 POCKET COMPUTER £11900 • 1.9K Random **Access Memory** "Qwerty" Alphabetical Keyboard Computer power that once filled a room can be carried in your pocket. It's easy to load with ready-to-run soft-ware from cassette tape (interface and recorder optional), or program it yourself in BASIC. 24-character liquid crystal readout displays one line at a time. Power-off retention of programs and date. The TRS-80 pocketable computer, part of your lifestyle. 26-3501 £119.00

THE AMAZINGLY EXPANDABLE TRS-80 MODELI



Quality computing at a competitive price! The TRS-80 Model I fills the bill as an all-purpose personal computer. Thousands have found the TRS-80 ideal for finances, education, accounting, engineering—even games at home. Start with 4K Level I and expand later-or, if you wish, choose a more powerful system that will suit your needs. 26-1001

Level I, 4K RAM

Prices from

£37900

VISIT A TANDY COMPUTER CENTRE

See the full range of TRS-80 computers and peripherals at a specialist TRS-80 Centre. Centres located at:

4127 Bradford — 2-4 Forster Square

4227 Deansgate — 30 Deansgate, Manchester

4331 Edgbaston — Edgbaston Shopping Centre, Hagley Road, Edgbaston, Birmingham

Seacoal Lane — 1-2 Seacoal Lane, Ludgate Hill, London EC 4

4416 Bristol — Colston Centre, Colston Avenue

4624 Southampton - East Street Centre

4530 Kingsway — 111 Kingsway London WC2

TANDY CORPORATION BRANCH U.K.

Bilston Road, Wednesbury, West Midlands WS10 7JN, VAT Reg. No. 281240384 Printed in England

An important note: Whereas every elfort has been made to ensure accuracy in the preparation of this Catalogue the company excludes liability for all errors insofar committed therein. Prices are subject