



Grundig Heinzelmann 1, 1954

Long Wave



C:	1, 2, 5, 3, 6, 5, 6, 4, 7, 8, 8,	10, 11, 13, 12, 14,	15, 16, 17, 18, 20, 21, 23, 24,	25, 26,	27, 28, 29, 30, 31, 32, 33, 34, 35,	36, 37, 36, 46,	47, 48, 43, 57,	44, 48,	45, 46, 47, 48, 49, 52, 50,	53, 58,	56, 55, 56, 58,	57, 67,	60, 61, 63,	62,
R:	7,	2,	3, 4,	5,	6, 7,	8,	9,	10,	11,	12,	13, 14, 15, 16,	17,	20, 21,	32, 33, 34, 35,

Annotated and retouched by Daniele Giacomini appunti2@gmail.com

Full documentation available at:

<https://sites.google.com/view/daniele-giacomini/dgpn>


<https://daniele-giacomini.blogspot.com/p/dgpn.html>

<https://archive.org/download/dgs-practical-notes>

Last time edited 2024-11-12

Grundig Heinzelmann 1, 1954

Medium Wave



C:	1, 2, 5, 3, 6, 5, 6, 4, 7, 8, 8,	10, 11, 13, 12, 14,	15, 16, 17, 18, 20, 21, 23, 24,	25, 26,	27, 28, 29, 30, 31, 32, 33, 34, 35,	36, 37, 36, 46,	47, 48, 43, 57,	44, 48,	45, 46, 47, 48, 49, 52, 50,	53, 58,	54, 55, 56, 58,	57, 67,	60, 61, 63,	62,
R:	7,	2,	3, 4,	5,	6, 7,	8,	9,	10,	11,	12,	13, 14, 15, 16,	17,	20, 21,	32, 33, 34, 35,

Annotated and retouched by Daniele Giacomini appunti2@gmail.com

Full documentation available at:

<https://sites.google.com/view/daniele-giacomini/dgpn>


<https://daniele-giacomini.blogspot.com/p/dgpn.html>

<https://archive.org/download/dgs-practical-notes>

Last time edited 2024-11-12

Grundig Heinkelmann 1, 1954

Phono



The diagram illustrates a 4x4 matrix keypad with 16 buttons arranged in a grid. The buttons are labeled with their row and column indices:

- Row 1: + support point (top-left), 4 (top-center), 5 (top-right)
- Row 2: 6 (center-left), . (center), 7 (center-right)
- Row 3: 8 (bottom-left), 9 (bottom-center), 0 (bottom-right)
- Row 4: Beispiel: 1,9 (bottom-most left), example: 1,9 (bottom-most center), - (bottom-most right)

A red arrow labeled "Schaltrichtung switching direction" points upwards, indicating the direction of button scanning. A red box highlights the button at position (1,1) (row 1, column 1). Below the keypad, four labels identify the columns: FA, LBK, MFK, and UMK.

FM-Spulensatz : 617 ZF = 10,7MHz
AM-Spulensatz : 618 ZF = 468kHz

Meßwerte bei eingedrehtem Drehko.
Signal an der Antenne. Spannungen
Grundig-RVM gemessen.
Änderungen vorbehalten.

Kondensator mit Kennzeichnung des Außenbelagtes

C: 7, 2, 5, 3, 6, 5, 6, 9, 7, 8, 9, 10, 11, 13, 12, 14, 15, 16, 17, 18, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 36, 40, 47, 39, 43, 51, 44, 48, 45, 46, 47, 48, 49, 52, 58, 53, 58, 54, 55, 56, 58, 57, 67, 60, 67, 63, 62.
R: 7, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30.

Annotated and retouched by Daniele Giacomin appunti2@gmail.com

Full documentation available at:

<https://sites.google.com/view/daniele-giacomini/dgpn>


<https://daniele-giacomini.blogspot.com/p/dgpn.html>

<https://archive.org/download/dgs-practical-notes>

Last time edited 2024-11-12

Grundig Heinzelmann 1, 1954

FM (UKW)



Annotated and retouched by Daniele Giacomini appunti2@gmail.com

Full documentation available at:

<https://sites.google.com/view/daniele-giacomini/dgpn>

<https://daniele-giacomini.blogspot.com/p/dgpn.html>

<https://archive.org/download/dgs-practical-notes>

Last time edited 2024-11-12