

SCHEMATICS

RX-9

DBX Unit/DBX-Gerät

Unité DBX/DBX Eenheid/Unidad DBX

Schematic Diagrams


Schematische Diagramme

Diagrammes schématiques

Schematisch Diagrammen

Diagramas Esquemáticos

TEAC®



NOTES

ALL RESISTORS ARE 1/4W, 5%.
RESISTOR VALUES ARE IN OHMS (k=1,000 OHMS).
Q1~Q8 : 2SC711A-F
D1~D4 : 1S2473

6		
5		
4		
3		
2		
1	08-78	

REVISION DATE CHANGE NO.


BUFFER AMPLIFIER

MODEL NO.

RX-9

SHEET NO.


TEAC CORPORATION



NOTES

- ALL RESISTORS ARE 1/4 WATT, 5%, UNLESS MARKED OTHERWISE. RESISTOR VALUES ARE IN OHMS (K = 1,000 OHMS, M = 1,000,000 OHMS).
- ALL CAPACITOR VALUES ARE IN MICROFARADS (P = PICO FARADS).

S-233		
DBX AMPLIFIER		
MODEL NO. RX-9		
TEAC CORPORATION		
REVISION	DATE	CHANGE NO.
1	07-78	




NOTES

1. ALL RESISTORS ARE 1/4 WATT, 5%, UNLESS MARKED OTHERWISE. RESISTOR VALUES ARE IN OHMS (K=1,000 OHMS, M=1,000,000 OHMS).
2. ALL CAPACITOR VALUES ARE IN MICROFARADS (P=PICOFARADS).

REVISION	DATE	CHANGE NO.
6		
5		
4		
3		
2		
1	07-78	

S-234
POWER SUPPLY
MODEL NO. RX-9
TEAC CORPORATION



S-235

REVISION	DATE	CHANGE NO.
6		
5		
4		
3		
2		
1	07-78	

WIRING DIAGRAM
MODEL NO. **RX-9** SHEET NO.
TEAC CORPORATION