

Condensatoren-Condensers-Condensateurs-Kondensatoren






C1	50	uF	}	48 317 57/50+50	C16	0,1	uF	48 751 20/100K
C2	50	uF			C17	56	pF	48 601 10/56E
C4	1000	pF			C18	10000	pF	48 751 20/10K
C5	33000	pF			C19	4700	pF	48 757 20/4K7
C6	400-575	pF			C20	10000	pF	48 750 20/10K
C7	47000	pF			C21	2200	pF	48 751 20/2K2
C8	12,5	pF			C22	voir bobines, see coils		
C9	30	pF			C25	siehe Spulen, zie spoelen		
C10	470	pF			C37	1800	pF	48 429 05/1K8
C11	47	pF			C38	100	pF	48 601 20/100E
C12	30	pF			C39	88	pF	48 601 02/88E
C13	30	pF			C41	400-575	pF	49 005 55.2
C14	11-500	pF	}	49 001 41.0	C42	22	pF	48 601 10/22E
C15	11-500	pF						


Weerstanden-Resistors-Resistances-Widerstände

R1	1000	ohm	49 379 81.0	R11	4,7	Mohm	48 550 10/4M7
R2	180	ohm		R12	0,22	Mohm	48 426 10/220K
R3	200	ohm		R13	0,68	Mohm	48 550 10/680K
R25	430	ohm	48 550 10/22K	R14	150	ohm	48 426 10/150E
R4	22000	ohm		R15	10000	ohm	48 550 10/10K
R5	18000	ohm		R16	0,82	Mohm	48 550 10/820K
R6	1,5	Mohm	48 550 10/1M5	R17	56000	ohm	48 550 10/56K
R7	15000	ohm	48 550 10/15K	R18	22000	ohm	48 427 10/22K
R8	0,65	Mohm	49 500 19.0	R19	2200	ohm	48 550 10/2K2
R9	0,2	Mohm		R26			49 379 62.0
R10	10000	ohm		48 550 10/10K	R27	68	ohm

Spoelen-Coils-Bobines-Spulen

S6)	13	ohm	A3 122 84.0	S20)	2	ohm	A3 113 17.0
S7)	13	ohm		S21)	< 1	ohm	
C22)	110	pF		S22)	< 1	ohm	
C23)	110	pF	A3 122 84.0	S23)	< 1	ohm	A3 113 18.0
S8)	13	ohm		S24)	< 1	ohm	A3 113 00.0
S9)	13	ohm		S25)	< 1	ohm	
C24)	110	pF	S26)	< 1	ohm	A3 113 19.0	
C25)	110	pF	S27)	2	ohm		
S10)	350	ohm	A3 151 99.0				
S11)	< 1	ohm					





R.73019

	R	C
9	16 65 13 225	26 65 14 215
10	32 310 15 245	33 40 25
11	46 180	45 47
12	47 37	48 36
12	10 10	10 10
12		

[illegible]

P16161

GM4256

R13160

GM4257