

S1	-		S46	3 Ω	
S2	-		C47	115 pF	A3 121 94.2
S3	-	A3 141 37.4	C48	115 pF	
S4	-		S47)	400 Ω	
S5	1.5 Ω		S48)	< 1 Ω	A3 169 57.0
S6	< 1 Ω	A3 125 79.0	S49	< 1 Ω	
S9	1.6 Ω		S50	< 1 Ω	
S10	< 1 Ω	A3 125 28.0	C1	50 μ F	48 317 59/50+50
S7	1.5 Ω		C2	50 μ F	
S8	< 1 Ω	A3 125 26.0	C3	11-498 pF	
S11	1.6 Ω		C4	11-498 pF	49 001 66.2
S12	< 1 Ω	A3 125 28.0	C5	11-498 pF	
S13	13 Ω		C6	330 pF	48 203 10/330E
S14	1.7 Ω	A3 125 33.0	C7	3000 pF	48 429 05/3K
S16	1 Ω		C8	60 pF	49 005 58.0
S16a	< 1 Ω	A3 117 33.0	C9	0.1 μ F	48 757 20/100K
S17	< 1 Ω	A3 125 80.0	C10	140 pF	48 203 01/140E
S19	< 1 Ω	A3 125 41.0	C12	30 pF	28 212 36.4
S18	< 1 Ω	A3 125 39.0	C13	5 pF	49 627 50.0
S20	< 1 Ω	A3 125 41.0	C14	150 pF	48 203 01/150E
S21	1.7 Ω		C15	150 pF	48 203 10/150E
S22		A3 125 46.0	C16	150 pF	48 203 10/150E
S23	45 Ω		C17	150 pF	48 203 10/150E
S24	3 Ω	A3 125 35.0	C18	10.000 pF	48 207 50/10K
S25	26 Ω	A3 110 66.0	C19	60 pF	49 005 58.0
S26	< 1 Ω	A3 113 10.0	C21	140 pF	48 203 01/140E
S28	< 1 Ω	A3 125 44.0	C22	3300 pF	48 429 05/3K3
S27	< 1 Ω	A3 125 42.0	C23	30 pF	28 212 36.4
S32	< 1 Ω		C24	30 pF	28 212 36.4
S33	< 1 Ω	A3 125 60.0	C25	150 pF	48 203 01/150E
S34	< 1 Ω		C26	150 pF	48 203 10/150E
S29	< 1 Ω	A3 117 43.0	C27	0.22 μ F	48 751 10/220K
S30	< 1 Ω	A3 117 43.0	C29	220 pF	48 203 20/220E
S35	1 Ω		C30	500 pF	48 336 01/500E
S36	3 Ω	A3 125 68.0	C31	180 pF	48 336 01/180E
S37	4.7 Ω		C33	60 pF	49 005 58.0
S38	10 Ω	A3 125 72.0	C34	100 pF	48 203 20/100E
S39)	7.5 Ω		C35	100 pF	48 203 20/100E
S40)	2 Ω		C36	100 pF	48 203 02/100E
S41	3 Ω	A3 121 94.2	C37	150 pF	48 336 01/150E
S42	115 pF		C39	30 pF	28 212 36.4
C44	115 pF		C40	1575 pF	48 429 01/1K
S43)	7.5 Ω	A3 121 94.2	C42	390 pF	48 336 02/390E
S44)	2 Ω		C43	30 pF	28 212 36.4
S45			C44	see coils	-
			C45	voir bobines	-
			C46	10 pF	48 201 10/10E
			C47	see coils	-
			C48	voir bobines	-
			C49	82 pF	48 203 10/82E
			C50	47000 pF	48 750 10/47K
			C51	33000 pF	48 750 10/33K
			C52	10000 pF	48 750 10/10K
			C53	0.1 μ F	48 751 10/100K
			C54	10000 pF	48 751 10/10K

C55	22000 pF	48 751 10/22K	R13	47000 Ω	A9 999 00/47K
C56	0.1 pF	48 751 10/100K	R14	0.45 M Ω)	49 500 34.0
C57	2200 pF	48 758 20/2K2	R15	0.05 M Ω)	
C58	2200 pF	48 751 10/2K2	R16	15000 Ω	A9 999 00/15K
C59	1500 pF	48 206 50/1K5	R17	2.2 M Ω	A9 999 00/2M2
C60	1500 pF	48 206 50/1K5	R18	10 M Ω	A9 999 00/10M
C61	47000 pF	48 750 10/47K	R19	0.1 M Ω	A9 999 00/100K
R1	1000 Ω	49 379 31.0	R20	0.12 M Ω	A9 999 00/120K
R2	10000 Ω	A9 999 00/10K	R21	47000 Ω	A9 999 00/47K
R3	0.1 M Ω	A9 999 00/100K	R22	1000 Ω	A9 999 00/1K
R4	10000 Ω	A9 999 00/10K	R23	0.05 M Ω)	49 472 30.0
R5	1000 Ω	A9 999 00/1K	R24	0.45 M Ω)	
R6	0.82 M Ω	A9 999 00/820K	R25	150 Ω	A9 999 00/150E
R7	2x 47000 Ω par.	A9 999 00/47K	R26	100 Ω	A9 999 00/100E
R8	47000 Ω	A9 999 00/47K	R27	1 M Ω	A9 999 00/1M
R9	33000 Ω	A9 999 00/33K	R28	1 M Ω	A9 999 00/1M
R10	560 Ω	A9 999 00/560E	R29	12000 Ω	A9 999 00/12K
R11	1 M Ω	A9 999 00/1M	R30	330 Ω	A9 999 00/330E
R12	1.2 M Ω	A9 999 00/1M2			

JvE/TV

BX638A





Fig.1

BX638A

II



BX638A




Fig.3

R 14882

R 14883

BX638A

IV





Fig.4