


Receptor de radiodifusão sonora PHILIPS
Tipo B3 X 96T — 00K — 00L

22 23 24 25 26										27 28 29 30 31										32 33 34										35 36 37										40														
49 24 44 47 48					28 26 27 46 29					30 31					33					34 35 45					32					40 37					36					39 42					43					41 38				
9	42	10	12	11	46	15	14	45	44	47	19	16	17	18	41	43	23	31	24	20	21	22	33	25	34	26	35	36	29	30	28	39	38	32	27																			







PHILIPS PORTUGUESA S. A. R. L.

Service

S	1.1a.	2.4 6 8 3 5 7 9.	10 11 12 13 14 15 16 17 18	19 19a	20 21
C	5, 6	8, 9, 9.7 11 14 13, 4, 1 12.	15, 2, 16 17 18 19 20	21, 22, 10	25, 23, 49 24. 44 47 48.
R	3	2, 4	5, 13	6	1.8 7 9. 42. 10. 12 11 46.



Receptor de radiodifusão sonora PHILIPS
Tipo B3 X 96T — 00K — 00L



- 1 — Interruptor da bateria + Volume.
- 2 — P.U.
- 3 — O.M.
- 4 — O.C.
- 5 — O.C.2
- 6 — O.C.1
- 7 — Tonalidade
- 8 — Sintonia

Altifalante: AD 3460 Z

Baterias: 6 X 1,5 V

F. I.: 452 kHz

