


CONDENSATOREN

	Waarde	Codenummer	Prijs
C1	32 μF	28 182 40.0	
C2	32 μF	28 182 40.0	
C3	11-490 μF	28 212 73.0	
C4	11-490 μF		
C5	11-490 μF		
C6	0-30 μF		
C7	0-30 μF	28 212 36.0	
C8	0-30 μF	28 212 36.0	
C9	0-30 μF	28 212 45.0	
C10	0-30 μF	28 212 36.0	
C11	0-30 μF	28 212 45.0	
C12	0-30 μF	28 212 36.0	
C13	0-30 μF	28 212 36.0	
C14	0-30 μF	28 212 45.0	
C15	200 μF	28 212 08.0	
C16	0-30 μF	28 212 45.0	
C17	170 μF	28 195 78.0	
C18	50 μF	28 206 24.0	
C19	50 μF	28 206 24.0	
C20	2 μF	28 205 88.0	
C21	(2 $\times$ 2 μF par.)		
	4 μF	28 205 88.0	
C22	20000 ohm	28 201 65.0	
C23	100 μF	28 206 27.0	
C24	0.4 μF	28 199 15.0	
C25	50000 μF	28 199 06.0	
C26	200 μF	28 206 30.0	
C27	50000 μF	28 199 06.0	
C28	50000 μF	28 199 06.0	
C29	10000 μF	28 198 99.0	
C30	50000 μF	28 198 06.0	
C31	100 μF	28 206 27.0	
C32	1750 μF	49 080 20.0	
C33	5100 μF	49 080 10.0	
C34	400 μF	49 080 01.0	
C35	150 μF	49 080 21.0	
C37	16000 μF	28 199 01.0	
C38	50000 μF	28 199 06.0	
C39	50000 μF	28 199 06.0	
C40	0.2 μF	28 199 12.0	
C41	94 μF	Zie „Spoelen”	
C42	113 μF		
C43	113 μF		
C44	113 μF		
C45	100 μF	28 206 27.0	
C46	10000 μF	28 198 99.0	
C47	640 μF	28 190 21.0	
C48	0.1 μF	28 199 09.0	
C49	320 μF	28 190 18.0	
C50	640 μF	28 190 21.0	
C51	2000 μF	28 198 92.0	
C52	8 μF	28 206 33.0	
C53	2000 μF	28 201 48.0	
C54	0-30 μF	28 212 36.0	
C55	0-30 μF	28 212 36.0	
C56	0-30 μF	28 212 36.0	
C57	40 μF	28 206 23.0	
C62	1000 μF	28 190 23.0	
C63	200 μF	28 206 30.0	
C65	50000 μF	28 199 06.0	
C66	50000 μF	28 199 06.0	
C67	12500 μF	28 199 00.0	
C68	8 μF	28 206 33.0	

[illegible]

D 3224




Fig. 8

Golfbandschakelaar op de band van 13,5—45 m.
Gevoelighedschakelaar in de stand „Plaatselijke zenders”.