


Service
Service
Service


Service Manual




19960A

MW/PO : 520-1605 kHz (577-187 m)
LW/GO : 150-255 kHz (2000-1177 m)
IF-AM : 468 kHz
FM : 87,5-104 MHz
IF-FM : 10,7 MHz

Mains secteur : 110/220 V~
: 6 V (4xR14)
P_{max} : 400 mW ± 1 dB (d = 10 %)



Wave range	Signal to		Var.cap.	Adjust	Indication
SK-A					
MW/PO (520-1605 kHz)	468 kHz via 40 nF		Min.cap.	5048	
				5045	
				5044	
	512 kHz		Max.cap.	5003	
	1635 kHz		Min.cap.	CTd	
	600 kHz			5000a	
	1400 kHz			CTc	
LW/GO (150-255 kHz)	147 kHz		Max.cap.	2003	
	200 kHz			5000b	
FM (87.5-104 MHz)	10.7 MHz via 20 nF		Min.cap.	5046	
				5041	
	105 MHz		Min.cap.	CTb	
	86.5 MHz		Max.cap.	5024	
	86.5 MHz			5022	
	105 MHz			CTa	

↑ Repeat - Herhalen - Répéter - Wiederholen - Ricominciare - Repetera - Gentage - Gjentagelse - Toista

