

CONDENSERS

Value	Codenummer	Price	Value	Codenummer	Price
C1	16 μ F	28 182 56.0	C50	136 μ F	28 195 43.0
C2	28 μ F	28 182 54.0	C51	3-30 μ F	28 212 32.0
C2A	28 μ F	28 182 54.0	C52	100 μ F	28 206 27.0
C3	28 μ F	28 182 54.0	C53	2000 μ F	28 190 26.0
C4	12-500 μ F		C54	165 μ F	49 080 44.0
C5	12-500 μ F	49 000 05.0	C55	100 μ F	See S48
C6	12-500 μ F		C56	103 μ F	See S48
C7	18 μ F	49 000 07.0	C57	109 μ F	28 194 44.0
C8	170 μ F	28 195 78.0	C58	3-30 μ F	28 212 32.0
C9	3-30 μ F	28 212 32.0	C59	117 μ F	28 194 46.0
C10	3-30 μ F	28 212 32.0	C60	3-30 μ F	28 212 32.0
C11	3-30 μ F	28 212 32.0	C61	50 μ F	49 055 01.1
C12	3-30 μ F	28 212 32.0	C62	3-30 μ F	28 212 32.0
C13	3-30 μ F	28 212 32.0	C63	140 μ F	28 195 26.0
C14	3-30 μ F	28 212 32.0	C64	3-30 μ F	28 212 32.0
C15	165 μ F	49 080 44.0	C65	64 μ F	28 195 07.0
C16	100 μ F	28 206 27.0	C66	3-30 μ F	28 212 32.0
C17	50000 μ F	28 199 06.0	C67	100 μ F	28 194 41.0
C19	50000 μ F	28 199 06.0	C68	3-30 μ F	28 212 32.0
C20	50000 μ F	28 199 06.0	C69	50000 μ F	28 199 06.0
C21	25 μ F	28 206 21.0	C70	50000 μ F	28 199 06.0
C22	100 μ F	28 206 27.0	C71	0.1 μ F	28 199 09.0
C23	6.4 μ F	28 206 32.0	C72	50000 μ F	28 199 06.0
C24	2 μ F	28 205 88.0	C73	50000 μ F	28 199 06.0
C25	2 μ F	28 205 88.0	C76	25 μ F	28 192 37.0
C26	3-30 μ F	28 212 32.0	C77	20000 μ F	28 199 02.0
C27	3-30 μ F	28 212 32.0	C78	113 μ F	See S57
C28	3-30 μ F	28 212 32.0	C79	117 μ F	See S57
C29	3-30 μ F	28 212 32.0	C81	100 μ F	28 206 27.0
C30	3-30 μ F	28 212 32.0	C82	50000 μ F	28 199 06.0
C31	3-30 μ F	28 212 32.0	C84	400 μ F	28 190 19.0
C32	50000 μ F	28 199 06.0	C85	400 μ F	28 190 19.0
C33	165 μ F	49 080 44.0	C86	0.5 μ F	28 199 16.0
C36	50000 μ F	28 199 06.0	C87	0.5 μ F	28 199 16.0
C37	50000 μ F	28 199 06.0	C88	800 μ F	28 192 52.0
C38	100 μ F	28 206 27.0	C89	2000 μ F	28 201 48.0
C39	250 μ F	28 206 46.0	C90	5000 μ F	28 198 94.0
C40	32000 μ F	28 199 04.0	C91	64000 μ F	28 202 03.0
C41	3-30 μ F	28 212 32.0	C91	64000 μ F	28 202 04.0
C42	3-30 μ F	28 212 32.0	C92	10000 μ F	28 198 99.0
C43	3-30 μ F	28 212 32.0	C93	50000 μ F	28 199 06.0
C44	3-30 μ F	28 212 32.0	C94	80 μ F	28 206 26.0
C45	1735 μ F	28 195 76.0	C95	2000 μ F	28 198 92.0
C46	3-30 μ F	28 212 32.0	C96	20000 μ F	28 201 65.0
C47	3-30 μ F	28 212 32.0	C97	3200 μ F	28 198 94.0
C48	575 μ F	49 080 84.0	C98	0-20 μ F	49 005 03.0
C49	3-30 μ F	28 212 32.0	C99	50000 μ F	28 199 06.0
			C100	50000 μ F	28 199 06.0

C99 and C100 are connected between the filament leads and earth.

R46 is connected in parallel with S56.

R47 is connected in series with S30.

	Codenummer	Price		Value	Codenummer	Price
hm	28 773	98.0	R39	200 ohm	28 770	83.0
hm	28 773	98.0	R40	200 ohm	28 770	83.0
hm	28 770	56.0	R41	50 ohm	28 773	57.0
hm	49 472	50.0	R42	50 ohm	28 773	57.0
hm	See S51		R43	250 ohm	28 770	19.0
hm	28 770	49.0	R44	5x100 ohm	28 770	80.0
hm	28 770	45.0	R45	160 ohm	28 770	17.0
hm	28 770	28.0	R46	0.25 M.Ohm	28 770	49.0
hm	28 773	98.0	R47	16000 ohm	28 770	37.0