


Cassette recorder D6270/00

Service
Service
Service




Free service manuals

Gratis schema's

Digitized by

www.freeservicemanuals.info


Service Manual



1 Tape counter
2 REC battery indication
3 Volume
4 Pauze
5 Stop-eject

6 Fast forward
7 Rewind
8 Play
9 Record
10 Mice

11 Voice actuation switch
12 Mice-input
13 Remote control
14 Earphone
15 D.C. 6 V



39 119 B12

112 4822 240 30399
113 4822 358 30676
114 4822 358 30675
117 4822 411 61208
119 4822 443 61768

124 4822 443 50864
125 4822 443 50865
126 4822 443 61769
130 4822 498 30128
301 4822 361 20663

Documentation Technique Service Dokumentation Documentazione di Servizio Huolto-Ohje Manual de Servicio Manual de Servicio

Subject to modification

4822 725 20903

Printed in The Netherlands


©Copyright reserved

PHILIPS


Published by
Service Consumer Electronics



"Pour votre sécurité, ces documents
doivent être utilisés par des spécia-
listes agréés, seuls habilités à réparer
votre appareil en panne".




1	4822 249 10317	27	4822 528 20459
2	4822 249 40215	55	4822 410 25016
3	4822 358 30431	56	4822 410 25015
6	4822 528 90561		
24	4822 528 60302		



IC1 ---- μ PC1350C
 IC2 ---- NJM2606D
 Q1~4 ---- 2SC2458-GR, 2SC2785E or F
 D1,2 ---- 1S1588 or DS442
 D3,4 ---- 1N60P
 D5 ---- TLR208

S1 --- RECORD PLAYBACK SWITCH (PLAYBACK POSITION)
 S2 --- VOICE ACTION SWITCH (OUT POSITION)
 S3 --- TAPE ON OFF SWITCH (OFF POSITION)
 S4 --- FF/REWIND SWITCH

NOTES:
 1. ALL RESISTANCE VALUES ARE IN Ω . K=1000 Ω M=1000K Ω
 2. ALL CAPACITANCE VALUES ARE IN μ F. P=10 $^{-6}$ μ F
 3. ALL RESISTORS ARE 1/6 WATT, UNLESS OTHERWISE SPECIFIED.
 4. VOLTAGES MEASURED FROM POINT INDICATOR TO CHASSIS GROUND WITH V.T.V.M AT LINE VOLUME CONTROL MINIMUM AND NO SIGNAL.
 (SPECIFICATIONS AND CIRCUITS SUBJECT TO CHANGE WITHOUT NOTICE FOR IMPROVEMENT.)





D1, D2	1S1588	4822 130 31537
D3, D4	1N60P	4822 130 30869
D5	LED TLR208	4822 130 31911
IC1	μPC1350C	4822 209 80778
IC2	NJM2606D	4822 209 83293
Q1-Q1	1SC2458-G	4822 130 42077

Miscellaneous

J1-J2	Jack 3.5 mice, speaker	4822 267 30735
J3	Jack 2.5 remote	4822 264 30135
J4	Ext. D.C.	4822 267 30736
S1	Record play	4822 277 21065
S2	Voice actuation	4822 277 21066
S3	Tape on/off	4822 276 11881
S4	FF/Rewind	4822 276 11882
VR1	20k volume	4822 105 10834