



ECH81




EBF89



EBF89



ECL82



K886
K887

Kondensatorer					Motstånd					
Nr	värde	kv	Mat	SpV	Anm	Nr	värde	kv	Mat	Anm
1	37 pF	5	Keram			66	20 Ω	10	Keram	Of
2	37 pF	5	"			67	0.22 MΩ	10	"	Of
3	220 pF	20	"			68	200 Ω	10	"	Of
4	1 pF	"	"			69	1000 Ω	10	Keram	Of
5	5000 pF	10	Styrollex			70	8000 Ω	10	"	Of
6	2200 pF	20	Keram			71	1 MΩ	10	"	Of
7	100 pF	10	"			72	0.01 MΩ	10	"	Of
8	2200 pF	20	"			73	0.068 MΩ	10	"	Of
9	10 pF	"	"			74	0.047 MΩ	10	Keram	Of
10	22 pF	"	"			75	15 MΩ	10	"	Of
11	10 pF	"	"			76	2700 Ω	10	Keram	Of
12	10 pF	10	"			77	220 Ω	10	"	Of
13	100 pF	10	"			78	0.022 MΩ	10	"	Of
14	10 pF	"	"			79	0.11 MΩ	10	"	Of
15	10 pF	"	"			80	0.033 MΩ	10	Keram	Of
16	50 pF	"	"			81	12 MΩ	10	"	Of
17	100 pF	10	"			82	0.1 MΩ	10	"	Of
18	4700 pF	20	"			83	2200 Ω	10	Keram	Of
19	4700 pF	20	"			84	100 Ω	10	"	Of
20	100 pF	5	Styrollex			85	0.1 MΩ	10	"	Of
21	10 pF	10	Keram			86	0.022 MΩ	10	"	Of
22	50000 pF	20	Papper			87	0.1 MΩ	10	"	Of
23	100 pF	10	Keram			88	0.027 MΩ	10	"	Of
24	100 pF	5	Styrollex			89	1 MΩ	10	"	Of
25	10 pF	10	Keram			90	0.1 MΩ	10	"	Of
26	100 pF	10	"			91	0.1 MΩ	10	"	Of
27	100 pF	10	"			92	0.047 MΩ	10	"	Of
28	100 pF	10	"			93	0.1 MΩ	10	"	Of
29	100 pF	10	"			94	10 Ω	10	"	Of
30	100 pF	10	"			95	0.0047 MΩ	10	"	Of
31	100 pF	10	"			96	0.022 MΩ	10	"	Of
32	100 pF	10	"			97	0.11 MΩ	10	"	Of
33	100 pF	10	"			98	100 Ω	10	"	Of
34	100 pF	10	"			99	100 Ω	10	"	Of
35	100 pF	10	"			100	0.08 MΩ	10	"	Of
36	100 pF	10	"			101	2700 Ω	10	"	Of
37	100 pF	10	"			102	0.047 MΩ	10	"	Of
38	100 pF	10	"			103	1500 Ω	10	Keram	Of
39	100 pF	10	"							
40	100 pF	10	"							
41	100 pF	10	"							
42	100 pF	10	"							
43	100 pF	10	"							
44	100 pF	10	"							
45	100 pF	10	"							
46	500 pF	20	Papper							
47	47 pF	10	Keram							
48	47 pF	10	"							
49	10000 pF	20	Papper							
50	10000 pF	20	"							
51	10000 pF	20	"							
52	10000 pF	20	"							
53	10000 pF	20	"							
54	10000 pF	20	"							
55	10000 pF	20	"							
56	10000 pF	20	"							
57	10000 pF	20	"							
58	10000 pF	20	"							
59	10000 pF	20	"							
60	10000 pF	20	"							
61	10000 pF	20	"							
62	10000 pF	20	"							
63	10000 pF	20	"							
64	10000 pF	20	"							
65	10000 pF	20	"							
66	10000 pF	20	"							
67	10000 pF	20	"							
68	10000 pF	20	"							
69	10000 pF	20	"							
70	10000 pF	20	"							
71	10000 pF	20	"							
72	10000 pF	20	"							
73	10000 pF	20	"							
74	10000 pF	20	"							
75	10000 pF	20	"							
76	10000 pF	20	"							
77	10000 pF	20	"							
78	10000 pF	20	"							
79	10000 pF	20	"							
80	10000 pF	20	"							
81	10000 pF	20	"							
82	10000 pF	20	"							
83	10000 pF	20	"							
84	10000 pF	20	"							
85	10000 pF	20	"							
86	10000 pF	20	"							
87	10000 pF	20	"							
88	10000 pF	20	"							
89	10000 pF	20	"							
90	10000 pF	20	"							
91	10000 pF	20	"							
92	10000 pF	20	"							
93	10000 pF	20	"							
94	10000 pF	20	"							
95	10000 pF	20	"							
96	10000 pF	20	"							
97	10000 pF	20	"							
98	10000 pF	20	"							
99	10000 pF	20	"							
100	10000 pF	20	"							
101	10000 pF	20	"							
102	10000 pF	20	"							
103	10000 pF	20	"							

* Placeras fritt

Normal strömförbrukning:
195 mA vid 220 volt
380 mA vid 110 volt


P1 Potentiometer 0.5 Ma
P2 " 1.0 Ma

Säkringsvärden	
A Nötsäkring	250 220V 315mA frog
B Anodsäkring	150 127 110V 500mA frog
C Glödströmsäkring	3000mA




EZ80



Timmerplacering FM-UKV tillsats



ECC85



Skiss över tangentkopplare (Sedd bakifrån)



Rörplacering

