


Service
Service
Service

Service Manual

For record changer see 22GC051/R version




Safety regulations require that the set be restored to its original condition and that parts which are identical with those specified, be used.

Documentation Technique Service Dokumentation Documentazione di Servizio Huolto-Ohje Manual de Servicio Manual de Servicio



Subject to modification
4822 726 11778
Printed in The Netherlands



PHILIPS



51	4822	454	30259
52	4822	458	50248
53	4822	444	30201
54	4822	444	20167
55	4822	528	10315
56	4822	411	60522
57	4822	454	30258
58	4822	402	60558
59	4822	466	80706
60	4822	290	30096
61	4822	492	50903
62	4822	444	50237
63	4822	492	61902
64	4822	426	60062
65	4822	492	61688
66	4822	426	60061
67	4822	535	10119
68	4822	417	60166
69	4822	498	40418
70	4822	267	20152
71	4822	498	70045
72	4822	402	60447
73	4822	462	40328

Fig. 1

TS421.TS422.TS437.L426.				TS438.				D424.				M
0.708. 722.724.720.713.703. 718.745.739.				704.746. 748. 727. 738. 737.736.								C
747.				740.								C
5.502. 517. 513.515. 532.514.431.511.510.512.516.												R
525. 531. 428.509.429.526.440.				521.								R



10570D 8

Fig. 4

M	TS438.TS437.S426.TS422.TS421.										IC420				IC419			
C	736+738.		727.748.	704.	740.	739	745.718.	703.	713.720.724.722.708.710.706.	744.	712.702.707.	714.	726.749.723.719.721.	709.	725.	711.	701.	705.715
C			746.	746.		747.				752.743.		751.750.						
R	521		509.516.510+515.				525.517.	502.506.		523.524.504.		432.507.508.		520.505.501.				503
R			431.440.526.428.429.532.				531.			529.530.		519.441.						






Fig. 3

