


Service Service Service

radiomuseum.org

Dimensions: 300x160x70 mm

Service Manual



LW : 150 - 270 kHz (2000 - 1100m) } IF - 452 kHz
 MW : 520 - 1605 kHz (577 - 187m) }
 FM : 87,5 - 104 MHz IF - 10,7 mHz
 -I- : 6V (4x1,5V) 4505B

Index: CS39478-CS39483

Safety regulations require that the set be restored to its original condition and that parts which are identical with those specified, be used.


Documentation Technique Service Dokumentation Documentazione di Servizio Huolto-Ohje Manual de Servicio Manual de Servicio



Subject to modification
4822 725 11231
Printed in The Netherlands

PHILIPS

34.	32.33.	36.	40.	41.	43.44.	45.	53.	54.	55+60.	61.	62.
35.	37.	39.	38.48.	63.	64.42.67.	65.66.	68.	69.	70.	75.	76. 71+74.
20.18.	22.		26.27.	25.	30.31.	37.		36.38.		39+46.	
15. 21.	24.	23. 25.28.	48.	49.50.					52.		
S22.	S9.TS5. S10.	D3.D4.							TS7. D5.	TS8.	TS9. TS10. LS. S19.
	S17. D2. D6.D7.					S20. TS11. SK.B. TS12.	D8.			VL1. S18.	SK.C.



S	1	3	5	21	2	4	6	71314	8151617	22	910	19	20	S															
C	1	711	4	9	236	151617	14211819	4845	47	51	49	28	30	39	40	34	67	32436641	446863	61	69	60	64	58	546556	575559	C		
		8	12	5	4613			205222	23	24	27	2526	29	35	38	37	33	36											
R	2	3	41	6			35	8932	1134		12	51	13151417	29	19	28	23	18	25	26	30	20	31	27	50	47454344	403649	3942	R
	5	7						10	33		16	21																	
MISC.	TS1-2 D1													SKA	TS3	TS6	TS4	D2	TS5	D4	TS10	D6,7	D5	TS9	TS8-7	MISC.			

