

Mullard

Single Ended Short Wave H.F. Pentode

EF50

Heater		Vf	=	6.3 V
		If	=	0.300 A
Capacities	Valve cold	Cgl	=	< 0.003 uuF
		Cgl	=	7.8 uuF
		Ca	=	5.3 uuF
		Cglf	=	< 0.01 uuF
	Valve warm	Cgl	=	10 uuF
	(Ia = 10 mA)	Ca	=	5.3 uuF
Damping	At 6 m. wavelength	Rgl	=	4,000 ohms
	(Ia = 10 mA)	Ra	=	50,000 ohms

Operating Conditions - controlled by grid 3.

Va		250		V
Vg2		250		V
-Vg1		2		V
-Vg3	0 1)		54 2)	V
Ia	10		-	mA
Ig2	3		-	mA
Sgl/a	6.5		0.45	mA/V
Ri	1		-	megohms
g (g1/g2)	75		-	
Raeq.	1,400		-	ohms

Controlled by grid 1, with Rk = 32 ohms Ck = 50 uuF

Va		250		V
Vg2		250		V
Vg3		0		V
-Vg1	1.55 1)		4.5 3)	V
Ia	10		-	mA
Ig2	3		-	mA
Sgl/a	6.5		0.65	mA/V
Ri	1		-	megohms

Controlled by grids 1 and 3 via a potentiometer of 50,000 + 3,000 ohms.

Va		250		V
Vg2		250		V
-Vg1 & 3	30 1)		55.5 3)	V
Ia	10		-	mA
Ig2	5.5		-	mA
Sgl/a	5.2		0.52	mA/V
Ri	0.1		-	megohms

EF50

Controlled by grids 1 and 3 via a potentiometer of
50,000 + 4,000 ohms and with $R_k = 32$ ohms and
 $C_k = 50$ μF .

Va		250		V
Vg2		250		V
-Vg1 & 3	20 1)		51.5 3)	V
Ia	10		-	mA
Ig2	4		-	mA
Sg1/a	6		0.6	mA/V
Ri	0.2		-	megohm

1) Valve not controlled by A.V.C.

2) For a 15 : 1 drop in mutual conductance (S g1/a)

3) For a 10 : 1 drop in mutual conductance (S g1/a)

Limits.




Vao max.....	550	V
Va max.....	300	V
Wa max.....	3	W
Ik max.....	15	mA
Vg2o max.....	550	V
Vg2 max.....	300	V
Wg2 max.....	1.7	W
-Vg1 max. (Igl = +0.3 μA)	1.3	V
-Vg3 max. (Ig3 = +0.3 μA)	1.3	V
Rg1 max.....	3	megohms
Rg3 max.....	3	megohms
Vfk max.....	100	V
Rfk max.....	20,000	ohms
Cg1 max. (cold)	8.2	μF
min.	7.4	μF
Ca max. (cold)	5.7	μF
min.	4.9	μF
Cg1 max. (warm)	10.6	μF
min.	9.4	μF
Ca max. (warm)	5.9	μF
min.	4.7	μF

Mullard

Single Ended Short Wave H.F. Pentode

EF50

Arrangement of electrodes and base connections.




EF50

Mullard


Single Ended Short Wave H.F. Pentode

EF50



EF50


Mullard
Single Ended Short Wave H.F. Pentode



Mullard

Single Ended Short Wave H.F. Pentode


EF50



EF50

Mullard


Single Ended Short Wave H.F. Pentode



Mullard


Single Ended Short Wave H.F. Pentode

EF50



EF50


Mullard
Single Ended Short Wave H.F. Pentode



Mullard

Single Ended Short Wave H.F. Pentode


EF50



EF50

Mullard


Single Ended Short Wave H.F. Pentode



Mullard

Single Ended Short Wave H.F. Pentode


EF50



EF50

Mullard

Single Ended Short Wave H.F. Pentode



Mullard

Single Ended Short Wave H.F. Pentode

EF50

