

17AX4-GT

Half-Wave Vacuum Rectifier

**For Damper Service in TV Equipment
Having Series Heater-String Arrangement**

The 17AX4-GT is the same as the 6AX4-GT except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	16.8	volts
Current	0.45 ± 6%	amp
Warm-up time (Average).	11	sec

17AX4-GTA

Half-Wave Vacuum Rectifier

**For Damper Service in TV Equipment
Having Series Heater-String Arrangement**

The 17AX4-GTA is the same as the 6AX4-GTB except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	16.8	volts
Current	0.45 ± 6%	amp
Warm-up time (Average).	11	sec

17BQ6-GTB

Beam Power Tube

For Equipment Having Series Heater-String Arrangement

The 17BQ6-GTB is the same as the 6BQ6-GTB/6CU6 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	16.8	volts
Current	0.45	amp
Warm-up time (Average).	11	sec



17D4

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17D4 is the same as the 6DA4 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	16.8	volts
Current	0.45 $\pm$ 6%	amp
Warm-up time (Average)	11	sec

17DE4

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17DE4 is the same as the 6DE4 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	17	volts
Current	0.6 $\pm$ 6%	amp
Warm-up time (Average)	11	sec

17DQ6-A

Beam Power Tube

For Equipment Having Series Heater-String Arrangement

The 17DQ6-A is the same as the 6DQ6-A except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	16.8	volts
Current	0.45 $\pm$ 6%	amp
Warm-up time (Average)	11	sec

17AX4GT

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17AX4GT is the same as the 6AX4GT except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	16.8	volts
Current	0.45 ± 6%	amp
Warm-up time (Average)	11	sec

17AX4GTA

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17AX4GTA is the same as the 6AX4GTB except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	16.8	volts
Current	0.45 ± 6%	amp
Warm-up time (Average)	11	sec

17BQ6GTB

Beam Power Tube

For Equipment Having Series Heater-String Arrangement

The 17BQ6GTB is the same as the 6BQ6GTB/6CU6 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC)	16.8	volts
Current	0.45	amp
Warm-up time (Average)	11	sec



17D4

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17D4 is the same as the 6DA4 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	16.8	volts
Current	$0.45 \pm 6\%$	amp
Warm-up time (Average).	11	sec

17DE4

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17DE4 is the same as the 6DE4 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	17	volts
Current	$0.6 \pm 6\%$	amp
Warm-up time (Average).	11	sec

17DM4

Half-Wave Vacuum Rectifier

For Damper Service in TV Equipment
Having Series Heater-String Arrangement

The 17DM4 is the same as the 6DM4 except for the following items:

Heater, for Unipotential Cathode:

Voltage (AC or DC).	16.8	volts
Current	$0.45 \pm 6\%$	amp
Warm-up time (Average).	11	sec

