

17BH3A

Half-Wave Vacuum Rectifier

NOVAR TYPE

For TV Damper Service

The 17BH3A is the same as the 6BH3A except for the following items:

Heater Characteristics and Ratings

Current.	0.600 ± 0.040	A
Voltage (AC or DC) at 0.600 A.	17	V
Warm-up time (Average)	11	s

17BS3A

Half-Wave Vacuum Rectifier

NOVAR TYPE

For TV Damper Service

The 17BS3A is the same as the 6BS3A except for the following items:

Heater Characteristics and Ratings

Current.	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450 A.	16.8	V
Warm-up time (Average)	11	s

17CK3

Half-Wave Vacuum Rectifier

NOVAR TYPE

For TV Damper Service

The 17CK3 is the same as the 6CK3 except for the following items:

Heater Characteristics and Ratings

Current.	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450 A.	16.8	V
Warm-up time (Average)	11	s

17CT3

Half-Wave Vacuum Rectifier

9-PIN MINIATURE TYPE
For TV Damper Service

The 17CT3 is the same as the 6CT3 except for the following items:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450 A	16.8	V
Warm-up time (Average)	11	s

17CU5

Beam Power Tube

7-PIN MINIATURE TYPE

The 17CU5 is the same as the 6CU5 except for the following items:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450 A	16.8	V
Warm-up time (Average)	11	s

17D4

Half-Wave Vacuum Rectifier

For TV Damper Service

The 17D4 is the same as the 6DA4 except for the following items:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (AC or DC) at 0.450 A	16.8	V
Warm-up time (Average)	11	s

17DE4

Half-Wave Vacuum Rectifier

For TV Damper Service

The 17DE4 is the same as the 6DE4 except for the following items:

Heater Characteristics and Ratings

Current	0.600 ± 0.040	A
Voltage (AC or DC) at 0.600 A	17	V
Warm-up time (Average)	11	s

