


FADA RADIO & ELECTRIC CORP.

MODEL 1556



REF PART No.	DESCRIPTION	REF PART No.	DESCRIPTION
1 3012	CARB RES - 4,000 OHM - 1% ± 10%	23 10 5	TUBULAR COND - 05 MF - 2000 V
2 3040	.36 MFD .1% ± 10%	24 10 4	- .01
3 3011	.25 MFD .1% ± 10%	25 10 4	.01
4 3058	.1 MEG .3 MΩ ± 10%	26 10.1	.01
5 3058	.1 MEG .3 MΩ ± 10%	27 .025	.001
6 3056	.1 MΩ ± 20%	28 .016	.001
7 3055	.5 MΩ ± 20%	29 .016	.001
8 3055	.5 MΩ ± 20%	30 2017	ELECTRO COND 2-4 MF
9 X194-4	ANTENNA COIL (PRESELECTOR)	31 2022	.01
10 X194-5	Oscillator Coil	32	ON-OFF SW ON VOL CONTROL
11 X205	D.T.F. COIL	33 2546	PADDINGS CAPACITOR
12 X194-5	S.T.I.F. COIL	34 2546	-
13 40.1	CHOKE COIL - 300 OHMS	35 3035	CARD. RES - 1000 OHM - 1% W. 150W
14 115.6	LINE RESISTOR - 140-350 OHMS	36	-
15 120.1	PILOT LIGHT - 6-6 V 25 A.	37	-
16 105.21	SPEAKER - 3000 OHMS	38	-
17 50.4H	VOL CONT - 3500 OHMS 500K STEP	39	-
18 25.16	VARIABLE COND.	40	-
19 190.1	WIRE RES - 665 OHM - 1% F.C.	41	-
20 125.1	PHONO JACK	42	-
21 15.7	MICA COND - 002 MF.	43	-
22 15.2	.00055	44	-

