


Service Service Service

Service Manual



FM : 87.5 - 104 MHz

IF - FM : 10.7 MHz

AM : 150 - 255 kHz (2000 - 1177 m)

IF - AM : 468 kHz


RADIO : 4.5V (3xR6)









CLOCK : 3.0V (2xSR44)

Pmax : 200mW ± 1dB (d = 10%)

19117B12

Misc	7011	5021	7111	CTa	7012	5022	7112	1002	5001	7101	5041	5042	7121	5002	7021	7022	7156	5043	7122	7158	7123	5044	5045	7023	7051	7151	7153	7154	4001									
	4002				5023	CTd	1001	5024	7013	4003	CTb	CTc		5046	5047	7157		1003	5048	7025	7024	7052																
Cap	2063	2052	2500	2053	2054	2055	2057	2059	2060	2001	2061	2002	2101	2103	2104	2105	2108	2110	2109	2782	2783	2113	2786	2117	2120	2114	2121	2116	2551	2552	2553	2554						
		2051		2056		2058	2003			2062		2004	2102			2107	2106		2787	2112	2111	2784	2119	2785	2118	2115	2122	2557	2556		2555							
Res	3051		3052	3053	3054	3055	3001	3002			3101	3102	3103	3104			3784	3107	3108	3110	3112	3114	3111	3121	3121	3787	3124	3115	3122	3117	3551	3552	3554	3555	3558	3559	3561	3562
						3056								3105	3781	3106		3109	3785	3783	3113	3786	3123	3120		3116	3118		3553	3556	3557	3560	3563					



Wave range SK-A	Signal to 		Var. cap. 	Adjust 	Indication 
AS304/305 MW/PO-LW/GO	1 via 39 nF	A	Min. cap.	5048 5047 5046	1 Max.
AS304 MW/PO (520-1605 kHz)	512 kHz 1635 kHz 600 kHz 1400 kHz	B	Max. cap. Min. cap.  CTd	5002 CTc 5001 CTd	1 Max.
AS305 LW/GO (150-255 kHz)	147 kHz 200 kHz 147 kHz 200 kHz	B	Max. cap. Min. cap.  CTd	5002 CTc 5001 CTd	1 Max.
FM 2	10.7 MHz via 20 nF -104 MHz -108 MHz 105 MHz 109 MHz 86.5 MHz 86.5 MHz 86.5 MHz 86.5 MHz 105 MHz 109 MHz	D C	Min. cap. Min. cap. Max. cap.  CTa	5044 5043 5042 5041 5045 CTb 5024 5022 CTa	2 3 1 4 1 Max.

Repeat - Herhalen - Répéter - Wiederholen - Repetere - Ricominciare - Gentage - Gjentagelse - Toista

