


13.8—51 m
175—585 m
708—2000 m


9640—55. Z=7Q
110 V, 125 V, 145 V
200 V, 225 V, 245 V
74 Watt

| 708—2000 m | A | 175—585 m | B | 708—2000 m | B |
|--------------|--|--------------|---|--------------|---|
| | Ⓢ C6, C7, C8 min. 128 kc/s—33000 pF—g1B2 C 62, 61, 52, 51 max. | | Ⓢ C6, C7, C8 + 15° 1600 kc/s— C38, C28, C18 max. -25 pF—aB2 546 kc/s— C6, C7, C8 546 kc/s C48 max. C6, C7, C8 + 15° 1600 kc/s— C38, C28, C18 max. | | Ⓢ -25 pF—aB2 160 kc/s— C6, C7, C8 160 kc/s C50 max. |
| 708—2000m | C | | | | |
| | Ⓢ C6, C7, C8 min. 128 kc/s— C91 min. | | | | |
| 175—585m | D | | | | |
| | Ⓢ 1154 kc/s— C6, C7, C8 1154 kc/s 260m | | | | |

15° = 09 992 44.0



| | | | | | |
|------|-----------|-------------|-----|------------|-------------|
| C1 | 45 pF | 49 025 22.0 | R1 | 120 Ω | 49 363 16.0 |
| C2 | 45 pF | 40 025 22.0 | R11 | 0.5 MΩ | 49 472 26.0 |
| C6 | 11-490 pF | | R21 | 0.65 MΩ | 49 479 36.0 |
| C7 | 11-490 pF | 49 000 65.0 | R22 | 0.2 MΩ | |
| C8 | 11-490 pF | | R23 | 50000 Ω | 49 470 45.0 |
| C14 | 3.3 pF | 40 055 10.0 | R31 | 0.1 MΩ | 49 375 48.0 |
| C18 | 20 pF | 49 005 05.2 | R32 | 0.1 MΩ | 49 377 48.0 |
| C38 | 20 pF | 49 005 05.2 | | 82000 Ω | 49 377 47.0 |
| C38 | 20 pF | 49 005 05.2 | R33 | 39000 Ω | 49 377 43.0 |
| C40 | 39 pF | 49 057 16.0 | R34 | 33 Ω | 49 375 06.0 |
| C47 | 1360 pF | 49 057 44.0 | R35 | 1.2 MΩ | 49 376 61.0 |
| C48 | 200 pF | 28 212 08.1 | R36 | 0.12 MΩ | 49 377 49.0 |
| C49 | 390 pF | 49 055 35.9 | R37 | 1 MΩ | 49 376 60.0 |
| C50 | 200 pF | 28 212 08.1 | R38 | 0.68 MΩ | 49 375 58.0 |
| C51 | 70-100 pF | | R41 | 56000 Ω | 49 375 45.0 |
| C52 | 70-100 pF | | R42 | 0.22 MΩ | 49 375 52.0 |
| C61 | 70-100 pF | 49 005 01.1 | R50 | 15000 Ω | 49 375 38.0 |
| C62 | 70-100 pF | | R51 | 0.12 MΩ | 49 375 49.0 |
| C72 | 47000 pF | 49 127 61.0 | R52 | 2700 Ω | 49 375 29.0 |
| C73 | 100 pF | 28 185 60.1 | R53 | 0.68 MΩ | 49 375 58.0 |
| C81 | 18 pF | 49 055 19.0 | R55 | 0.27 MΩ | 49 375 53.0 |
| C82 | 120 pF | 49 055 29.0 | R56 | 0.82 MΩ | 49 375 59.0 |
| C83 | 10000 pF | 49 128 57.0 | R57 | 1.5 MΩ | 49 376 62.0 |
| C91 | 70-100 pF | 49 005 06.0 | R58 | 56000 Ω | 49 375 45.0 |
| C92 | 12000 pF | 49 127 15.0 | R59 | 12000 Ω | 49 375 37.0 |
| C93 | 39000 pF | 49 127 21.0 | R60 | 0.1 MΩ | 49 375 48.0 |
| C100 | 33 pF | 49 057 05.0 | R62 | 470 Ω | 49 376 20.0 |
| C101 | 10 pF | 49 055 16.0 | | 560 Ω | 49 376 21.0 |
| C102 | 47000 pF | 49 127 61.0 | R63 | 0.68 MΩ | 49 375 58.0 |
| C103 | 68 pF | 49 055 26.0 | R64 | 2 x 4.7 MΩ | |
| C104 | 470 pF | 49 055 36.0 | | 9.4 MΩ | 49 377 68.0 |
| C105 | 47000 pF | 49 128 61.0 | R65 | 0.39 MΩ | 49 375 55.0 |
| C106 | 6.8 pF | 49 055 14.0 | R66 | 0.82 MΩ | 49 375 59.0 |
| C107 | 6800 pF | 49 127 56.0 | R72 | 150 Ω | 49 375 14.0 |
| C108 | 0.1 pF | 49 127 63.0 | R73 | 180 Ω | 49 375 15.0 |
| C112 | 5600 pF | 49 127 11.0 | R81 | 47000 Ω | 49 375 44.0 |
| C114 | 150 pF | 49 055 30.0 | R82 | 0.12 MΩ | 49 375 49.0 |
| C116 | 10000 pF | 49 127 17.0 | R83 | 68000 Ω | 49 375 46.0 |
| C117 | 0.39 pF | 49 127 33.0 | R84 | 0.12 MΩ | 49 375 49.0 |
| C118 | 0.1 pF | 49 127 63.0 | R85 | 0.22 MΩ | 49 375 52.0 |
| C119 | 2200 pF | 49 126 51.0 | R86 | 27000 Ω | 49 375 41.0 |
| C120 | 2200 pF | 49 126 51.0 | R91 | 1 MΩ | 49 376 60.0 |
| C121 | 12000 pF | 49 128 15.0 | R92 | 1 MΩ | 49 376 60.0 |
| C122 | 47000 pF | 49 127 61.0 | R93 | 56000 Ω | 49 377 45.0 |
| C123 | 47000 pF | 49 128 61.0 | R94 | 1.5 MΩ | 49 376 62.0 |
| C124 | 6.8 pF | 49 055 14.0 | | | |
| C125 | 0.1 pF | 49 127 63.0 | | | |
| C126 | 82000 pF | 49 127 25.0 | | | |
| C131 | 22000 pF | 49 129 90.0 | | | |



R10313

| | B2 | B3 | B4 | B5 | B6 | B7 |
|----------|------------------|-----------------|--------|--------|------|--------------|
| | ECH 21 | ECH 21 | EBL 21 | EBL 21 | AZ 1 | EM 4 |
| Va | aT 125 aH 275 | aT 90 aH 275 | 250 | 260 | | 30 30 |
| Vg2 (+4) | 80 | 100 | 275 | 275 | | 275 |
| Vk | 185 | 1.6 | 0 | 0 | | 0 |
| Ia | aT 2.6 aH 2.7 | aT 1.5 aH 5 | 20.5 | 22 | | 0.25 0.25 |
| Ig2 (+4) | 6.3 | 2.9 | 2.7 | 3 | | 1 |

S1, S2, S3, S4
S13, S14, S28, S30
S17, S18, S19, S20
S33, S34
S37, S38, S39, S40
S51, C51
S53, S54, S55,
S56, C52
S61, S62, S63, C62
S71
S81, S82, S83,
S84, S85, S86
S91
S92, S93,

A1 056 98.0
A1 037 29.0
A1 037 28.0
A1 037 67.0
A1 037 68.0
A1 037 31.2

A1 038 34.2
A1 037 44.2
A1 108 21.0

A1 082 10.0
28 587 88.0
28 587 71.0

925 X-03
A
R72

A2 075 53.0
49 375 16.0

925X-03

