



245 B-BB - 246 B-BB

B1,B3,B5




EF2,EF1,
EF1

B2




EK1

B4




EB1

B6




EL1

B7



EZ1

B1,B3,B5




CF2,CF1,CF1

B2




CK1

B4




CB1

B6



CL1

B7



FZ1




A



B



C




D-S11-S12
E-S13-S14



F

R.12235





PHILIPS-SERVICE

245 B-BB - 246 B-BB

210—550 m¹⁾
800—1950 m
198—552 m¹⁾
800—1950 m
115 kc/s

2377
6V— (245B-BB)
12V— (246B-BB)


800—1950 m I	210—550 m III	800—1950 m III
VOL max R4, R21, C40 C10, C11, C12, min 115 kc/s-g ₂ B ₁ C23, C26-10000 Ω C24, C25 max C23, C26-10000 Ω C24, C25-10000 Ω C23, C26 max C24, C25	VOL max 1333 kc/s — Y 160 pF-aB ₁ C10, C11, C12 225 m C13, C14 max 160 pF-aB ₁ R4, R21 C15 max	VOL max R4, R21 333 kc/s — Y 160 pF-aB ₁ C10, C11, C12 max 160 pF-aB ₁ R4, R21 C18 max C40
800—1950 m II		
VOL max C10, C11, C12 max 115 kc/s — Y C44 min		



	B1	B2	B3	B4	B5	B6	B7	
	BF2	EK1	EF1	EB1	EF1	EL1	EZ1	1)
	CF2	CK1	CF1	CB1	CF1	CL1	FZ1	1)
Va	140 V	215	215		179	231		V
Vg2	75	75	75		75	243		V
-Vg1	4	2,45	3,25		2,58	17,4		V
Ia	0,58	0,97	0,59		0,4	32,3		mA
Ig2	0,15	1,72	0,19		0,13	3,5		mA
Ig(3+5)	—	4,45	—		—	—		mA

Copyright
N.V. Philips' Gloeilampenfabrieken, Eindhoven
Imprimé en Hollande

1) 245B-BB
2) 246B-BB
3) 245/246B
4) 245/246BB



R1	10000/2 Ω	48 427 10/10K	C1	25 μF	48 312 09/25
R2	820 Ω	48 552 10/820E	C3	0,47 μF	48 751 10/470K
R3	47000 Ω	48 426 10/47K	C4	47000 pF	48 751 10/47K
R4	47000 Ω	48 426 10/47K	C6	47000 pF	48 751 10/47K
R5	1 MΩ	48 426 10/1M	C7	25 μF	28 180 02.0*
R6	0,5 MΩ	28 808 03.0*)	C8	25 μF	28 180 02.0*
R6	0,5 MΩ	28 811 05.0*)	C9	25 μF	48 429 10/25E*)
R7	0,22 MΩ	48 426 10/220K	C10	0,430 pF	
R8	4700 Ω	48 426 10/47K	C11	0,430 pF	28 210 12.1**)
R9	470 Ω	48 427 10/470E	C12	0,430 pF	
R10	0,22 MΩ	48 426 10/220K	C13	15-175 pF	49 005 52.2
R11	0,47 MΩ	48 426 10/470K	C9	25 pF	48 429 10/25E*)
R12	0,22 MΩ	48 426 10/220K	C10	8,5-465 pF	
R13	320 Ω	—	C11	8,5-465 pF	28 210 86.0**)
R14	10000 Ω	—	C12	8,5-465 pF	
R16	0,1 MΩ	48 552 10/100K	C13	2,5-30 pF	28 211 83.1*)
R19	82000 Ω	48 426 10/82K	C14	15-175 pF	49 005 52.2
R20	120 Ω	48 426 10/120E	C15	7-55 pF	—
R21	120 Ω	48 426 10/120E	C16	0,1 μF	48 751 10/100K
R22	0,47 MΩ	48 426 10/470K	C17	200 pF	48 429 10/200E
R23	39000 Ω	48 427 10/39K	C18	2x(7-55) pF	28 210 44.0
R24	0,47 MΩ	48 426 10/470K	C19	960 pF	48 429 02/960E
R25	0,39 MΩ	48 426 10/390K	C20	1935 pF	28 190 39.0*
R26	47000 Ω	48 426 10/47K	C21	100 pF	48 429 10/100E
R27	2200 Ω	48 426 10/22K	C22	100 pF	48 429 10/100E
R28	82000 Ω	48 426 10/82K	C23	40-145 pF	
R29	220/2 Ω	48 427 10/220E	C24	40-145 pF	28 210 55.0*
R30	220/2 Ω	48 427 10/220E	C25	40-145 pF	
			C26	40-145 pF	
			C27	47000 pF	48 751 10/47K
			C28	2000 pF	28 199 20.0*
			C29	6800 pF	48 751 10/68K
			C30	47000 pF	48 751 10/47K
			C31	0,1 μF	48 751 10/100K
			C36	39000 pF	48 751 10/39K
			C37	25 μF	48 312 09/25
			C38	39000 pF	48 751 10/39K
			C39	10 pF	48 429 99/10E
			C40	0,1 μF	48 751 10/100K
			C44	40-145 pF	28 210 54.0*
			C45	68 pF	48 601 10/68E
			C46	1000 pF	48 429 10/1K
			C47	500 pF	28 182 12.0*
			C49	1 μF	28 160 35.0*
			C50	100 pF	48 429 10/100E
			C51	0,1 μF	48 751 10/100K
			C52	100 pF	48 429 10/100E
			C53	1 μF	28 160 35.0*

S1, S2	28 565 27.0*	S13, S14	28 565 26.0*
S3, S4, S5, S6	28 565 27.0**)	S20, S21	28 526 78.0*
S5, S6	28 565 27.0**)	S32	28 565 35.0*
S7, S8, S9, S10	28 565 28.5**)	S33	A1 035 48.0
S7, S8, S9, S10	28 570 64.0**)	S34, C46	28 891 19.0*
S11, S12	28 565 25.0*	S35	28 551 67.0*
		S36	28 551 55.2

Z	10A	08 140 34.0*)	T	4327 1)	
Z	6A	08 140 33.0*)	T	4326 1)	
Cb	2 μF	28 160 92.0	Cd	0,5 μF	7350