

156 AY



156AV

CONDENSATOREN

SPOELEN

Nr.	Waarde	Codenummer
C1	32 uF	49 020 49.0
C2	100 uF	49 032 02.0
C3	100 uF	49 020 39.0
C4	22000 pF	48 756 20/22K
C5	11 - 400 pF	49 000 83.0
C6	11 - 400 pF	48 757 20/1K
C7	1000 pF	48 757 20/4K7
C8	4700 pF	48 406 10/33E
C9	33 pF	49 005 05.2
C10	20 pF	28 212 06.2
C11	32 pF	28 212 06.2
C12	32 pF	48 406 20/100E
C13	100 pF	48 751 20/47K
C14	47000 pF	48 750 20/47K
C15	47000 pF	48 408 20/470E
C16	470 pF	28 212 36.3
C17	30 pF	48 406 99/47E
C18	47 pF	48 406 10/270E
C19	270 pF	28 212 08.2
C20	200 pF	28 212 08.2
C21	200 pF	48 406 99/56E
C22	56 pF	Zie spoelen
C23	103 pF	Zie spoelen
C24	98 pF	48 750 20/47K
C25	47000 pF	49 020 39.0
C26	100 uF	48 751 20/47K
C27	47000 pF	48 408 20/100E
C28	100 pF	48 754 10/3K9
C29	3900 pF	Zie spoelen
C30	106 pF	48 751 10/3K9
C31	3900 pF	49 020 39.0
C32	100 uF	48 751 20/47K
C33	47000 pF	48 757 20/1K
C34	1000 pF	48 757 20/47K
C35	47000 pF	48 406 10/27E
C37	27 pF	48 757 20/4K7
C38	4700 pF	48 406 10/82E
C39	82 pF	48 750 20/47K
C40	47000 pF	48 406 10/470E
C41	470 pF	49 020 43.0
C120	32 uF	48 406 20/180E
C121	180 pF	48 407 20/820E
C122	820 pF	48 751 10/27K
C123	27000 pF	48 751 10/27K
C124	27000 pF	48 751 10/27K
C125	27000 pF	48 751 10/27K

Nr.	Weerstand	Codenummer
S1	10 Ohm	A3 141 13.0
S2	40 Ohm	
S3	4,5 Ohm	
S4	17 Ohm	
S5	17,5 Ohm	
S6	1 Ohm	
S7	2,2 Ohm	A1 037 92.0
S8	1 Ohm	
S9	40 Ohm	
S10	7,5 Ohm	
S11	178 Ohm	A1 038 72.0
S12	80 Ohm	
S13	1 Ohm	
S14	3 Ohm	
S15	1 Ohm	
S16	7 Ohm	A1 038 73.0
S17	3,5 Ohm	
S18	18 Ohm	
S19	5 Ohm	
S20	7,6 Ohm	A1 038 74.0
S21	7,2 Ohm	
C23		
C24		
S22	23 Ohm	A1 036 49.4
S23	3,5 Ohm	
S24	5,5 Ohm	
C30		
S25	1800 Ohm	A1 082 55.0
S26	1 Ohm	
S27	1800 Ohm	
S75	40 Ohm	A1 000 26.0
S100		A3 161 07.0
S101		
S104		A3 110 26.0

WEERSTANDEN

Nr.	Waarde	Codenummer
R1	3900 Ohm	48 467 10/3K9
R2	1200 Ohm	48 467 10/1K2
R3	95 Ohm	49 362 94.4
R4	240 Ohm	
R5	115 Ohm	49 362 96.1
R6	20 Ohm	
R7	15000 Ohm	48 425 10/15K
R8	18000 Ohm	48 426 10/18K
R9	1 MOhm	48 426 10/1M
R10	220 Ohm	48 426 10/220E
R11	100 Ohm	48 425 10/100E
R12	47000 Ohm	48 425 10/47K
R13	27000 Ohm	48 426 10/27K
R14	1,5 MOhm	48 426 10/1M5
R15	270 Ohm	48 426 10/270E

Nr.	Waarde	Codenummer
R16	68000 Ohm	48 426 10/68K
R17	1,5 MOhm	48 426 10/1M5
R18	0,1 MOhm	48 425 10/100K
R19	0,5 MOhm	49 500 11.0
R20	0,47 MOhm	48 426 10/470K
R21	0,82 MOhm	48 425 10/820K
R22	150 Ohm	48 426 10/150E
R23	82000 Ohm	48 426 10/82K
R24	50000 Ohm	49 470 49.0
R25	100 Ohm	48 425 10/100E
R27	47000 Ohm	48 426 10/47K
R28	1000 Ohm	48 425 10/1K
R29	1 MOhm	48 426 10/1M
R100	1000 Ohm	48 432 05/1K