




R11020




B1



B2




B3




B4




B5




B6




B7




B8



B9



B10



B11

PHOS104


16,7—51 m
198—585 m
708—2000 m

9636 Z - 5 Ω

110 V, 125 V, 145 V
200 V, 220 V, 245 V.


473 kc/s
A-15 470 kc/s
A-32 452 kc/s

55 W



16,7—51 m	198—585 m	16,7—51 m
max.	max.	max.
C3, C4, C5 200 m	C3, C4, C5 + 15°	C3, C4, C5 + 15°
C28	1442 kc/s	17 Mc/s
473 kc/s-33000 pF-g4B2	C13, C10, C7 max.	C12, C9, C6 max.
470 kc/s (A-15)	25 pF-aB2	
452 kc/s (A-32)	C5	
S27/S28-82 pF	550 kc/s	
S29/S30 max.	C3, C4, C5 550 kc/s	
S27/S28	C5	
S30-82 pF	C15 max.	
S27/S28 max.		
S30	708—2000 m	
S24-82 pF		
S26 max.		
S24		
S26-82 pF		
S24 max.		
S26		

15° 09 992 44.0



R10463A

	B1	B2	B3	B4	B5	B7	
	EF 8	EK 2	EF 9	EBL 1	AZ 1	EM 1	
Va	265	190	260	235		260	V
Vg2	—	180	90	260		—	V
Vg3(5)	190	90	—	—		—	V
Vk	0,8	4,4	1,8	14,5		—	V
Ia	4,3	2,2	6,4	34		0,1	mA
Ig2	—	3,5	2	5,5		0,3	mA
Ig3(5)	0,1	1,3	—	—		—	mA

Copyright - N.V. Philips
Gloeilampenfabrieken Eindhoven, Holland
Imprimé en Hollande

VC1 = 290 V
VC2 = 275 V

R1	0,82 MΩ	48 425 10/320K	C1	28 pF	28 182 54.0
R2	390 Ω	48 426 10/390E	C2	32 pF	28 182 46.0
R6	33 Ω	48 425 10/33E	C3	11-490 pF	
R7	0,82 MΩ	48 425 10/320K	C4	11-490 pF	28 212 30.0
R8	47000 Ω	48 426 10/47K	C5	3-30 pF	
R9	33000 Ω	48 427 10/33K	C6	3-30 pF	
R10	8000 Ω	48 468 10/8K	C7	3-30 pF	
R11	470 Ω	48 426 10/470E	C8	3-30 pF	
R12	47000 Ω	48 426 10/47K	C9	3-30 pF	
R13	1,2 MΩ	48 426 10/12K	C10	3-30 pF	
R14	22000 Ω	48 426 10/22K	C11	3-30 pF	
R15	150 Ω	48 426 10/150E	C12	3-30 pF	
R17	330 Ω	48 426 10/330E	C13	3-30 pF	
R18	47000 Ω	48 426 10/47K	C14	3-30 pF	
R20	0,47 MΩ	48 426 10/470K	C15	200 pF	28 212 06.2
R21	47000 Ω	48 426 10/47K	C16	200 pF	28 212 06.2
R22	0,35 MΩ	49 500 09.0	C17	82 pF	48 406 10/82E
R24	4,7 MΩ	48 427 10/47K	C18	100 pF	48 406 10/100E
R25	0,68 MΩ	48 426 10/680K	C19	0,1 pF	48 751 10/100K
R26	2,2 MΩ	48 427 10/22K	C21	100 pF	48 406 10/100E
R27	0,68 MΩ	48 425 10/680K	C22	0,1 pF	48 751 10/100K
R28	1 MΩ	48 426 10/1M	C23	0,1 pF	48 751 10/100K
R29	1000 Ω	48 425 10/1K	C24	32 pF	28 182 40.0
R30	150 Ω	48 426 10/150E	C25	47 pF	48 406 10/47E
R31	220 Ω	49 427 10/220E	C26	4500 pF	48 429 02/4K5
R32	100 Ω	48 425 10/100E	C27	400 pF	48 429 02/400E
R33	50000 Ω	49 470 01.1	C28	0,1 pF	48 751 10/100K
R34	47 Ω	48 425 10/47E	C29	91 pF	
R35	2200 Ω	48 426 10/22K	C30	97 pF	
R36	47000 Ω	48 426 10/47K	C31	47000 pF	48 751 10/47K
R37	2200 Ω	48 426 10/22K	C32	47000 pF	48 751 10/47K
			C33	103 pF	
			C34	103 pF	
			C35	8,2 pF	48 406 99/8E2
			C36	47 pF	48 406 10/47E
			C37	47000 pF	48 751 10/47K
			C41	22000 pF	48 751 10/22K
			C42	47000 pF	48 757 20/47K
			C43	2 pF	28 205 85.0
			C44	68 pF	48 406 10/68E
			C45	250 pF	48 429 10/250E
			C46	25 pF	28 182 24.1
			C47	2200 pF	48 751 10/22K
			C48	89 pF	48 406 10/39E
			C49	47000 pF	48 751 10/47K
			C50	47000 pF	48 751 10/47K
			C62	20000 pF	28 201 65.0

S1, S2, S3, S4	28 538 39.0	S18, S19, S20, S21	28 573 23.2
S5	28 546 08.1	S22, S23, C12, C13	
S6, S7, S8, S9		C14	
S10, S11, C6, C7	28 573 19.2	S24, S26, C29, C30	28 573 66.0
C8		S27, S28, S29, S30	28 573 67.0
S12, S13, S14, S15		C33, C34	
S16, S17, C9, C10, C11	28 573 01.1	S31, S32	28 536 26.0
		S33	28 220 51.1