




B1



B2




B3





B4




B5




B7




B




C




D




E



F



G



H

13,7—46 m
46—160 m
160—585 m
720—2000 m

9636

Z = 5 Ω


110 V, 125 V, 146 V,
200 V, 220 V, 245 V.

50,5 W.

ke/s
482

160—585 m	46—160 m	720—2000 m
VOL. max. C3, C4, C5 min. 452 ke/s-33000 pF-g1B2 S25-82 pF S26/S27 max. S25 S24-82 pF S25 max. S24 S23-82 pF S24 max. S23 S24-82 pF S23 max. S24	VOL. max. C3, C4, C5 + 15° 6,1 Mc/s — Y C25 min. C25 max. (1e) C16, C9 max. 160—585 m VOL. max. C3, C4, C5 + 15° 1700 ke/s — Y C26, C17, C10 max. 25 pF-aB2 C5 545 ke/s — Y C3, C4, C5 545 ke/s C5 C30 max.	VOL. max. C3, C4, C5 + 15° 400 ke/s — Y C63, C62, C61 max. 25 pF-aB2 C5 160 ke/s — Y C3, C4, C5 160 ke/s C5 C64 max. 160—585 m VOL. max. 857 ke/s — Y C3, C4, C5 350 m 350 m
13,7—46 m		
VOL. max. 20,5 Mc/s — Y C3, C4, C5 min. C3, C4, C5 20,5 Mc/s (1e max.) C15, C8 max.		


15° 09 992 44.0



R10344A

	B1	B2	B3	B4	B5	B7	
	EF 8	ECH 3	EBF 2	EL 3	AZ 1	EM 4	
Va	150	aT 115 aH 220	225	225		20	V
Vg2(4)	170	80	85	225		225	V
Vk	0,3	1,2	0	6,2			V
Ia	7,3	aT 41 aH 1,9	6,2	32		0,2	mA
Ig2(4)	0,2	2,3	1,5	3,1		0,6	mA

Copyright - N.V. Philips
Gloeilampenfabrieken Eindhoven, Holland
Imprimé en Hollande



R1	1800 Ω	48 467 10/1K8	C1	45 μF	49 032 01.0
R2	0,82 MΩ	48 425 10/820K	C2	45 μF	49 032 01.0
R3	68 Ω	48 425 10/68E	C3	11-490 pF	49 000 09.0
R4	10000 Ω	48 427 10/10K	C4	11-490 pF	49 000 09.0
R5	0,15 MΩ	48 425 10/150K	C5	11-490 pF	48 750 10/10K
R6	5,3 MΩ	48 427 10/3M3	C6	10000 pF	49 005 05.2
R7	150 Ω	48 425 10/150E	C8	20 pF	49 005 05.2
R8	0,1 MΩ/2	48 427 10/100K	C9	20 pF	49 005 05.2
R9	220 Ω	48 425 10/220E	C10	20 pF	49 005 05.2
R10	33000 Ω	48 425 10/33K	C11	100 pF	48 406 10/100E
R11	2x10000 Ω	48 425 10/10K	C14	10000 pF	48 751 20/10K
R12	5,6 MΩ	48 427 10/5M6	C15	20 pF	49 005 05.2
R13	47000 Ω	48 425 10/47K	C16	20 pF	49 005 05.2
R14	47000 Ω	48 425 10/47K	C17	20 pF	49 005 05.2
R15	22000 Ω	48 425 10/22K	C19	10000 pF	48 750 10/10K
R16	68000 Ω	48 425 10/68K	C20	0,1 μF	48 751 20/100K
R17	0,65 MΩ/	49 500 19.0	C21	100 pF	48 406 10/100E
R17a	0,2 MΩ		C22	150 pF	48 406 10/150E
R18	1000 Ω	48 425 10/1K	C23	220 pF	48 406 10/220E
R19	1 MΩ	48 426 10/1M	C24		49 005 18.0
R20	180 Ω	48 426 10/180E	C25	20 pF	49 005 05.2
R21	47000 Ω	48 425 10/47K	C26	20 pF	49 005 05.2
R22	1,5 MΩ	48 426 10/1M5	C27	6400 pF	48 429 02/6K4
R23	82000 Ω	48 425 10/82K	C28	1600 pF	48 429 02/1K6
R24	1800 Ω	48 425 10/1K8	C29	410 pF	48 406 10/410E
R25	0,35 MΩ	49 470 31.0	C30	125 pF	28 212 07.2
R26	5,6 MΩ	48 427 10/5M6	C31	100 pF	—
R27	12000 Ω	48 425 10/12K	C32	106 pF	—
R28	12000 Ω	48 425 10/12K	C33	47000 pF	48 750 20/47K
R29	47000 Ω	48 425 10/47K	C34	10000 pF	48 750 20/10K
R30	39000 Ω	48 425 10/39K	C35	10000 pF	48 750 20/10K
R40	2,7 MΩ	48 427 10/2M7	C36	100 pF	48 406 10/100E
R41	2,2 MΩ	48 427 10/2M2	C37	106 pF	—
R42	1 MΩ	48 426 10/1M	C38	113 pF	—
R43	1,5 MΩ	48 426 10/1M5	C39	100 pF	48 406 10/100E
R44	0,82 MΩ	48 425 10/820K	C40	27000 pF	48 750 10/27K
			C41	3300 pF	48 751 10/3K3
			C42	25 μF	49 020 00.0
			C43	330 pF	49 055 05.3
			C44	4700 pF	48 758 20/4K7
			C47	1000 pF	48 758 20/1K
			C51	22000 pF	48 756 20/22K
			C52	0,22 μF	48 751 20/220K
			C53	1000 pF	48 751 20/1K
			C56	5,6 pF	48 406 99/5E6
			C58	47000 pF	48 750 20/47K
			C61	20 pF	49 005 05.2
			C62	20 pF	49 005 05.2
			C63	20 pF	49 005 05.2
			C64	200 pF	28 212 08.2
			C65	56 pF	48 406 10/56E
			C66	1,5 pF	49 055 60.0
			C68	100 pF	48 406 10/100E
			C69	39 pF	48 406 10/39E
			C72	47000 pF	48 750 20/47K

S1, S2, S3, S4
S5, S6, S7, S8
S9, S10, S37, S38
S12, S13, S14
S15, S16, S39, S40
S17, S18, S19, S20

A1 055 44.3
A1 035 61.1
A1 036 62.1
A1 035 62.2
A1 036 63.1
A1 035 63.3

S21, S22, S41, S42
S23, S24, C31, C32
S25, S26, S27,
C37, C38
S32
S35
S28, S29, S30, S31

A1 036 64.0
A1 035 67.3
A1 035 68.5
28 220 51.1
A1 000 82.0
A1 103 29.0