



RESISTANCES.

Designation.	Condensers.	Code No.	Designation.	Condensers.	Code No.
R11	50000 Ohm	28.770.420	R35	5 M. Ohm	28.770.620
R12	1 M. Ohm	28.770.550	R36	2 M. Ohm	28.770.580
R13	0.5 M. Ohm	28.770.520	R37	1600 Ohm	28.770.270
R14	0.1 M. Ohm	28.770.450	R38	320 Ohm	28.770.200
R16	1.6 M. Ohm	28.770.570	R39	10 Ohm	28.770.050
R17	1.6 M. Ohm	28.770.570	R9	160 Ohm	28.774.890
R19	0.8 M. Ohm	28.770.540	R15	0.5 M. Ohm	28.810.970
R20	0.1 M. Ohm	28.770.450	R18	0.1 M. Ohm	28.770.450
R21	200 Ohm	28.770.180	R22	5 M. Ohm	28.811.430
R24	1.6 M. Ohm	28.770.570	R28	1000 Ohm	28.770.250
R25	16000 Ohm	28.771.050	R32	50 Ohm	28.773.570
R26	32 Ohm	28.770.100	R40	} 32000 Ohm 64000 Ohm	28.770.400 28.770.430
R27	32 Ohm	28.770.100	R41		
R31	2500 Ohm	28.770.290	in Gram only		
R34	1.6 M. Ohm	28.770.570			

Philips 792 A et 795 A

Philips 792 A et 795 A

CONDENSERS.		
Designation.	Condensers.	Code No.
C1	32 μF	28.180.130
C2	32 μF	28.180.130
C3	50 μF	28.182.000
C4	50 μF	28.182.000
C5	0.1 μF	28.199.090
C6	0.1 μF	28.199.090
C7	0.5 μF	28.198.270
C8	50000 $\mu\mu\text{F}$	28.199.060
C9	0.1 μF	28.199.090
C10	10—470 $\mu\mu\text{F}$	28.211.420
C11	10—470 $\mu\mu\text{F}$	
C12	10—470 $\mu\mu\text{F}$	
C13	12—170 $\mu\mu\text{F}$	see coils
C14	2.5—30 $\mu\mu\text{F}$	see coils
C15	2.5—30 $\mu\mu\text{F}$	see coils
C16	2.5—30 $\mu\mu\text{F}$	28.211.320
C17	2.5—30 $\mu\mu\text{F}$	see coils
C18	2.5—30 $\mu\mu\text{F}$	see coils
C19	12—170 $\mu\mu\text{F}$	28.211.310
C20	12—170 $\mu\mu\text{F}$	28.211.310
C21	0.2 μF	28.199.120
C22	12—170 $\mu\mu\text{F}$	28.211.310
C23	12—170 $\mu\mu\text{F}$	see coils
C24	12—170 $\mu\mu\text{F}$	28.211.310
C25	12—170 $\mu\mu\text{F}$	see coils
C26	500 $\mu\mu\text{F}$	28.190.200
C27	50000 $\mu\mu\text{F}$	28.199.060
C28	10 $\mu\mu\text{F}$	28.206.340
C29	16000 $\mu\mu\text{F}$	28.199.010
C30	25000 $\mu\mu\text{F}$	28.199.030
C31	16 $\mu\mu\text{F}$	28.206.360
C32	650 $\mu\mu\text{F}$	28.192.250
C33	1375 $\mu\mu\text{F}$	28.192.300
C34	100 $\mu\mu\text{F}$	28.206.270
C35	0.1 μF	28.199.090
C36	10 $\mu\mu\text{F}$	28.206.340
C37	2000 $\mu\mu\text{F}$	28.198.920
C38	100 $\mu\mu\text{F}$	28.206.270
C39	400 $\mu\mu\text{F}$	28.190.190
C40	20000 $\mu\mu\text{F}$	28.199.020
C41	4000 $\mu\mu\text{F}$	28.199.710
C42	8000 $\mu\mu\text{F}$	28.198.980
C43	0.1 μF	28.199.090
C44	0.1 μF	28.199.090
C45	2 $\mu\mu\text{F}$	28.205.880
C46	2.5—30 $\mu\mu\text{F}$	28.211.320
C47	20 $\mu\mu\text{F}$	28.206.370
C49	250 $\mu\mu\text{F}$	28.190.170
C50 in Gram only	2000 $\mu\mu\text{F}$	28.190.260
RESISTANCES.		
R1	20000 Ohm	28.771.030
R3	50000 Ohm	28.770.420
R4	250 Ohm	28.770.190
R5	800 Ohm	28.770.240
R6	32 Ohm	28.770.100
R7	3200 Ohm	28.770.300
R8	4000 Ohm	28.770.310
R10	0.1 M. Ohm	28.770.450

Philips 792 A et 795 A

VALVES AND PILOT LAMPS.

L1	L2	L3	L4	L5	L6-7	L8	L9-L10
FC4	VP4B	TDD4	Pen A4	1821	8042.07	TV4	8042.07

792A