


200—600 m  
800—2000 m

2161

103—253 V

44 W




R.1594

VOL

1934

200—600 m	200—600 m	800—2000 m
VOL. MAX. 225 m—200 pF— C13, C15 225 m C16 max.	VOL. MAX. 225 m—200 pF— C13, C15 225 m 225 m	VOL. MAX. C13, C15 1000 m 1000 m—200 pF— C22 max.



R1	1200 Ω	—	C1	25 μF	48 31209/25
R2	39000 Ω	48 427 10/39K	C2	25 μF	48 31209/25
R3	68000 Ω	48 427 10/68K	C3	1 μF	
R5	27000 Ω	48 427 10/27K	C4	0.25 μF	
R6	0.1 MΩ	48 426 10/100K	C6	0.25 μF	
R7	0.39 MΩ	48 426 10/390K	C8	0.25 μF	25 115 30.1
R8	2.2 MΩ	48 426 10/22M2	C9	0.1 μF	
R9	0.68 MΩ	48 426 10/680K	C10	0.5 μF	
R10	680 Ω	48 427 10/680E	C5	0.1 μF	48 751 10/100K
R11	18000 Ω	48 427 10/18K	C7	0.1 μF	48 751 10/100K
R12	0.33 MΩ	48 427 10/330K	C11	100 pF	48 429 10/100E
R13	2.2 MΩ	48 426 10/22M2	C12	20 pF	48 429 10/20E
R14	0.33 MΩ	48 426 10/330K	C13	430 pF	25 823 25.0*
R15	390 Ω	48 427 10/390E	C15	430 pF	
R17	60000 Ω	48 426 10/68K	C14	30 pF	28 212 36.4
R18	330 Ω	48 427 10/330E	C16	30 pF	28 212 36.4
R19	0.68 MΩ	48 426 10/680K	C17	640 pF	48 429 10/640E
			C18	250 pF	48 429 10/250E
			C19	2200 pF	48 752 10/2K2
			C20	50 pF	48 429 10/50E
			C21	4700 pF	48 751 10/4K7
			C22	27 pF	28 212 36.4

	B1	B2	B3	B4	B5	
	E 455	E 452	E 499	C 453	1823	
Va	223	225	168	215	—	V
Vg2	80	115	—	225	—	V
Ia	1.9	2.8	0.12	20	—	mA

S1, S2, S3, S4  
S5, S6, S7  
S8, S9, S10, S11, S12  
S13, S14  
S15, S16  
S17  
S18

25 960 10.0\*  
25 960 11.0\*  
25 728 26.1\*  
25 647 99.0  
—  
25 960 76.0\*


9.

VC2 = 225 V.

Copyright  
N.V. Philips Gloeilampenfabrieken.

93 952 49.1

S.	5,6,7.	8,9,12,10,11.	13.	14.	1.	2,3,4.	18.	15,16,17.				
C.	13,7,11.	12,14.	5.	22.	16,9,15.	4.	17.	10.	18,6,11,9.	8.	20,2.	3,21.
R.	3,5,2.	10.	17.	11.	7,6,12,13,8,9,4,15,18,19.							



**835 A**

R11362

