

841 A




Fig. 9.

Philips 841 A

W E E R S T A N D E N

Benaming	Waarde	Codenummer	Prijs
R1	1260 Ohm	} 28.809.810	f 1.20
R15	440 Ohm		
R18	260 Ohm		
R2	50000 Ohm	28.770.420	0.23
R3	80000 Ohm	28.770.440	0.23
R4	8000 Ohm	28.770.340	0.23
R5	20000 Ohm	28.770.380	0.23
R6	0,1 M.Ohm	28.770.450	0.23
R8	2 M.Ohm	28.770.580	0.23
R10	640 Ohm	28.770.230	0.23
R11	16000 Ohm	28.770.370	0.23
R12	0,32 M.Ohm	28.770.500	0.23
R13	0,4 M.Ohm	28.770.510	0.23
R14	0,32 M.Ohm	28.770.500	0.23
R16	100 Ohm	28.770.150	0.23
R17	64000 Ohm	28.770.430	0.23
R19	1 M.Ohm	28.770.550	0.23
R20	50000 Ohm	28.808.290	1.20
of	64000 Ohm	28.808.520	1.20
of	80000 Ohm	28.808.530	1.20
R21	100 Ohm	28.770.150	0.23
R22	160 Ohm	28.770.170	0.23

C O N D E N S A T O R E N

Benaming	Waarde	Codenummer	Prijs
C 1	32 μ F	28.180.130	f. 2.---
C 2	32 μ F	28.180.130	2.---
C 13	1 μ F	} 25.116.430	2.50
C 4	0,25 μ F		
C 6	0,25 μ F		
C 9	0,1 μ F		
C 10	0,5 μ F		
C 5	0,1 μ F	28.199.090	0.30
C 7	0,1 μ F	28.198.460	0.40
C 11	100 μ F	28.190.130	0.30
C 12	20 μ F	25.114.540	0.75
C 13	10-450 μ F	} 25.828.850	6.50
C 15	10-450 μ F		
C 14	25 μ F	28.210.040	0.75
C 16	0-27 μ F	25.115.410	0.75
C 17	640 μ F	28.190.560	0.30
C 18	250 μ F	28.190.170	0.30
C 19	2000 μ F	28.190.260	0.60
C 20	50 μ F	28.190.100	0.30
C 21	5000 μ F	28.199.720	0.30
C 22	0-27 μ F	25.115.410	0.75
C 23	32000 μ F	28.199.800	0.30
C 24	0-430 μ F	25.127.570	3.25
C 25	25 μ F	28.182.240	0.60
C 26	64 μ F	28.190.110	0.30

Philips 841 A

<u>L A M P E N</u>					
L 1	L 2	L 3	L 4	L 5	L 6
E 455	E 462	E 499	AL 4	1823	8046