

13,5—45 m
45—165 m
165—560 m
452 kc/s


49 238 09 Z = 5 Ω

110 V, 125 V, 145 V,
200 V, 220 V, 245 V.

50 W


| 165—560 m I | 13,5—45 m III | 165—560 III |
|--|---|--|
| C3, C4, C5 min. C33 VOL. max. 452 kc/s—33000 pF-g1B1 S25/S31—82 pF S26/S27 max. S25/S31 S24—82 pF S25/S31, S23 max. S24 S23—82 pF S24 max. S23 | VCL. max. 20,5 Mc/s—Y C3, C4, C5 20,5 Mc/s C8, C15, max. 45—165 m III VOL. max. C3, C4, C5 + 15° 6,1 Mc/s—Y C25, C16, C9 max. | VCL. max. C3, C4, C5 + 15° 1740 kc/s—Y C26, C17, C10 max. 25 pF—aB2 C5 600 kc/s—Y C3, C4, C5 500 m C5 C30 max. 165—560 m V 857 kc/s—Y C3, C4, C5 857 kc/s 350 m C33 |

15° 09 992 44.0




R11071

| | | | | | |
|-----|-----------|----------------|-----|-----------|----------------|
| R1 | 1800 Ω | 48 467 10/1K8 | C1 | 50 pF | 48 312 09/50 |
| R2 | 0,82 MΩ | 48 425 10/820K | C2 | 50 pF | 4831709/50+30 |
| R3 | 39 Ω | 48 425 10/39E | C50 | 30 pF | |
| R4 | 10000 Ω | 48 427 10/10K | C3 | 11-490 pF | 28 212 73.3 |
| R5 | 33000 Ω | 48 425 10/33K | C4 | 11-490 pF | 48 750 10/10K |
| R6 | 0,47 MΩ | 48 425 10/470K | C5 | 11-490 pF | 48 406 20/68E |
| R7 | 150 Ω | 48 425 10/150E | C6 | 10000 pF | 49 005 05.2 |
| R8 | 0,1 MΩ | 48 427 10/100K | C7 | 68 pF | 49 005 05.2 |
| R9 | 220 Ω | 48 425 10/220E | C8 | 20 pF | 49 005 05.2 |
| R10 | 39000 Ω | 48 425 10/39K | C9 | 20 pF | 49 005 05.2 |
| R11 | 2x10000 Ω | 48 426 10/10K | C10 | 20 pF | 48 406 20/100E |
| R14 | 0,1 MΩ | 48 426 10/100K | C11 | 100 pF | 48 751 20/10K |
| R15 | 0,47 MΩ | 48 425 10/470K | C12 | 10000 pF | 48 751 20/10K |
| R16 | 0,18 MΩ | 48 425 10/180K | C14 | 10000 pF | 48 751 20/10K |
| R17 | 0,35 MΩ | 49 500 13.0 | C15 | 20 pF | 49 005 05.2 |
| R18 | 2,2 MΩ | 48 427 10/2M2 | C16 | 20 pF | 49 005 05.2 |
| R19 | 4,7 MΩ | 48 427 10/4M7 | C17 | 20 pF | 49 005 05.2 |
| R20 | 1 MΩ | 48 426 10/1M | C19 | 10000 pF | 48 750 10/10K |
| R21 | 0,33 MΩ | 48 425 10/330K | C20 | 56000 pF | 48 751 10/56K |
| R22 | 1000 Ω | 48 425 10/1K | C21 | 55 pF | 48 406 10/56E |
| R23 | 0,5 MΩ | 49 473 040 | C22 | 100 pF | 48 406 10/100E |
| R24 | 180 Ω | 48 426 10/180E | C23 | 220 pF | 48 406 10/220E |
| R25 | 2,7 MΩ | 48 427 10/2M7 | C24 | 20 pF | 49 005 13.0 |
| R26 | 2,7 MΩ | 48 427 10/2M7 | C25 | 20 pF | 49 005 05.2 |
| R27 | 18000 Ω | 48 425 10/18K | C26 | 20 pF | 49 005 05.2 |
| R28 | 330 Ω | 48 425 10/330E | C27 | 5750 pF | 48 429 02/5K75 |
| R29 | 3300 Ω | 48 425 10/3K3 | C28 | 1600 pF | 48 429 02/1K6 |
| R30 | 3300 Ω | 48 425 10/3K3 | C29 | 400 pF | 48 406 10/400E |
| R31 | 1 MΩ | 48 425 10/1M | C30 | 15-175 pF | 49 005 52.0 |
| R32 | 1 MΩ | 48 425 10/1M | C31 | 94 pF | — |
| R33 | 10000 Ω | 48 425 10/10K | C32 | 97 pF | — |
| R35 | 0,1 MΩ | 48 425 10/100K | C33 | 47000 pF | 48 750 20/47K |
| R36 | 10000 Ω | 48 425 10/10K | C35 | 56000 pF | 48 751 10/56K |
| R37 | 2,2 MΩ | 48 426 10/2M2 | C37 | 103 pF | — |
| R38 | 1 MΩ | 48 426 10/1M | C38 | 113 pF | — |
| R39 | 0,47 MΩ | 48 425 10/470K | C39 | 100 pF | 48 406 10/100E |
| R40 | 1,5 MΩ | 49 375 62.0 | C40 | 50 pF | 48 813 02/50 |
| R41 | 3,6 MΩ | 48 427 10/5M6 | C41 | 22000 pF | 48 751 10/22K |
| R43 | 5600 Ω | 48 427 10/5K6 | C43 | 22000 pF | 48 751 10/22K |
| R51 | 39/2 Ω | 48 427 10/39E | C44 | 2200 pF | 48 757 20/2K2 |
| | | | C45 | 56 pF | 48 406 10/56E |
| | | | C46 | 390 pF | 48 406 10/390E |
| | | | C47 | 0,1 pF | 48 751 20/100K |
| | | | C48 | 0,1 pF | 48 750 10/100K |
| | | | C49 | 33000 pF | 48 751 10/33K |
| | | | C50 | 15 pF | C2 |
| | | | C51 | 50 pF | 48 313.02/50 |
| | | | C52 | 680 pF | 49 128 00.0 |
| | | | C53 | 0,1 pF | 48 751 10/100K |
| | | | C54 | 10000 pF | 48 750 10/10K |
| | | | C55 | 10000 pF | 48 750 20/10K |
| | | | C56 | 1,5 pF | 49 005 60.0 |
| | | | C57 | 3,3 pF | 48 406 99/3E8 |
| | | | C58 | 47000 pF | 48 750 10/47K |
| | | | C59 | 22 pF | 48 406 10/22E |
| | | | C62 | 47000 pF | 48 406 10/33E |
| | | | C63 | 47000 pF | 48 751 20/47K |
| | | | C64 | 47000 pF | 48 750 10/47K |
| | | | | | 48 751 20/47K |



R10937



R11389

| | B1 | B2 | B3 | B4 | B5 | B6 | B8 | |
|--------|------|------------------|-------|-------|------|------|--------------|----|
| | EF 8 | ECH 3 | EBF 2 | EBF 2 | EL 3 | AZ 1 | EM 4 | |
| Va | 140 | aT 110 aH 220 | 225 | 15 | 265 | | 65 45 | V |
| Vg2(4) | 200 | 50 | 65 | 20 | 225 | | 230 | V |
| Vk | 0,3 | 1 | — | — | 5,5 | | — | V |
| Ia | 8,3 | aT 5 aH 1 | 2,9 | 0,52 | 29 | | 0,03 0,04 | mA |
| Ig2(4) | 0,27 | 1,65 | 1.— | 0,2 | 2,87 | | 0,06 | mA |

VC1 = 275 V


VC2 = 225 V

VC50 = 200 V

Copyright © N.V. Philips'
Gloeilampenfabrieken Eindhoven, Holland
Imprimé en Hollande


| | | | |
|--|---|---|--|
| S1, S2, S3, S4 S5, S6, S7, S8 S9, S10 S12, S13, S14 S15, S16 S17, S18, S19, S20 S21, S22 | A1 055 44.3 A1 035 61.1 A1 035 64.0 A1 035 62.2 A1 035 65.1 A1 035 63.5 A1 035 66.1 | S23, S24, S32 S35, C31, C32 S25, S26, S27 S31, C37, C38 S28, S29, S30, S34 S33 | A1 036 08.3 A1 036 09.3 A1 103 17.0 28 220 51.1 |
| A+B | RC 6 | | |

B 1




EF 8

B 2




ECH 3

B 3 B 4




EBF 2

B 5




EL 3

B 6











AZ 1


B 8



EM 4



710 A



R 71948