


I: 16.5 - 51 m II: 195 - 585 m III: 720 - 2000 m IV: P.U. MF: 120 KC/s SCHAKELARS



I b: 3-8 13-16
c: 8-23
d: 1-2 13-14
II b: 8-9 13-16
2-23
c: 1-8 17-20
d: 1-3-4 7-10
13-16 19-22
III b: 8-11
c: 3-8
d: 1-3-6
13-18
e
I: 2-23 7-10
11-14
II: 2-23 7-10
III: 2-23 7-10
IV 3-23 11-14

1 100 pF	16 50000 pF	31 10000 Ω	46 50 pF	61 0.8 MΩ	76 0.4 MΩ	91 L 100 Ω	106 L 120 Ω	B	Type	G ₁	G ₂	G ₃	G ₄	A
2 500 pF	17 0.1 mF	32 650 pF	47 400 Ω	62 400 pF	77 800 Ω	92 L 20 Ω	107 L 120 Ω	I	EK 2		2.8	1.3		1.7
3 10 pF	18 9 MΩ	33 1440 pF	48 2 MΩ	63 400 pF	78 100 Ω	93 L 5 Ω	108 L 85 Ω	II	EF 5		2			6.9
4 20 pF	19 500 Ω	34 0-165 pF	49 0-165 pF	64 0.3 MΩ	79 50000 pF	94 L 20 Ω	109 L 85 Ω	III	EBC 3					0.8
5 0-30 pF	20 5 pF	35 0-165 pF	50 50 pF	65 0.3 MΩ	80 50 Ω	95 L 1 Ω	110 L 2.5 Ω	IV	EBL 1		4.2			31.5
6 12500 pF	21 50000 Ω	36 32 mF	51 0.25 MΩ	66 0.16 MΩ	81 2000 pF	96 L 1 Ω	111 L 140 Ω	V	EM 1					0.05
7 40000 pF	22 0-490 pF	37 1600 Ω	52 5 MΩ	67 3200 Ω	82 0.25 mF	97 L < 1 Ω	112 L 120 Ω	VI						
8 0-490 pF	23 500 Ω	38 0.1 mF	53 1.6 MΩ	68 20 Ω	83 1000 pF	98 L < 1 Ω	113 L 350 Ω	VII						
9 0-30 pF	24 50000 Ω	39 0-165 pF	54 0.8 MΩ	69 0.5 MΩ	84 0.32 MΩ	99 L 10 Ω	114	VIII						
10 0-30 pF	25 20000 Ω	40 10000 Ω	55 0.5 MΩ	70 50 mF	85 125 Ω	100 L 28 Ω	115	IX						
11 0.1 MΩ	26 6400 Ω	41 0-165 pF	56 0-165 pF	71 200 Ω	86 32 mF	101 L 20 Ω	116	X						
12 0-490 pF	27 16000 Ω	42 0-30 pF	57 4000 pF	72 1 MΩ	87 32 mF	102 L 40 Ω	117							
13 4 pF	28 8000 Ω	43 50000 pF	58 500 pF	73 0.1 MΩ	88 L 80 Ω	103 L < 1 Ω	118							
14 0.1 mF	29 0-20 pF	44 4 MΩ	59 20 pF	74 400 pF	89 L 30 Ω	104 L < 1 Ω	119							
15 32 Ω	30 0-30 pF	45 0.1 mF	60 100 pF	75 8000 pF	90 L 5.5 Ω	105 L 120 Ω	120							

MERK: PHILIPS
TYPE: 750A-U 802A-U
803A